

World Journal of *Clinical Cases*

World J Clin Cases 2021 August 6; 9(22): 6178-6581



Contents

Thrice Monthly Volume 9 Number 22 August 6, 2021

REVIEW

- 6178** COVID-19 infection and liver injury: Clinical features, biomarkers, potential mechanisms, treatment, and management challenges

Sivandzadeh GR, Askari H, Safarpour AR, Ejtehad F, Raeis-Abdollahi E, Vaez Lari A, Abazari MF, Tarkesh F, Bagheri Lankarani K

- 6201** Gastrointestinal manifestations of systemic sclerosis: An updated review

Luquez-Mindiola A, Atuesta AJ, Gómez-Aldana AJ

MINIREVIEWS

- 6218** Mesenchymal stem cell-derived exosomes: An emerging therapeutic strategy for normal and chronic wound healing

Zeng QL, Liu DW

- 6234** Role of autophagy in cholangiocarcinoma: Pathophysiology and implications for therapy

Ninfolle E, Pinto C, Benedetti A, Marziani M, Maroni L

ORIGINAL ARTICLE

Case Control Study

- 6244** Risk factors for intussusception in children with Henoch-Schönlein purpura: A case-control study

Zhao Q, Yang Y, He SW, Wang XT, Liu C

Retrospective Study

- 6254** Sequential therapy with combined trans-papillary endoscopic naso-pancreatic and endoscopic retrograde pancreatic drainage for pancreatic pseudocysts

He YG, Li J, Peng XH, Wu J, Xie MX, Tang YC, Zheng L, Huang XB

- 6268** Retrospective study of effect of whole-body vibration training on balance and walking function in stroke patients

Xie L, Yi SX, Peng QF, Liu P, Jiang H

- 6278** Risk factors for preoperative carcinogenesis of bile duct cysts in adults

Wu X, Li BL, Zheng CJ, He XD

- 6287** Diagnostic and prognostic value of secreted protein acidic and rich in cysteine in the diffuse large B-cell lymphoma

Pan PJ, Liu JX

- 6300** Jumbo cup in hip joint renovation may cause the center of rotation to increase

Peng YW, Shen JM, Zhang YC, Sun JY, Du YQ, Zhou YG

Clinical Trials Study

- 6308** Effect of exercise training on left ventricular remodeling in patients with myocardial infarction and possible mechanisms
Cai M, Wang L, Ren YL

Observational Study

- 6319** Analysis of sleep characteristics and clinical outcomes of 139 adult patients with infective endocarditis after surgery
Hu XM, Lin CD, Huang DY, Li XM, Lu F, Wei WT, Yu ZH, Liao HS, Huang F, Huang XZ, Jia FJ
- 6329** Health-related risky behaviors and their risk factors in adolescents with high-functioning autism
Sun YJ, Xu LZ, Ma ZH, Yang YL, Yin TN, Gong XY, Gao ZL, Liu YL, Liu J
- 6343** Selection of internal fixation method for femoral intertrochanteric fractures using a finite element method
Mu JX, Xiang SY, Ma QY, Gu HL

META-ANALYSIS

- 6357** Neoadjuvant chemotherapy for patients with resectable colorectal cancer liver metastases: A systematic review and meta-analysis
Zhang Y, Ge L, Weng J, Tuo WY, Liu B, Ma SX, Yang KH, Cai H

CASE REPORT

- 6380** Ruptured intracranial aneurysm presenting as cerebral circulation insufficiency: A case report
Zhao L, Zhao SQ, Tang XP
- 6388** Prostatic carcinosarcoma seven years after radical prostatectomy and hormonal therapy for prostatic adenocarcinoma: A case report
Huang X, Cai SL, Xie LP
- 6393** Pyogenic arthritis, pyoderma gangrenosum, and acne syndrome in a Chinese family: A case report and review of literature
Lu LY, Tang XY, Luo GJ, Tang MJ, Liu Y, Yu XJ
- 6403** Malaria-associated secondary hemophagocytic lympho-histiocytosis: A case report
Zhou X, Duan ML
- 6410** Ileal hemorrhagic infarction after carotid artery stenting: A case report and review of the literature
Xu XY, Shen W, Li G, Wang XF, Xu Y
- 6418** Inflammatory myofibroblastic tumor of the pancreatic neck: A case report and review of literature
Chen ZT, Lin YX, Li MX, Zhang T, Wan DL, Lin SZ
- 6428** Management of heterotopic cesarean scar pregnancy with preservation of intrauterine pregnancy: A case report
Chen ZY, Zhou Y, Qian Y, Luo JM, Huang XF, Zhang XM

- 6435** Manifestation of severe pneumonia in anti-PL-7 antisynthetase syndrome and B cell lymphoma: A case report
Xu XL, Zhang RH, Wang YH, Zhou JY
- 6443** Disseminated infection by *Fusarium solani* in acute lymphocytic leukemia: A case report
Yao YF, Feng J, Liu J, Chen CF, Yu B, Hu XP
- 6450** Primary hepatic neuroendocrine tumor – ¹⁸F-fluorodeoxyglucose positron emission tomography/computed tomography findings: A case report
Rao YY, Zhang HJ, Wang XJ, Li MF
- 6457** Malignant peripheral nerve sheath tumor in an elderly patient with superficial spreading melanoma: A case report
Yang CM, Li JM, Wang R, Lu LG
- 6464** False positive anti-hepatitis A virus immunoglobulin M in autoimmune hepatitis/primary biliary cholangitis overlap syndrome: A case report
Yan J, He YS, Song Y, Chen XY, Liu HB, Rao CY
- 6469** Successful totally laparoscopic right trihepatectomy following conversion therapy for hepatocellular carcinoma: A case report
Zhang JJ, Wang ZX, Niu JX, Zhang M, An N, Li PF, Zheng WH
- 6478** Primary small cell esophageal carcinoma, chemotherapy sequential immunotherapy: A case report
Wu YH, Zhang K, Chen HG, Wu WB, Li XJ, Zhang J
- 6485** Subdural fluid collection rather than meningitis contributes to hydrocephalus after cervical laminoplasty: A case report
Huang HH, Cheng ZH, Ding BZ, Zhao J, Zhao CQ
- 6493** Phlegmonous gastritis developed during chemotherapy for acute lymphocytic leukemia: A case report
Saito M, Morioka M, Izumiyama K, Mori A, Ogasawara R, Kondo T, Miyajima T, Yokoyama E, Tanikawa S
- 6501** Spinal epidural hematoma after spinal manipulation therapy: Report of three cases and a literature review
Liu H, Zhang T, Qu T, Yang CW, Li SK
- 6510** Abdominal hemorrhage after peritoneal dialysis catheter insertion: A rare cause of luteal rupture: A case report
Gan LW, Li QC, Yu ZL, Zhang LL, Liu Q, Li Y, Ou ST
- 6515** Concealed mesenteric ischemia after total knee arthroplasty: A case report
Zhang SY, He BJ, Xu HH, Xiao MM, Zhang JJ, Tong PJ, Mao Q
- 6522** Chylothorax following posterior low lumbar fusion surgery: A case report
Huang XM, Luo M, Ran LY, You XH, Wu DW, Huang SS, Gong Q
- 6531** Non-immune hydrops fetalis: Two case reports
Maranto M, Cigna V, Orlandi E, Cucinella G, Lo Verso C, Duca V, Picciotto F

- 6538** Bystander effect and abscopal effect in recurrent thymic carcinoma treated with carbon-ion radiation therapy: A case report
Zhang YS, Zhang YH, Li XJ, Hu TC, Chen WZ, Pan X, Chai HY, Ye YC
- 6544** Management of an intracranial hypotension patient with diplopia as the primary symptom: A case report
Wei TT, Huang H, Chen G, He FF
- 6552** Spontaneous rupture of adrenal myelolipoma as a cause of acute flank pain: A case report
Kim DS, Lee JW, Lee SH
- 6557** Neonatal necrotizing enterocolitis caused by umbilical arterial catheter-associated abdominal aortic embolism: A case report
Huang X, Hu YL, Zhao Y, Chen Q, Li YX
- 6566** Primary mucosa-associated lymphoid tissue lymphoma in the midbrain: A case report
Zhao YR, Hu RH, Wu R, Xu JK
- 6575** Extensive cutaneous metastasis of recurrent gastric cancer: A case report
Chen JW, Zheng LZ, Xu DH, Lin W

ABOUT COVER

Editorial Board Member of *World Journal of Clinical Cases*, Salma Ahi, MD, Assistant Professor, Research Center for Noncommunicable Diseases, Jahrom University of Medical Sciences, Jahrom 193, Iran. salmaahi.61@gmail.com

AIMS AND SCOPE

The primary aim of *World Journal of Clinical Cases* (WJCC, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

WJCC mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

INDEXING/ABSTRACTING

The WJCC is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Scopus, PubMed, and PubMed Central. The 2021 Edition of Journal Citation Reports® cites the 2020 impact factor (IF) for WJCC as 1.337; IF without journal self cites: 1.301; 5-year IF: 1.742; Journal Citation Indicator: 0.33; Ranking: 119 among 169 journals in medicine, general and internal; and Quartile category: Q3. The WJCC's CiteScore for 2020 is 0.8 and Scopus CiteScore rank 2020: General Medicine is 493/793.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Yan-Xia Xing; **Production Department Director:** Yun-Jie Ma; **Editorial Office Director:** Jin-Lei Wang.

NAME OF JOURNAL

World Journal of Clinical Cases

ISSN

ISSN 2307-8960 (online)

LAUNCH DATE

April 16, 2013

FREQUENCY

Thrice Monthly

EDITORS-IN-CHIEF

Dennis A Bloomfield, Sandro Vento, Bao-Gan Peng

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

PUBLICATION DATE

August 6, 2021

COPYRIGHT

© 2021 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>



Inflammatory myofibroblastic tumor of the pancreatic neck: A case report and review of literature

Zhi-Tao Chen, Yao-Xiang Lin, Meng-Xia Li, Ting Zhang, Da-Long Wan, Sheng-Zhang Lin

ORCID number: Zhi-Tao Chen 0000-0001-9469-7176; Yao-Xiang Lin 0000-0002-0887-1615; Meng-Xia Li 0000-0003-4443-740X; Ting Zhang 0000-0003-1211-0103; Da-Long Wan 0000-0001-8912-770X; Sheng-Zhang Lin 0000-0002-2326-3132.

Author contributions: Chen ZT and Lin SZ were the patient's surgeons, reviewed the literature and contributed to manuscript drafting; Lin YX reviewed the literature and contributed to manuscript drafting; Li MX performed the interpretation and contributed to manuscript drafting; Zhang T analyzed and interpreted the pathologic findings; Wan DL and Lin SZ performed the disease consultation, reviewed the literature and drafted the manuscript; all authors issued final approval for the version to be submitted.

Informed consent statement: Informed written consent was obtained from the patient for publication of this report and any accompanying images.

Conflict-of-interest statement: The authors declare that they have no conflict of interest.

CARE Checklist (2016) statement: The authors have read the CARE Checklist (2016), and the manuscript was prepared and

Zhi-Tao Chen, Department of Hepatobiliary and Pancreatic Surgery, Shulan (Hangzhou) Hospital Affiliated to Zhejiang Shuren University Shulan International Medical College, Hangzhou 310000, Zhejiang Province, China

Zhi-Tao Chen, Meng-Xia Li, School of Medicine, Zhejiang University, Hangzhou 310000, Zhejiang Province, China

Yao-Xiang Lin, School of Medicine, Hangzhou Normal University, Hangzhou 310003, Zhejiang Province, China

Meng-Xia Li, Department of Hepatobiliary and Pancreatic Surgery, First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou 310003, Zhejiang Province, China

Ting Zhang, Department of Pathology, Shulan (Hangzhou) Hospital Affiliated to Zhejiang Shuren University Shulan International Medical College, Hangzhou 310000, Zhejiang Province, China

Da-Long Wan, Department of Hepatobiliary and Pancreatic Surgery, The First Affiliated Hospital, College of Medicine, Zhejiang University, Hangzhou 310003, Zhejiang Province, China

Sheng-Zhang Lin, Department of Hepatobiliary Surgery, Shulan (Hangzhou) Hospital Affiliated to Zhejiang Shuren University Shulan International Medical College, Hangzhou 310000, Zhejiang Province, China

Corresponding author: Sheng-Zhang Lin, MD, Chief Doctor, Department of Hepatobiliary Surgery, Shulan (Hangzhou) Hospital Affiliated to Zhejiang Shuren University Shulan International Medical College, No. 848 Dongxin Road, Hangzhou 310000, Zhejiang Province, China. wzf2lsz@163.com

Abstract

BACKGROUND

Pancreatic inflammatory myofibroblastic tumor (IMT) is a relatively rare disease that is often confused with pancreatic cancer or pancreatic neuroendocrine tumors. The histological features of IMTs show that tissue from this type of tumor contains an intermingling of fibroblast and myofibroblast proliferation, accompanied by a varying degree of inflammatory cell infiltration.

CASE SUMMARY

The management of an IMT occurring at the neck of the pancreas is presented in

revised according to the CARE Checklist (2016).

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Manuscript source: Unsolicited manuscript

Specialty type: Medicine, research and experimental

Country/Territory of origin: China

Peer-review report's scientific quality classification

Grade A (Excellent): 0
Grade B (Very good): 0
Grade C (Good): C, C
Grade D (Fair): 0
Grade E (Poor): 0

Received: February 18, 2021

Peer-review started: February 18, 2021

First decision: March 11, 2021

Revised: March 23, 2021

Accepted: June 1, 2021

Article in press: June 1, 2021

Published online: August 6, 2021

P-Reviewer: Cianci P, Tomažič A

S-Editor: Fan JR

L-Editor: Filipodia

P-Editor: Xing YX



this paper. A 66-year-old female patient was diagnosed with a pancreatic neck mass after a series of tests. The patient underwent enucleation of the pancreatic neck tumor after a pathological diagnosis of IMT. Previous research on the clinical features, pathological diagnosis and treatment of pancreatic IMTs was reviewed. Compared with previous reports, this is a unique case of enucleation of a pancreatic IMT.

CONCLUSION

The enucleation of pancreatic IMTs may be a safe and efficient surgical method for managing such tumors with a better prognosis. Further cases are required to explore surgical measures for pancreatic IMTs.

Key Words: Inflammatory myofibroblastic tumor; Pancreatic neck; Enucleation; Case report

©The Author(s) 2021. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Pancreatic inflammatory myofibroblastic tumor (IMT) is a relatively rare disease that is often confused with pancreatic cancer or pancreatic neuroendocrine tumors. We present herein a 66-year-old female patient who was diagnosed with a pancreatic neck mass after a series of tests. The patient underwent enucleation of a pancreatic neck tumor after pathological diagnosis of IMT. Compared with previous reports, this is a unique case of enucleation of a pancreatic IMT. We conclude that the enucleation of pancreatic IMTs may be a safe and efficient surgical method for managing such tumors with a better prognosis.

Citation: Chen ZT, Lin YX, Li MX, Zhang T, Wan DL, Lin SZ. Inflammatory myofibroblastic tumor of the pancreatic neck: A case report and review of literature. *World J Clin Cases* 2021; 9(22): 6418-6427

URL: <https://www.wjgnet.com/2307-8960/full/v9/i22/6418.htm>

DOI: <https://dx.doi.org/10.12998/wjcc.v9.i22.6418>

INTRODUCTION

An inflammatory myofibroblastic tumor (IMT) is a rare mesenchymal tumor of unknown pathogenesis and aggressive malignant potential with a global incidence of less than 1% [1,2]. IMTs most commonly occur in the lungs of children and young adults, followed by the head and neck [3], liver [4], pancreas [5], genitourinary tract [6] and thyroid [7]. The clinical presentation of pancreatic IMTs varies depending on their anatomic location, and the final diagnosis of most lesions requires a pathological examination. The pancreatic head is the most common site for pancreatic IMTs and may be the first choice for surgical resection. Of 29 cases of pancreatic IMT reported in the English literature, none have been treated by enucleation of the tumor. Herein, an unusual pancreatic neck IMT occurring in a 66-year-old female patient is presented, and this may be the first case of enucleation of a pancreatic IMT. Pancreatic IMTs have a relatively low incidence and unspecific manifestations. The clinical and histological features of pancreatic IMTs, as well as their diagnosis and treatment, are discussed in this paper.

CASE PRESENTATION

Chief complaints

A 66-year-old female patient was admitted to Shulan (Hangzhou) Hospital on January 13, 2020 for a pancreatic mass.

History of present illness

Abdominal ultrasonography of the patient showed hyperechoic foci in the neck of the

pancreas after a follow-up examination in the local hospital 4 d prior, and then the patient was transferred to our department for further treatment.

History of past illness

The patient had a history of right pulmonary wedge resection for adenocarcinoma in 2014 and right hemicolectomy for colon cancer in 2018.

Physical examination

The physical examination was unremarkable.

Laboratory examinations

Laboratory examinations, including complete blood count, C-reactive protein and tumor markers, were all within the normal range.

Imaging examinations

However, the ultrasound scan revealed a 2.5 cm × 1.5 cm mass in the neck of the pancreas. Dynamic contrast-enhanced magnetic resonance imaging scan showed an abnormal soft tissue heterogeneous mass in the neck of the pancreas, which appeared hyperintense on the T1-weighted image and mildly hyperintense on the T2-weighted image. A centripetal enhancement pattern was observed during the delayed phase of contrast imaging (Figure 1A-E). Whole-body ¹⁸F-fluorodeoxyglucose (FDG) positron emission tomography/computed tomography (CT) examination revealed a 2.3 cm × 1.4 cm, mild-to-moderate FDG uptake nodule in front of the pancreatic neck (SUV_{max} 3.87) with normal scans of the head, neck, chest and colon (Figure 1F). The imaging findings were highly suggestive of pancreatic IMT. However, the possibility of a metastatic tumor could not be ruled out due to the history of lung and colon cancer.

Histopathological examination

A detailed postoperative histopathological examination revealed that the carcinoma cells stained positively for desmin, vimentin, CD34, CD31, BCL2 and β-catenin and negatively for S-100, Pan-CK (AE1/AE3), caldesmon, DOG1, CD117, smooth muscle actin and P53.

FINAL DIAGNOSIS

A diagnosis of pancreatic neck IMT was determined on the basis of the histopathological results (Figure 2).

TREATMENT

The patient with pancreatic IMT underwent enucleation of the pancreatic mass after multidisciplinary team discussion. During the laparotomy, a hard protruding mass with a size of 2.3 cm × 1.5 cm was observed on the pancreatic neck and subsequently enucleated. The entire mass was fleshy with a grayish-white cut surface and was confirmed with the intraoperative frozen section to be an IMT.

OUTCOME AND FOLLOW-UP

The postoperative recovery was uneventful, and the patient was discharged on postoperative day 11 (Figure 3). No adjuvant treatment was administered, and no obvious signs of metastasis or recurrence in the next 10 mo of follow-up were observed.

DISCUSSION

IMT, first reported in the lungs[8,9], is a special type of disease that is often termed differently in primary research, including designations such as plasma cell granuloma, plasma cell pseudotumor, inflammatory pseudotumor, inflammatory fibroxanthoma and histiocytoma[10]. IMTs can occur almost anywhere in the body, including the




Figure 1 Dynamic contrast-enhanced magnetic resonance imaging and ^{18}F -fluorodeoxyglucose positron emission tomography/computed tomography reveal one irregular lesion in the pancreatic neck. A: The lesion of the pancreatic neck (orange arrow) was hyperintense on T1-weighted imaging; B: The irregular lesion (orange arrow) was slightly hyperintense on T2-weighted imaging; C: Arterial phase imaging revealed slight enhancement of the pancreatic lesion (orange arrow); D: The lesion (orange arrow) showed persistent enhancement in venous phase imaging; E: The pancreatic mass (orange arrow) had significant hyperintensity in diffusion-weighted imaging; F: ^{18}F -fluorodeoxyglucose positron emission tomography/computed tomography revealed a hypermetabolic pancreatic neck nodule measuring 2.3 cm $\times$ 1.4 cm ($\text{SUV}_{\text{max}} = 3.87$).

lungs, liver, bladder, mesentery and neck[11-13]. However, an IMT arising from the pancreas is extremely rare. A complete search of the literature from 1900 to 2020 using the PubMed database with the search terms “inflammatory myofibroblastic tumor,” “IMT,” “pancreas” and “pancreatic” was performed, and only 29 reported cases were discovered. A brief literature review of reported cases with pancreatic IMT was conducted to better understand pancreatic IMT, as summarized in Table 1[5,10,14-34]. Of these patients, 20 were male (20/29, 69%), and 9 were female (9/29, 31%), with an obvious male predilection. The tumor diameter for all reported cases ranged from 1.5 to 15.0 cm. Most tumors occurred in the pancreatic head (21/29 patients), followed by the pancreatic tail (4/29 patients) and pancreatic body (3/29 patients), suggesting that

Table 1 Reported cases of pancreatic inflammatory myofibroblastic tumor in the English literature

Cases	Sex	Age in yr	Location	Diameter in cm	Symptoms	Treatment	Follow-up	Ref.
1	M	70	PT	3.8	Asymptomatic	DP + splenectomy	Disease-free at 10 mo	Pungpapong <i>et al</i> [29], 2004
2	M	62	PH	3	Jaundice	PD	Disease-free at 6 yr	Wreesmann <i>et al</i> [14], 2001
3	M	56	PH	no	Jaundice	PD	Disease-free at 5 yr	Wreesmann <i>et al</i> [14], 2001
4	M	50	PH	5	Jaundice, abdominal pain	PD	Disease-free at 4 yr	Wreesmann <i>et al</i> [14], 2001
5	F	57	PH	Not available	Jaundice	PD	Disease-free at 3 yr	Wreesmann <i>et al</i> [14], 2001
6	M	45	PH	Not available	Jaundice	PD	Disease-free at 10 yr	Wreesmann <i>et al</i> [14], 2001
7	F	32	PH	3	Abdominal pain	PD	Disease-free at 12 yr	Wreesmann <i>et al</i> [14], 2001
8	F	42	PB	7	Abdominal pain, weight loss	DP	Disease-free at 6 mo	Kroft <i>et al</i> [15], 1998
9	F	8	PBT	10.7	Abdominal mass	DP	Disease-free at 2 yr	Shankar <i>et al</i> [16], 1998
10	M	35	PH	5 × 4 × 3	Abdominal pain, weight loss	PD	Lung metastasis at 6 yr	Walsh <i>et al</i> [17], 1998
11	M	55	PH	1.5	Asymptomatic	PD	Disease-free at 28 mo	Yamamoto <i>et al</i> [10], 2002
12	M	69	PBT	Not available	Abdominal pain	DP + splenectomy + colon splenic flexure	Died after 7 mo of hospitalization due to sepsis	Esposito <i>et al</i> [18], 2004
13	M	65	PB	2	Asymptomatic	DP + splenectomy	Disease-free at 3 yr	Dulundu <i>et al</i> [19], 2007
14	M	56	PT	5 × 7	Melena	DP + splenectomy	Disease-free at 18 mo	Sim <i>et al</i> [30], 2008
15	F	13	PH	3	Vomiting, weight loss	PD	Disease-free at 7 yr	Dagash <i>et al</i> [20], 2009
16	M	10	PH	2.2	Abdominal pain, anepithymia	Prednisolone, cefuroxime	Disease-free at 6 yr	Dagash <i>et al</i> [20], 2009
17	M	19	PT	8.2 × 6.5 × 6.0	Abdominal pain	DP + splenectomy	Disease-free at 6 yr	Hassan <i>et al</i> [22], 2010
18	M	44	PH	6 × 4	Abdominal pain, vomiting	PD	Disease-free at 1 yr	Schütte <i>et al</i> [23], 2010
19	M	65	PH	Not available	Abdominal pain	PD	Not available	Lacoste <i>et al</i> [25], 2012
20	M	0.5	PH	4	Jaundice	PD	Disease-free at 3.5 yr	Tomazic <i>et al</i> [31], 2015
21	F	32	PH	4.8 × 3.2	Abdominal pain	PD	Disease-free at 2.5 yr	Panda <i>et al</i> [26], 2015
22	M	46	PH	8 × 6 × 5	Jaundice	PD	Not available	Battal <i>et al</i> [27], 2016
23	M	69	PH	4 × 3	Vomiting, anepithymia	PD	Disease-free at 3 yr	Ding <i>et al</i> [21], 2016
24	M	15	PH	5 × 5 × 4.3	Abdominal pain, fever	PD	Not available	Liu <i>et al</i> [24], 2017
25	M	1	PH	4 × 3	Asymptomatic	PD	Not available	Berhe <i>et al</i> [34], 2019
26	F	82	PH	5	Abdominal pain	None	Disease-free at 9 mouths	Matsubayashi <i>et al</i> [28], 2019

27	M	61	PT	15 × 13 × 7	Abdominal pain	DP + left surrenalectomy + left hemicolectomy + splenectomy	Disease-free at 8 mo	İflazoğlu <i>et al</i> [5], 2020
28	F	11	PH	3.4	Abdominal pain, weight loss	PD	Not available	Mcclain <i>et al</i> [32], 2000
29	F	13	PH	2.5	Abdominal pain	PD	Disease-free at 4 yr	Zanchi <i>et al</i> [33], 2015
30	F	66	PN	2.3 × 1.5	Asymptomatic	Enucleation	Disease-free at 9 mo	Current

DP: Distal pancreatectomy; F: Female; M: Male; PB: Pancreatic body; PBT: Pancreatic body and tail; PD: Pancreaticoduodenectomy; PH: Pancreatic head; PN: Pancreatic neck; PT: Pancreatic tail.




Figure 2 The pathological findings of the resected specimen revealed inflammatory myofibroblastic tumor. A-C: Histological images showed mixed components of dense myofibroblastic tissues and few inflammatory cells, with neoplastic cells infiltrating the surrounding fat tissue (hematoxylin and eosin staining); D: Immunohistochemical studies showed positivity for smooth muscle actin.

pancreatic IMT was more common in the pancreatic head.

Clinical manifestations

Pancreatic IMT can occur at all ages but shows a preference for children and young adults[35]. All reported cases range from 6 mo to 82 years (mean age: 42 years). As described previously, the clinical presentation of pancreatic IMT varies depending on its anatomic location and can range from asymptomatic to hemorrhagic shock due to rupture of the spleen[19,22]. Nonetheless, almost all pancreatic IMTs have similar nonspecific symptoms, such as abdominal discomfort, abdominal distension, abdominal pain, general fatigue and weight loss. Obstructive jaundice may be noted in typical patients with a pancreatic head IMT. The tumor can also obstruct the pancreatic duct and induce chronic pancreatitis with abdominal discomfort, diarrhea and indigestion[23]. An IMT arising from the pancreatic tail can also obstruct blood vessels of the spleen, resulting in rupture of the spleen with severe abdominal pain and hemorrhagic shock[22]. However, the IMT of our patient arose from the neck of




Figure 3 Ten days after surgical resection, computed tomography showed that the pancreatic neck inflammatory myofibroblastic tumor was enucleated, and the tissue of the pancreas remained intact.

the pancreas, and she had no special symptoms.

Clinical evaluation

The preoperative laboratory findings were nonspecific for the diagnosis of pancreatic IMT. Only a few patients with a solitary mass occurring in the head of the pancreas may have elevated total serum bilirubin, amylase and carbohydrate antigen 19-9 due to obstruction of the bile duct or pancreatic duct[26]. Moreover, the radiological features are often deceptive. Ultrasound, CT and magnetic resonance imaging examinations showed mass lesions mimicking pancreatic cancer or pancreatic neuroendocrine tumors. Similar to that of other malignant tumors, whole-body ^{18}F -FDG positron emission tomography/CT also showed an elevated SUV_{max} [36], which can distinguish IMTs from non-neoplastic lesions, such as pancreatic pseudocysts and swollen lymph nodes. In addition, whole-body ^{18}F -FDG positron emission tomography /CT is the best tool to detect tumor recurrence or distant metastasis. Even standard intraoperative frozen pathology may not provide definitive information to distinguish pancreatic IMTs from pancreatic inflammatory pseudotumors.

Pathology/pathophysiology

The definitive diagnosis of IMTs relies on histological evaluations and immunohistochemical tests[37]. The histological features of IMTs are spindle-shaped cells accompanied by varying degrees of inflammatory cells[38,39]. Coffin *et al*[37] suggested that clonal cytogenetic abnormalities involving the anaplastic lymphoma kinase gene on the short arm of chromosome 2 at 2p23 occur in approximately 50% of IMTs[37]. This can be a useful test for a definitive clinicopathologic diagnosis. In addition, most extrapulmonary IMTs display immunohistochemical reactivity for spinal muscular atrophy, desmin, the tissue cell marker CD68 and the vascular marker CD34[40].

Treatment

To date, no standard consensus regarding the treatment of pancreatic IMT has been reached. However, surgical resection of the lesion is recommended as the primary therapeutic option for pancreatic IMT. The surgical approach is related to the location of the lesion on the pancreas. For pancreatic head IMTs, pancreaticoduodenectomy is recommended, while distal pancreatectomy is recommended for pancreatic body or tail IMTs. Pancreatic IMTs often invade surrounding organs such as the colon, duodenum and stomach. However, these theories are not widely accepted for such low-grade malignant lesions. Whether radical surgery is necessary requires a large number of further clinical studies.

Radiation therapy, chemotherapy and high-dose steroid therapy have also been used in patients with incomplete resection, impossible resection or malignant disease status postsurgical resection[20,28,41]. Spontaneous regression of pancreatic IMTs has been reported infrequently[28]. Given that our patient was an elderly and infirm female with pancreatic neck IMT only, multidisciplinary team discussion suggested that enucleation would be a more beneficial therapeutic option. No adjuvant treatment

was administered following the enucleation of the pancreatic IMT. The patient remained symptom-free and healthy without tumor recurrence or metastasis 10 mo after surgery. Although only one patient with IMT has been reported to have undergone enucleation, such operative procedures could be considered in the future. More cases are required to explore the surgical treatment of pancreatic IMTs.

Prognosis

Pancreatic IMT is regarded as a low-grade malignancy with a generally favorable prognosis. However, a close and long-term follow-up after surgery must be carried out due to its potential for malignancy, distant metastasis and recurrence.

CONCLUSION

This paper reports a rare case of IMT of the pancreatic neck managed with enucleation treatment to confirm whether radical surgery could be avoided. This is the first reported case in which enucleation usage resulted in a favorable prognosis of pancreatic IMT. Surgical resection may be the preferred treatment and may provide a better prognosis. However, using enucleation as a surgical measure for treating patients with IMT may also yield a good prognosis.

ACKNOWLEDGEMENTS

The authors would like to thank the support of the Department of Radiology at Shulan (Hangzhou) Hospital Affiliated to Zhejiang Shuren University Shulan International Medical College.

REFERENCES

- 1 **Panagiotopoulos N**, Patrini D, Gvinianidze L, Woo WL, Borg E, Lawrence D. Inflammatory myofibroblastic tumour of the lung: a reactive lesion or a true neoplasm? *J Thorac Dis* 2015; **7**: 908-911 [PMID: 26101648 DOI: 10.3978/j.issn.2072-1439.2015.04.60]
- 2 **Travis WD**. The 2015 WHO classification of lung tumors. *Pathologie* 2014; **35** Suppl 2: 188 [PMID: 25394966 DOI: 10.1007/s00292-014-1974-3]
- 3 **Gao F**, Zhong R, Li GH, Zhang WD. Computed tomography and magnetic resonance imaging findings of inflammatory myofibroblastic tumors of the head and neck. *Acta Radiol* 2014; **55**: 434-440 [PMID: 23966365 DOI: 10.1177/0284185113500165]
- 4 **Thavamani A**, Mandelia C, Anderson PM, Radhakrishnan K. Pediatric Inflammatory Myofibroblastic Tumor of the Liver: A Rare Cause of Portal Hypertension. *ACG Case Rep J* 2019; **6**: 1-4 [PMID: 31620493 DOI: 10.14309/crj.0000000000000028]
- 5 **İflazoğlu N**, Kaplan Kozan S, Biri T, Ünlü S, Gökçe H, Doğan S, Gökçe ON. Pancreatic inflammatory myofibroblastic tumor presenting with extracolonic obstruction. *Turk J Surg* 2020; **36**: 233-237 [PMID: 33015570 DOI: 10.5578/turkjsurg.4325]
- 6 **Palanisamy S**, Chittawadagi B, Dey S, Sabnis SC, Nalankilli VP, Subbiah R, Chinnusamy P. Inflammatory Myofibroblastic Tumor of Colon Mimicking Advanced Malignancy: Report of Two Cases with Review of Literature. *Indian J Surg* 2020; **82**: 1280-1283 [DOI: 10.1007/s12262-020-02215-w]
- 7 **An N**, Luo Y, Wang J, Wang XL, Man GD, Song YD. [Inflammatory myofibroblastic tumor of thyroid: a case report]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi* 2018; **53**: 148-149 [PMID: 29429189 DOI: 10.3760/cma.j.issn.1673-0860.2018.02.015]
- 8 **Coffin CM**, Humphrey PA, Dehner LP. Extrapulmonary inflammatory myofibroblastic tumor: a clinical and pathological survey. *Semin Diagn Pathol* 1998; **15**: 85-101 [PMID: 9606801 DOI: 10.1016/S0022-2143(98)90149-4]
- 9 **Zhao HD**, Wu T, Wang JQ, Zhang WD, He XL, Bao GQ, Li Y, Gong L, Wang Q. Primary inflammatory myofibroblastic tumor of the breast with rapid recurrence and metastasis: A case report. *Oncol Lett* 2013; **5**: 97-100 [PMID: 23255901 DOI: 10.3892/ol.2012.948]
- 10 **Yamamoto H**, Watanabe K, Nagata M, Tasaki K, Honda I, Watanabe S, Soda H, Takenouti T. Inflammatory myofibroblastic tumor (IMT) of the pancreas. *J Hepatobiliary Pancreat Surg* 2002; **9**: 116-119 [PMID: 12021906 DOI: 10.1007/s005340200013]
- 11 **Alabbas Z**, Issa M, Omran A, Issa R. Mesenteric inflammatory myofibroblastic tumor as a rare cause of small intestinal intussusception. *J Surg Case Rep* 2020; **2020**: rjaa322 [PMID: 32994915 DOI: 10.1093/jscr/rjaa322]
- 12 **Zhao J**, Han D, Gao M, Liu M, Feng C, Chen G, Gu Y, Jiang Y. Inflammatory myofibroblastic tumor

- of the neck with thyroid invasion: a case report and literature review. *Gland Surg* 2020; **9**: 1042-1047 [PMID: [32953613](#) DOI: [10.21037/gs-20-355](#)]
- 13 **Inamdar AA**, Pulinthanathu R. Malignant transformation of inflammatory myofibroblastic tumor of urinary bladder: A rare case scenario. *Bladder (San Franc)* 2019; **6**: e39 [PMID: [32775481](#) DOI: [10.14440/bladder.2019.805](#)]
 - 14 **Wreesmann V**, van Eijck CH, Naus DC, van Velthuysen ML, Jeekel J, Mooi WJ. Inflammatory pseudotumour (inflammatory myofibroblastic tumour) of the pancreas: a report of six cases associated with obliterative phlebitis. *Histopathology* 2001; **38**: 105-110 [PMID: [11207823](#) DOI: [10.1046/j.1365-2559.2001.01056.x](#)]
 - 15 **Kroft SH**, Stryker SJ, Winter JN, Ergun G, Rao MS. Inflammatory pseudotumor of the pancreas. *Int J Pancreatol* 1995; **18**: 277-283 [PMID: [8708401](#) DOI: [10.1007/BF02784953](#)]
 - 16 **Shankar KR**, Losty PD, Khine MM, Lamont GL, McDowell HP. Pancreatic inflammatory tumour: a rare entity in childhood. *J R Coll Surg Edinb* 1998; **43**: 422-423 [PMID: [9990796](#) DOI: [10.1016/S1072-7515\(98\)00255-5](#)]
 - 17 **Walsh SV**, Evangelista F, Khettry U. Inflammatory myofibroblastic tumor of the pancreaticobiliary region: morphologic and immunocytochemical study of three cases. *Am J Surg Pathol* 1998; **22**: 412-418 [PMID: [9537467](#) DOI: [10.1097/00000478-199804000-00004](#)]
 - 18 **Esposito I**, Bergmann F, Penzel R, di Mola FF, Shrikhande S, Büchler MW, Friess H, Otto HF. Oligoclonal T-cell populations in an inflammatory pseudotumor of the pancreas possibly related to autoimmune pancreatitis: an immunohistochemical and molecular analysis. *Virchows Arch* 2004; **444**: 119-126 [PMID: [14722765](#) DOI: [10.1007/s00428-003-0949-1](#)]
 - 19 **Dulundu E**, Sugawara Y, Makuuchi M. Inflammatory myofibroblastic tumor of the pancreas--a case report. *Biosci Trends* 2007; **1**: 167-169 [PMID: [20103888](#) DOI: [10.6092/1590-8577/1006](#)]
 - 20 **Dagash H**, Koh C, Cohen M, Sprigg A, Walker J. Inflammatory myofibroblastic tumor of the pancreas: a case report of 2 pediatric cases--steroids or surgery? *J Pediatr Surg* 2009; **44**: 1839-1841 [PMID: [19735837](#) DOI: [10.1016/j.jpedsurg.2009.06.025](#)]
 - 21 **Ding D**, Bu X, Tian F. Inflammatory myofibroblastic tumor in the head of the pancreas with anorexia and vomiting in a 69-year-old man: A case report. *Oncol Lett* 2016; **12**: 1546-1550 [PMID: [27446468](#) DOI: [10.3892/ol.2016.4787](#)]
 - 22 **Hassan KS**, Cohen HI, Hassan FK, Hassan SK. Unusual case of pancreatic inflammatory myofibroblastic tumor associated with spontaneous splenic rupture. *World J Emerg Surg* 2010; **5**: 28 [PMID: [21092210](#) DOI: [10.1186/1749-7922-5-28](#)]
 - 23 **Schütte K**, Kandulski A, Kuester D, Meyer F, Wieners G, Schulz HU, Malferttheiner P. Inflammatory Myofibroblastic Tumor of the Pancreatic Head: An Unusual Cause of Recurrent Acute Pancreatitis - Case Presentation of a Palliative Approach after Failed Resection and Review of the Literature. *Case Rep Gastroenterol* 2010; **4**: 443-451 [PMID: [21113286](#) DOI: [10.1159/000320953](#)]
 - 24 **Liu HK**, Lin YC, Yeh ML, Chen YS, Su YT, Tsai CC. Inflammatory myofibroblastic tumors of the pancreas in children: A case report and literature review. *Medicine (Baltimore)* 2017; **96**: e5870 [PMID: [28079824](#) DOI: [10.1097/MD.00000000000005870](#)]
 - 25 **Lacoste L**, Galant C, Gigot JF, Lacoste B, Annet L. Inflammatory myofibroblastic tumor of the pancreatic head. *JBR-BTR* 2012; **95**: 267-269 [PMID: [23019998](#) DOI: [10.5334/jbr-btr.638](#)]
 - 26 **Panda D**, Mukhopadhyay D, Datta C, Chattopadhyay BK, Chatterjee U, Shinde R. Inflammatory Myofibroblastic Tumor Arising in the Pancreatic Head: a Rare Case Report. *Indian J Surg* 2015; **77**: 538-540 [PMID: [26884665](#) DOI: [10.1007/s12262-015-1322-8](#)]
 - 27 **Battal M**, Kartal K, Tuncel D, Bostanci O. Inflammatory myofibroblastic pancreas tumor: a case report. *Clin Case Rep* 2016; **4**: 1122-1124 [PMID: [27980746](#) DOI: [10.1002/ccr3.717](#)]
 - 28 **Matsubayashi H**, Uesaka K, Sasaki K, Shimada S, Takada K, Ishiwatari H, Ono H. A Pancreatic Inflammatory Myofibroblastic Tumor with Spontaneous Remission: A Case Report with a Literature Review. *Diagnostics (Basel)* 2019; **9** [PMID: [31627359](#) DOI: [10.3390/diagnostics9040150](#)]
 - 29 **Pungpapong S**, Geiger XJ, Raimondo M. Inflammatory myofibroblastic tumor presenting as a pancreatic mass: a case report and review of the literature. *JOP* 2004; **5**: 360-367 [PMID: [15365204](#) DOI: [10.7860/JCDR/2013/6715.3862](#)]
 - 30 **Sim A**, Lee MW, Nguyen GK. Inflammatory myofibroblastic tumour of the pancreas. *Can J Surg* 2008; **51**: E23-E24 [PMID: [18248718](#)]
 - 31 **Tomazic A**, Gvardijancic D, Maucec J, Homan M. Inflammatory myofibroblastic tumor of the pancreatic head - a case report of a 6 mo old child and review of the literature. *Radiol Oncol* 2015; **49**: 265-270 [PMID: [26401132](#) DOI: [10.2478/raon-2014-0017](#)]
 - 32 **Mcclain MB**, Burton EM, Day DS. Pancreatic pseudotumor in an 11-year-old child: imaging findings. *Pediatr Radiol* 2000; **30**: 610-613 [DOI: [10.1007/s002470000227](#)]
 - 33 **Zanchi C**, Giurici N, Martelossi S, Cheli M, Sonzogni A, Alberti D. Myofibroblastic Tumor of the Pancreatic Head: Recurrent Cholangitis. *J Pediatr Gastroenterol Nutr* 2015; **61**: e28-e29 [PMID: [24590212](#) DOI: [10.1097/MPG.0000000000000350](#)]
 - 34 **Berhe S**, Goldstein S, Thompson E, Hackam D, Rhee DS, Nasr IW. Challenges in Diagnosis and Management of Pancreatic Inflammatory Myofibroblastic Tumors in Children. *Pancreas* 2019; **48**: e27-e29 [PMID: [30973469](#) DOI: [10.1097/MPA.0000000000001290](#)]
 - 35 **Nonaka D**, Birbe R, Rosai J. So-called inflammatory myofibroblastic tumour: a proliferative lesion of fibroblastic reticulum cells? *Histopathology* 2005; **46**: 604-613 [PMID: [15910591](#) DOI: [10.1111/j.1365-2559.2005.02163.x](#)]
 - 36 **Manning MA**, Paal EE, Srivastava A, Morteale KJ. Nonepithelial Neoplasms of the Pancreas, Part 2:

- Malignant Tumors and Tumors of Uncertain Malignant Potential From the Radiologic Pathology Archives. *Radiographics* 2018; **38**: 1047-1072 [PMID: 29787363 DOI: 10.1148/rg.2018170201]
- 37 **Coffin CM**, Hornick JL, Fletcher CD. Inflammatory myofibroblastic tumor: comparison of clinicopathologic, histologic, and immunohistochemical features including ALK expression in atypical and aggressive cases. *Am J Surg Pathol* 2007; **31**: 509-520 [PMID: 17414097 DOI: 10.1097/01.pas.0000213393.57322.c7]
 - 38 **Coindre JM**. [New WHO classification of tumours of soft tissue and bone]. *Ann Pathol* 2012; **32**: S115-S116 [PMID: 23127926 DOI: 10.1016/j.annpat.2012.07.006]
 - 39 **Coffin CM**, Watterson J, Priest JR, Dehner LP. Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). A clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol* 1995; **19**: 859-872 [PMID: 7611533 DOI: 10.1097/00000478-199508000-00001]
 - 40 **Ong HS**, Ji T, Zhang CP, Li J, Wang LZ, Li RR, Sun J, Ma CY. Head and neck inflammatory myofibroblastic tumor (IMT): evaluation of clinicopathologic and prognostic features. *Oral Oncol* 2012; **48**: 141-148 [PMID: 22014665 DOI: 10.1016/j.oraloncology.2011.09.004]
 - 41 **Som PM**, Brandwein MS, Maldjian C, Reino AJ, Lawson W. Inflammatory pseudotumor of the maxillary sinus: CT and MR findings in six cases. *AJR Am J Roentgenol* 1994; **163**: 689-692 [PMID: 8079869 DOI: 10.2214/ajr.163.3.8079869]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-3991568

E-mail: bpgoffice@wjgnet.com

Help Desk: <https://www.f6publishing.com/helpdesk>

<https://www.wjgnet.com>

