

Name of Journal: *World Journal of Radiology*

Manuscript NO: 64477

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Comparison of point and two-dimensional shear wave elastography of the spleen in healthy subjects

Nowotny F *et al.* Shear wave elastography of the spleen

Friederike Nowotny, Julian Schmidberger, Patrycja Schlingeloff, Andreas Binzberger, Wolfgang Kratzer

Abstract

Match Overview

1	Internet 91 words crawled on 18-Apr-2020 thieme-connect.com	3%
2	Internet 14 words crawled on 16-Jul-2020 mafiadoc.com	<1%
3	Internet 14 words crawled on 14-Jun-2018 www.mdpi.com	<1%

60,900 Results

Any time ▾

Shear wave elastography (SWE) of the spleen in patients ...

<https://pubmed.ncbi.nlm.nih.gov/27529729>

Objective: The aim of the study was to compare the elasticity of the spleen in patients with hepatitis B and C but without liver fibrosis with that of healthy subjects using a shear wave elastography (SWE...

Cited by: 12

Author: Aleksander Pawluś, Marcin Ingłot, Marius...

Publish Year: 2016

[PDF] Shear wave elastography of the spleen: evaluation of ...

<https://link.springer.com/content/pdf/10.1007/s00261-016-0834-4.pdf>

Shear wave elastography of the spleen: evaluation of spleen stiffness in healthy volunteers

Aleksander Pawluś^{1,2} Marcin S. Ingłot² Kinga Szyman'ska¹ Krzysztof Kaczorowski² Bartosz D....

Cited by: 16

Author: Aleksander Pawluś, Marcin S. Ingłot, Kin...

Publish Year: 2016

Evaluation of spleen stiffness in healthy volunteers using ...

<https://www.sciencedirect.com/science/article/pii/S1665268119300559>

Sep 01, 2019 · 1. Introduction. Elastography allows the detection of the mechanical properties of tissues, in an entirely non-invasive way. There are four main elastographic techniques: transient...

Cited by: 13

Author: Mauro Giuffrè, Daniele Macor, Flora Masu...

Publish Year: 2019

Diagnostic value of two dimensional shear wave ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6547320>

May 26, 2019 · At present, transient elastography (TE) and two dimensional shear wave elastography (2D-SWE) are hot topics. This is demonstrated by previous studies[7,8] involving the...

Cited by: 6

Author: Zhao-Cheng Jian, Jin-Feng Long, Yu-Jian...

Publish Year: 2019

Quantitative Elastography Methods in Liver Disease ...

<https://pubs.rsna.org/doi/full/10.1148/radiol.2018170601>

A, Point shear-wave elastographic image demonstrates placement of fixed-size region of interest in the right hepatic lobe, with measured wave speed of 1.17 m/sec. B, During the same examination, two...

Cited by: 131

Author: Paul Kennedy, Mathilde Wagner, Laurent ...



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

55,100 Results

Any time ▾

Shear wave elastography (SWE) of the spleen in patients ...

<https://pubmed.ncbi.nlm.nih.gov/27529729>

Objective: The aim of the study was to **compare** the elasticity **of the spleen** in patients with hepatitis B and C but without liver fibrosis with that of **healthy subjects** using a **shear wave elastography** (SWE) examination. Methods: Between December 2014 and December 2015, 35 patients with hepatitis B virus (HBV) infections and 45 patients with (hepatitis C virus) HCV infections and liver stiffness below 7.1 ...

Cited by: 12

Author: Aleksander Pawluś, Marcin Inglot, Mariusz ...

Publish Year: 2016

[PDF] Shear wave elastography of the spleen: evaluation of ...

<https://core.ac.uk/download/pdf/81096801.pdf>

Shear wave elastography of the spleen: evaluation of spleen stiffness in healthy volunteers Aleksander Pawluś^{1,2}, Marcin S. Inglot², Kinga Szymanśka¹, Krzysztof Kaczorowski², Bartosz D. Markiewicz³, Agnieszka Kaczorowska⁴, Jacek Gałsiorowski⁵, Aleksandra Szymczak⁵, Małgorzata Inglot⁵, Joanna Bładowska¹, Urszula Zaleska-Dorobisz^{1,2} 1Department of Radiology, Wrocław Medical University ...

PEOPLE ALSO ASK

What is a shear wave elastography? ▾

When to use shear wave elastography for liver fibrosis? ▾

How is shear wave propagation used to measure tissue stiffness? ▾

What 's The difference between ultrasonographic and MR elastography? ▾

Search Tools

Turn off Hover Translation (关闭取词)

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

58,500 Results

Any time ▾

Shear wave elastography (SWE) of the spleen in patients ...

<https://pubmed.ncbi.nlm.nih.gov/27529729>

Objective: The aim of the study was to **compare** the elasticity **of the spleen** in patients with hepatitis B and C but without liver fibrosis with that of **healthy subjects** using a **shear wave elastography** (SWE) examination. Methods: Between December 2014 and December 2015, 35 patients with hepatitis B virus (HBV) infections and 45 patients with (hepatitis C virus) HCV infections and liver stiffness below 7.1 ...

Cited by: 12

Author: Aleksander Pawluś, Marcin Ingłot, Mariusz ...

Publish Year: 2016

[PDF] Shear wave elastography (SWE) of the spleen in patients ...

<https://www.birpublications.org/doi/pdfplus/10.1259/bjr.20160423>

Apr 23, 2016 · The **comparison** of the SWE **of the spleen** between the groups (hepatitis C, hepatitis B and **healthy subjects**) was calculated using the Mann–Whitney U-test. For further analysis, **spleen** stiffness in patients with HBV and HCV with a liver SWE below 6.5kPa (the cut-off value for **healthy subjects**...

(PDF) Ultrasound point shear wave elastography assessment ...

<https://www.researchgate.net/publication/261476303...>

Two-dimensional shear wave elastography (2D-SWE) assesses the liver stiffness in real time along with simultaneous anatomic B-mode ultrasound imaging and allows selection of the region of interest ...

Estimated Reading Time: 5 mins

[PDF] Shear wave elastography of the spleen: evaluation of ...

<https://www.researchgate.net/publication/305041733...>

Shear wave elastography of the spleen: evaluation of spleen stiffness in healthy volunteers Aleksander Pawluś^{1,2}, Marcin S. Ingłot², Kinga Szyman'ska¹, Krzysztof Kaczorowski², Bartosz D ...

Evaluation of spleen stiffness in healthy volunteers using ...

<https://www.sciencedirect.com/science/article/pii/S1665268119300559>

Sep 01, 2019 · **Elastography** allows the detection of the mechanical properties of tissues, in an entirely non-invasive way. There are four main elastographic techniques: transient **elastography** (TE), **point Shear Wave Elastography** (pSWE), **two-dimensional Shear Wave Elastography** (2D-SWE) and magnetic resonance **Elastography**.

Cited by: 15

Author: Mauro Giuffrè, Daniele Macor, Flora Masutt...