

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 64546

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Evidence-based approach to providing informed consent for hip fracture surgery during the COVID-19 era

Surgical consent during the Covid-19 pandemic

Rory Cuthbert, David Ferguson, Babar Kayani, Saeef Haque, Aoun Ali, Asif Parkar,
Peter Bates, Krishna Vemulapalli

Match Overview

1	Internet 156 words crawled on 23-Aug-2020 online.boneandjoint.org.uk	5%
2	Internet 32 words www.ncbi.nlm.nih.gov	1%
3	Internet 17 words crawled on 14-Dec-2020 www.bmj.com	1%
4	Internet 16 words crawled on 23-Oct-2020 bmcmmeduc.biomedcentral.com	<1%
5	Internet 13 words crawled on 11-May-2021 josr-online.biomedcentral.com	<1%
6	Internet 12 words crawled on 11-Feb-2014 www.nice.org.uk	<1%

激活 Windows
转到“设置”以激活 Windows。

An evidence-based approach to providing informed consent for hip



ALL

IMAGES

VIDEOS

23,500 Results

Any time ▾

COVID-19 and Surgical Procedures: A Guide for Patients

<https://www.facs.org/covid-19/clinical-guidance/patient-guide> ▾

Evidence-Based Decisions in Surgery Medical Student Resources ... Joint Statement: Roadmap for Maintaining Essential Surgery during COVID-19 Pandemic (Nov. 23, 2020) ... Examples may be cataract surgery, knee or hip replacements, hernia repair, or some plastic or ...

[Elective Case Triage Guidelines for Surgical Care](#)

Effect of in-hospital comprehensive geriatric assessment ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3107164>

Background. Every year about 9000 persons undergo hip fracture surgery in Norway []. Hip fractures among older people are associated with high morbidity, mortality, disability and subsequent hospital and societal costs as well as reduction in quality of life [2-6]. A Study from Oslo, Norway showed that the proportion of patients living in nursing homes increased from 15% before to 30% after the ...

Cited by: 61

Author: Olav Sletvold, Jorunn L Helbostad, Pernill...

Publish Year: 2011

COVID-19: Guidance for Triage of Non-Emergent Surgical ...

<https://www.facs.org/covid-19/clinical-guidance/triage> ▾

Download a print-friendly version. In response to the rapidly evolving challenges faced by hospitals related to the Coronavirus Disease 2019 (COVID-19) outbreak, and broad calls to curtail "elective" surgical procedures, the American College of Surgeons (ACS) provides the following guidance on the management of non-emergent operations.

Impact of COVID-19 on Orthopaedic Care and Practice: A ...


<https://europepmc.org/article/PMC/PMC7980796> ▾

Mar 20, 2021 · The British Geriatric Society recommends that elderly patient with hip fractures should undergo minimal invasive procedure which require less operating time, minimizes blood loss, allows immediate post-operative mobilisation to allow rehabilitation and reduced length of stay with a primary aim to reduce exposure to COVID-19 infection . Fragility hip fractures can be treated by hemi-replacement arthroplasties for intracapsular fractures ...

ALL

IMAGES

VIDEOS

 Add the Give with Bing extension >

14,900 Results

Any time ▾

Patient-Centered Informed Consent in Surgical Practice ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/397934> ▾

Jan 01, 2006 · **Informed consent** is an established ethical and legal requirement for surgical treatment. It has important roots in Anglo-American political theory and has been articulated in the law in a series of judicial decisions. 1,2 **Informed consent** also forms the ethical foundation for the modern practices of shared decision making and patient-centered care. 3 Many elements of surgical **consent** ...

Cited by: 145

Author: James L. Bernat, Lynn M. Peterson

Publish Year: 2006

Estimated Reading Time: 7 mins

COVID-19 and Surgery

<https://www.facs.org/covid-19> ▾

COVID-19 and **Surgery**. The American College of Surgeons is committed **to providing** the surgical community with information that can guide quality care **during the** COVID-19 global health pandemic. College leadership and others review information before it is released. However, given the nature of the situation and how quickly the science is ...

[Clinical Issues and Guidance](#) · [Personal Protective Equipment \(Ppe\)](#) · [Bulletin](#)

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

激活 Windows

转到“设置”以激活 Windows。



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

185,000 Results

Any time ▾

Hip fracture characteristics and outcomes during COVID-19 ...

<https://europepmc.org/article/MED/33965205> ▾

Apr 15, 2021 · Non-operative treatment of **hip fractures** requires longer recovery time, which increases the risk of pulmonary infection, pressure ulcers, urinary tract infection, lower limb venous thrombosis, and...

Development of an evidence-based complex intervention for ...

<https://bmjopen.bmj.com/content/7/10/e014362> ▾

Oct 01, 2017 · Objectives To develop an evidence and theory-based complex intervention for improving outcomes in elderly patients following **hip fracture**. Design Complex-intervention development (Medical...

Cited by: 7

Author: Jessica Louise Roberts, Nafees Ud Din, Mi...

Publish Year: 2017

Estimated Reading Time: 12 mins

COVID-19: Guidance for Triage of Non-Emergent Surgical ...

<https://www.facs.org/covid-19/clinical-guidance/triage> ▾

Mar 17, 2020 · Download a print-friendly version. In response to the rapidly evolving challenges faced by hospitals related to the Coronavirus Disease 2019 (COVID-19) outbreak, and broad calls to curtail...

Evidence-based review of safe theatre practice during the ...

<https://publishing.rcseng.ac.uk/doi/10.1308/rcsann.2020.7007>

The benefits of this 'infection control' **approach** lie in fewer personnel being exposed if a patient were found to have COVID-19 after **surgery**. If resources allow, staff should refrain from working in both COVI...

Author: MA Khalefa, NA Khadabadi, TS Moores,...

Publish Year: 2021

COVID-19 and Surgical Procedures: A Guide for Patients

<https://www.facs.org/covid-19/clinical-guidance/patient-guide> ▾

Mar 31, 2020 · Download a print-friendly version. The country is responding to a new virus known as Coronavirus Disease 19 or COVID-19. COVID-19 rapidly spreads from person-to-person contact and is...

Patient preferences for emergency or planned hip fracture ...

<https://josr-online.biomedcentral.com/articles/10.1186/s13018-016-0454-2> ▾

Oct 17, 2016 · The ideal timing of surgical management **for hip fractures** remains controversial. Currently, individual surgeon preference and departmental resources guide decision making regarding the use of...