

6,250,000 Results    Any time    Open links in new tab

**Association Between Inflammatory Bowel Diseases and ...**  
<https://pubmed.ncbi.nlm.nih.gov/32416141>  
Association Between Inflammatory Bowel Diseases and Celiac Disease: A Systematic Review and Meta-Analysis In a systematic review and meta-analysis, we found an increased risk of IBD in patients with CeD and increased risk of CeD in patients with IBD, compared with other patient populations.  
Cited by: 2    Author: Maria Ines Pinto-Sanchez, Caroline L. Se...  
Publish Year: 2020

**Association Between Celiac Disease and Cancer**  
<https://pubmed.ncbi.nlm.nih.gov/32532079>  
However, failure to adhere to a strict GFD bears the risk of adverse events and increases mortality. A considerable number of studies have considered the possible association between CD and neoplasms. In particular, an increased risk of malignancies, such as cancers of the gastrointestinal tract and intestinal lymphomas, has been reported.  
Cited by: 3    Author: Irene Marafini, Giovanni Monteleone, Car...  
Publish Year: 2020

PEOPLE ALSO ASK	
Is there an association between inflammatory bowel disease and celiac disease?	✓
Is celiac disease an autoimmune disease?	✓

Celiac Disease

Medical Condition

Bloating and abdominal pain

Normal villi  
(Small intestinal lining)

Damaged villi



A chronic immune disorder triggered by gluten ingestion. It results in damage of intestinal lining and causes diarrhea, fatigue, weight loss, bloating and anemia.

- 📊 Common (More than 200,000 cases per year in US)
- 🧪 Often requires lab test or imaging
- 💊 Treatments can help manage condition, no known cure

国内版

国际版

Microsoft Bing

Association between intestinal neoplasms and celiac disease: A re

ALL

IMAGES

VIDEOS

1,330,000 Results Any time

Association Between Inflammatory Bowel Diseases and Celiac ...

https://pubmed.ncbi.nlm.nih.gov/32416141

Background & aims: There is controversy over the association between celiac disease (CeD) and inflammatory bowel diseases (IBD). We performed a systematic review and meta-analysis to assess evidence for an association between CeD and IBD. Methods: We searched databases including MEDLINE, EMBASE, CENTRAL, Web of Science, CINAHL, DARE, and SIOLE through June 25, 2019 for studies ...

Cited by: 6 Author: Maria Ines Pinto-Sanchez, Caroline L. Selzer...

Publish Year: 2020

Association Between Celiac Disease and Cancer

https://pubmed.ncbi.nlm.nih.gov/32532079

A considerable number of studies have considered the possible association between CD and neoplasms. In particular, an increased risk of malignancies, such as cancers of the gastrointestinal tract and intestinal lymphomas, has been reported.

Cited by: 4 Author: Irene Marafioti, Giovanni Monteleone, Carmi...

Publish Year: 2020

PEOPLE ALSO ASK

Is there an association between inflammatory bowel disease and celiac disease?

Are there any genes associated with celiac disease?

What do you need to know about celiac disease?

Who is at risk for early onset celiac disease?

Feedback

Association of celiac disease and intestinal lymphomas and ...

https://www.gastrojournal.org/article/S0016-5085(05)00196-4/fulltext

Celiac disease (CD) is associated with intestinal lymphoma and other forms of cancer, especially adenocarcinoma of the small intestine, of the pharynx, and of the esophagus.

Cited by: 415 Author: Carlo Catassi, Carlo Catassi, Italo Bearzi, G...

Publish Year: 2005

Association Between Inflammatory Bowel Diseases and Celiac ...

https://www.sciencedirect.com/science/article/pii/S0016508520306090

1 Sep 01, 2020 - Celiac disease (CeD) is an immune-mediated condition affecting the proximal small intestine in 1% of the global population. 1 Its prevalence has increased 4-fold in the past 50 years as suggested by studies from the United States and Europe. 2 The disease requires genetic susceptibility given by either the HLA-DQ2 or HLA-DQ8 genotype and is triggered by dietary gluten and related ...

Cited by: 6 Author: Maria Ines Pinto-Sanchez, Caroline L. Selzer...

Publish Year: 2020

Association of celiac disease and intestinal lymphomas and ...

https://www.sciencedirect.com/science/article/pii/S0016508505001964

Apr 01, 2005 - Celiac disease (CD) is associated with intestinal lymphoma and other forms of cancer, especially adenocarcinoma of the small intestine, of the pharynx, and of the esophagus.

Cited by: 415 Author: Carlo Catassi, Carlo Catassi, Italo Bearzi, G...

Publish Year: 2005

IJMS | Free Full-Text | Association Between Celiac Disease ...

https://www.mdpi.com/1422-0067/21/11/4155

A considerable number of studies have considered the possible association between CD and neoplasms. In particular, an increased risk of malignancies, such as cancers of the gastrointestinal tract and intestinal lymphomas, has been reported.

IJMS | Free Full-Text | Association Between Celiac Disease ...

https://www.mdpi.com/1422-0067/21/11/4155/htm

A considerable number of studies have considered the possible association between CD and neoplasms. In particular, an increased risk of malignancies, such as cancers of the gastrointestinal tract and intestinal lymphomas, has been reported.

Association of celiac disease and intestinal lymphomas and ...

https://www.semanticscholar.org/paper/Association...

Celiac disease (CD) is associated with intestinal lymphoma and other forms of cancer, especially adenocarcinoma of the small intestine, of the pharynx, and of the esophagus. Enteropathy-associated T-cell lymphoma (EATL) is a rare form of high-grade, T-cell non-Hodgkin lymphoma (NHL) of the upper small intestine that is specifically associated with CD.

Celiac disease: a comprehensive current review | BMC ...

https://bmcmmedicine.biomedcentral.com/articles/10.1186/s12916-019-1380-z

Jul 23, 2019 - Celiac disease (CD) is an autoimmune condition characterized by a specific serological and histological profile triggered by gluten ingestion in genetically predisposed individuals [1]. Gluten is the general term for alcohol-soluble proteins present in various cereals, including wheat, rye, barley, spelt, and kamut [2]. In recent years, there have been significant changes in the diagnosis ...

Small bowel adenocarcinoma as a complication of celiac ...

https://bmcgastroenterol.biomedcentral.com/...

Mar 27, 2019 - Small bowel adenocarcinoma (SBA) is a rare neoplasm, which can occur in a sporadic form or can be associated with a number of predisposing conditions such as hereditary syndromes and immune-mediated intestinal disorders, e.g. celiac disease (CD). However, the features of SBA in the context of CD remain only partly understood.

Some results are removed in response to a notice of local law requirement. For more information, please see here.

1

2

3

4

5

>

Chat with Bing

Sign in

Add the Give with Bing extension

Celiac Disease


Medical Condition

Make a difference for a nonprofit, simply by searching on Bing.


MAYBE LATER

YES

Normal villi (Small intestinal lining)



Damaged villi



A chronic immune disorder triggered by gluten ingestion. It results in damage of intestinal lining and causes diarrhea, fatigue, weight loss, bloating and anemia.

Common (More than 200,000 cases per year in US)

Often requires lab test or imaging

Treatments can help manage condition, no known cure

Can be lifelong

It is caused due to the immune reaction against gluten, a protein found in foods such as wheat, rye, barley and other grains. Symptoms include vomiting, appetite loss, bloating and constipation. The only way to manage this condition is to follow a strict gluten free diet.

Symptoms

The signs and symptoms may vary between children and adults. Mild cases do not show any symptoms. Some of the common typical signs and symptoms of celiac disease include -

Vomiting

Poor appetite

Bloating

Flatulence

Abdominal pain

Diarrhea

Constipation

Weight loss

Irritability

Short stature

Changes in mood such as anxiety

Tingling numbness in The hands and feet

Seizures

Irregular periods, infertility or recurrent miscarriage

Canker sores inside The mouth

Thinning hair and dull skin

Most of the adults have symptoms unrelated to the digestive system such as -

Anemia

Osteoporosis (or) osteomalacia

Blisters and skin rashes that itch

Damage to the dental enamel

Ulcers in the mouth

Fatigue

Damage to the nervous system

Ache in the joints and in the head

Reduced functioning of the spleen (hyposplenism)

Acid reflux and heartburn

Treatments

The only way to manage this condition is to follow a strict gluten free diet.

Self care

Life-long, strict gluten-free diet

Lactose-free diet

Daily multivitamin and calcium

Folic acid for all women of child-bearing age

People also search for

Irritable Bowel Syndrome

Autoimmune disease

Crohn's Disease

Dermatitis Herpetiformis

Inflammatory Bowel Disease

See more

Data from Focus Medica. Reviewed by a panel of doctors. Learn more

Consult a medical professional for advice

Suggest an edit

Search Tools

Turn off Hover Translation (关闭悬停)

19-Jul-2021 03:11PM
2811 words • 43 matches • 16 sources
FAO

iThenticate®
64654\_Auto\_EditedC.docx
Quotes Included: 14%
Bibliography Included: 14%
SIMILAR

**Name of Journal:** *World Journal of Gastrointestinal Oncology*

**Manuscript NO:** 64654

**Manuscript Type:** REVIEW

**Association between intestinal neoplasms and celiac disease: A review**

Wang M *et al.* Intestinal neoplasms and celiac disease

Man Wang, Ming Yu, Wen-Jie Kong, Mei Cui, Feng Gao

**Abstract**

Celiac disease (CD) is a chronic immune-mediated intestinal disease with genetic susceptibility. It is characterized by inflammatory damage to the small intestine after ingestion of cereals and products containing gluten protein. In recent years, the global prevalence rate of CD is approximately 1%, and it is gradually increasing. CD patients adhere to a gluten-free diet (GFD) their entire life. However, it is difficult to adhere strictly to a GFD. Untreated CD may be accompanied by gastrointestinal symptoms.

**Match Overview**

1	Internet 88 words crawled on 16-Aug-2020 <a href="#">worldjgastroleo.org</a>	3%
2	Crossref 73 words Marco Silano, "Effect of a Gluten-free Diet on the Risk c... Enteropathy-associated T-cell Lymphoma in Celiac Disea	2%
3	Crossref 48 words Man Wang, Wen-Jie Kong, Jing-Zhan Zhang, Jia-Jie Lu, Wen-Jia Hui, Wei-Dong Liu, Xiao-Jing Kang, Feng Gao "	2%
4	Internet 39 words crawled on 21-Aug-2019 <a href="#">link.springer.com</a>	1%
5	Internet 24 words crawled on 04-Sep-2020 <a href="#">core.ac.uk</a>	1%
6	Crossref 22 words Rutha Chelbax, Jordan Nostedt, Dana Mihalicz, Jean Deschênes, Ross McLean, Levinus A. Dreleman, "Refractor ...	1%
7	Crossref 21 words Isabel A. Hujuel, Joseph A. Murray, "Refractory Celiac Dis ease", <i>Current Gastroenterology Reports</i> , 2020	1%
8	Crossref 15 words Pham, Bach Nga, Lucile Musset, Georges Chyderiotis, Nil s Olivier Olsson, and Nicole Fabien, "Celiac disease diag	<1%

PAGE: 1 OF 10
Text Only Report

国内版

国际版

Association between intestinal neoplasms and celiac disease: A rev



ALL

IMAGES

VIDEOS

1,270,000 Results

Any time ▾

### Association Between Inflammatory Bowel Diseases and ...

<https://pubmed.ncbi.nlm.nih.gov/32416141>

Background & aims: There is controversy over the association between celiac disease (CeD) and inflammatory bowel diseases (IBD). We performed a systematic review and meta-analysis to assess evidence for an association between CeD and IBD. Methods: We searched databases including MEDLINE, EMBASE, CENTRAL, Web of Science, CINAHL, DARE, and SIGLE through June 25, 2019 ...

Cited by: 6

Author: Maria Ines Pinto-Sanchez, Caroline L. Se...

Publish Year: 2020

### Association of celiac disease and intestinal lymphomas and ...

[https://www.gastrojournal.org/article/S0016-5085\(05\)00196-4/fulltext](https://www.gastrojournal.org/article/S0016-5085(05)00196-4/fulltext)

Celiac disease (CD) is associated with intestinal lymphoma and other forms of cancer, especially adenocarcinoma of the small intestine, of the pharynx, and of the esophagus. Enteropathy-associated T-cell lymphoma (EATL) is a rare form of high-grade, T-cell non-Hodgkin lymphoma (NHL) of the upper small intestine that is specifically associated with CD.

Cited by: 414

Author: Carlo Catassi, Carlo Catassi, Italo Bearzi,...

Publish Year: 2005

#### PEOPLE ALSO ASK

Is there an association between inflammatory bowel disease and celiac disease? ▾

Are there any genes associated with celiac disease? ▾

Is there a link between celiac disease and AA? ▾

Is there a current review of celiac disease? ▾

Feedback

### Association Between Celiac Disease and Cancer

<https://pubmed.ncbi.nlm.nih.gov/32532079>

However, failure to adhere to a strict GFD bears the risk of adverse events and increases mortality. A