

Helicobacter pylori infection is **strongly associated with the predominant forms of peptic ulcer disease** and appears to play an important contributory role in their pathogenesis; thus, it is reasonable to suggest that eradication of H. pylori infection may benefit patients with peptic ulcer disease.

[Helicobacter Pylori in Peptic Ulcer Disease](#)

[consensus.nih.gov/1994/1994HelicobacterPyloriUlcer094html.htm](https://consensus.nih.gov/1994/1994HelicobacterPyloriUlcer094html.htm)

ALL IMAGES VIDEOS

Add the Give with Bing extension >

35,700 Results Any time

Helicobacter pylori infection and peptic ulcer disease in ...

europaPMC.org/articles/PMC2686959

Mar 01, 2008 - The increased rate of peptic ulcer disease in patients with cirrhosis has been explained in some studies, by higher rates of gastric colonization with H. pylori(6, 7, 14,18, 23, 24). However, other studies have found no relationship between H. pylori infection and peptic ulcer disease in ...

Helicobacter pylori: Effect of coexisting diseases and ...

https://pubmed.ncbi.nlm.nih.gov/26558147

Patients contracting concomitant diseases have an increased risk of developing ulcer disease through pathogenic mechanisms distinct from those of H. pylori infections. Factors other than H. pylori seem critical in peptic ulcer recurrence in end stage renal disease (ESRD) and cirrhotic patients. However, early H. pylori eradication is associated ...

Cited by: 6 Author: Shen-Shong Chang, Hsiao-Yun Hu

Publish Year: 2015

Helicobacter pylori and peptic ulcer in cirrhotic patients

https://www.researchgate.net/publication/228807680...

Objective: H.pylori infection increases the risk of peptic ulcer in cirrhotic patients. The role of H.pylori in inducing peptic ulcer disease in chronic liver disease patients remains controversial

Estimated Reading Time: 4 mins

Association Between Helicobacter pylori Infection and ...

https://www.researchgate.net/publication/228807680...




Helicobacter pylori

Symptoms Diagnosis Causes Treatments

Helicobacter pylori, previously known as Campylobacter pylori, is a gram-negative, microaerophilic, spiral bacterium usually found in the stomach. Its helical shape is thought to have evolved in order to penetrate the mucoid lining of the stomach and thereby establish infection. The bacterium was first identified in 1982 by Australian doctors Barry Marshall and Robin Warren. H. pylori has been associated with lymphomas of the mucosa-associated lymphoid tissue in the stomach, esophagus, colon, rectum, or tissues around the eye, and of lymphoid tissue in the stomach.

Wikipedia



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 64982

Manuscript Type: META-ANALYSIS

*Helicobacter pylori* infection and peptic ulcer disease in cirrhotic patients: An updated meta-analysis

*H. pylori* and PUD in cirrhotic patients

Lin Wei, Hui-Guo Ding

Match Overview

Rank	Match Type	Words	Percentage
1	Crossref	174 words Ben-Gang Zhou, Hua-Jie Yang, Wei Xu, Kai Wang, Peng Guo, Yao-Wei Ai. "Association between infection and noma..."	5%
2	Crossref	117 words Mercedes Vergara, Xavier Calvet, Maria Roque. "Helicobacter pylori is a risk factor for peptic ulcer disease in cirrhotic..."	3%
3	Internet	82 words crawled on 17-Apr-2021 annalsgastro.gr	2%
4	Crossref	67 words Rongqiang Liu, Cui Li, Ying He, Wenqing Shi, Qianhui Xu, Qing Yuan, Qi Lin, Biao Li, Lei Ye, Youlan Min, Peixwen Zh...	2%
5	Internet	55 words crawled on 30-Apr-2020 eprints.soton.ac.uk	1%
6	Crossref	40 words Charalambos Tzafas. "Effect of Helicobacter pylori Eradication and Antisecretory Maintenance Therapy on Peptic U..."	1%
7	Crossref	26 words Dong Aeon Kim. "Helicobacter pylori Infection and Peptic Ulcer Disease in Patients with Liver Cirrhosis", The Korean J...	1%
8	Crossref	21 words Guo-Jun Zhao, Pan Huang, Binben Du, Langyao Kong, Wenyi...	1%

国内版

国际版

Helicobacter pylori infection and peptic ulcer disease in cirrhotic p:



ALL

IMAGES

VIDEOS

34,400 Results

Any time ▾

## Helicobacter pylori infection and peptic ulcer disease in ...

[europepmc.org/articles/PMC2686959](https://europepmc.org/articles/PMC2686959) ▾

Mar 01, 2008 · Many studies have argued for the relationship between **H. pylori** and **peptic ulcer in cirrhotic patients**, but the 'statistically high' (which is at most 2 times higher than control) prevalence of **H. pylori in cirrhotic patients** in those studies cannot explain completely the 'vividly and absolutely high' (which is at least 10 times higher than control) prevalence of peptic ulcer in cirrhotic patients.

## Helicobacter pylori: Effect of coexisting diseases and ...

<https://pubmed.ncbi.nlm.nih.gov/26558147>

Patients contracting concomitant diseases have an increased risk of developing **ulcer disease** through pathogenic mechanisms distinct from those of **H. pylori infections**. Factors other than **H. pylori** seem critical in **peptic ulcer** recurrence in end stage renal disease (ESRD) and **cirrhotic patients**. However, early **H. pylori** eradication is associated with a reduced risk of recurrent complicated **peptic ulcers in patients** ...

Cited by: 6

Author: Shen-Shong Chang, Hsiao-Yun Hu

Publish Year: 2015

### PEOPLE ALSO ASK

How does Helicobacter pylori treat peptic ulcer disease? ▾

Is there any evidence that H pylori eradication therapy is effective? ▾

How does Helicobacter pylori contribute to Pud? ▾

Which is an inflammatory disease caused by Helicobacter pylori? ▾

Feedback

## Helicobacter pylori diagnosis in patients with liver cirrhosis

<https://www.sciencedirect.com/science/article/pii/S1590865803002731>

Aug 01, 2003 · In cirrhotics, **Helicobacter pylori infection** is the major cause of **peptic lesions**, which are an important cause of upper intestinal haemorrhage in these **patients**. However, some diagnostic methods are not accurate for **H. pylori** detection in cirrhotics.