

Microsoft Bing

国内版 国际版

Adjuvant therapy for lung neuroendocrine neoplasms

Chat with Bing Sign in Add the Give with Bing extension

ALL IMAGES VIDEOS

6,800,000 Results Any time

Pulmonary Neuroendocrine Tumors: Adjuvant and Systemic ...
<https://pubmed.ncbi.nlm.nih.gov/32862320>
Bronchial carcinoids are well-differentiated neuroendocrine tumors and have a favorable survival outcome when compared with other subtypes of lung cancers. Treatment of bronchial carcinoids is not simple owing to intricacy of symptom presentation and heterogeneity of disease biology. Successful treatment of patients requires a multimodality approach. Resection is curative in the majority of patients with localized tumors and adjuvant treatment ...
Cited by: 1 Author: Dipesh Uprety, Thorvardur R Halldanarso...
Publish Year: 2020

Adjuvant Therapy for Patients With Early Large Cell Lung ...
<https://pubmed.ncbi.nlm.nih.gov/31004586>
Background. Current guidelines do not routinely recommend adjuvant therapy for resected stage I large cell lung neuroendocrine cancer (LCNEC). However, data regarding the role of adjuvant therapy in early LCNEC are limited. This Medical Research Database (MEDLINE) analysis was performed to improve the

See more



ALL IMAGES VIDEOS

1,240,000 Results Any time ▾

Pulmonary Neuroendocrine Tumors: Adjuvant and Systemic ...<https://pubmed.ncbi.nlm.nih.gov/32862320>

Bronchial carcinoids are well-differentiated **neuroendocrine tumors** and have a favorable survival outcome when compared with other subtypes of **lung cancers**. **Treatment** of bronchial carcinoids is not simple owing to intricacy of symptom presentation and heterogeneity of disease biology. Successful **treatment** of patients requires a multimodality approach. Resection is curative in the majority of patients with localized tumors and **adjuvant treatment** ...

Cited by: 1 Author: Dipesh Uprety, Thorvardur R. Halfdanarson, ...
Publish Year: 2020

Adjuvant Therapy for Patients With Early Large Cell Lung ...<https://pubmed.ncbi.nlm.nih.gov/31004586>

Adjuvant Therapy for Patients With Early Large Cell Lung Neuroendocrine Cancer: A National Analysis. In early-stage **LCNEC**, **adjuvant chemotherapy** appears to confer an additional overall survival advantage only in patients with completely resected stage **IB LCNEC** and not for patients with completely resected stage **IA LCNEC**.

Cited by: 9 Author: Vignesh Raman, Oliver K. Jawitz, Chi-Fu J. ...
Publish Year: 2019

PEOPLE ALSO ASK

Are there any systemic therapies for neuroendocrine tumors? ▾

What are the grading schemes for neuroendocrine tumors? ▾

Which is the best treatment for pancreatic neuroendocrine tumors? ▾

Feedback

Adjuvant chemotherapy for large-cell neuroendocrine lung ...<https://pubmed.ncbi.nlm.nih.gov/28459956>

Adjuvant chemotherapy for large-cell neuroendocrine lung carcinoma: results from the European Society for Thoracic Surgeons Lung Neuroendocrine Tumours Retrospective Database. A trend towards benefit from **adjuvant CT** has been observed in patients with **LCNC**.

Cited by: 26 Author: Pier Luigi Filosso, Francesco Guerrero, And...
Publish Year: 2017


Neoadjuvant Therapy for Neuroendocrine Neoplasms: Recent ...

Related searches

neuroendocrine neoplasm lung
neuroendocrine neoplasm **cancer**
neuroendocrine **tumor of lung**
neuroendocrine lung **tumor treatment protocol**
lung neuroendocrine **carcinoma**
pancreatic neuroendocrine neoplasm
neuroendocrine lung **cancer stage 4**
neuroendocrine **tumor lung survival rate**

Search Tools

Turn off Hover Translation (关闭取词)



65043_Auto_Edited-check.docx

Quotes Excluded
Bibliography Excluded6%
SMILAR

Name of Journal: *World Journal of Clinical Oncology*

Manuscript NO: 65043

Manuscript Type: MINIREVIEWS

Adjuvant therapy for lung neuroendocrine neoplasms

Ramirez RA *et al.* Adjuvant therapy for lung NENs

Robert A Ramirez, Katharine Thomas, Aasems Jacob, Karen Lin, Yvette Bren-Mattison, Aman Chauhan

Abstract

Pulmonary neuroendocrine neoplasms (NENs) represent a minority of lung cancers and vary from slower growing pulmonary carcinoid (PC) tumors to aggressive small cell lung cancer (SCLC). While SCLC can account for up to 15% of lung cancer, PCs are uncommon and represent about 2% of lung cancers. Surgical resection is the standard of care for early-stage PCs and should also be considered in early stage large cell neuroendocrine carcinoma (LCNEC) and SCLC. Adjuvant treatment is generally

Match Overview

Match Number	Match Type	Words	Source	Similarity
1	Crossref	50 words	Indepal S Sarkaria, Akira Iwoda, Hlee Soo Roh, Gabriele Sica <i>et al.</i> "Neoadjuvant and Adjuvant Chemotherapy in R	1%
2	Internet	29 words	crawled on 29-Oct-2020 epicr.tips	1%
3	Internet	21 words	crawled on 17-Mar-2021 for.amegroups.com	1%
4	Internet	20 words	crawled on 20-Apr-2021 www.dovepress.com	<1%
5	Internet	18 words	crawled on 03-Mar-2020 www.oncotarget.com	<1%
6	Crossref	16 words	Charles Li, Daniel Morgensztern, Anne Chiang, Amir Om <i>et al.</i> "Cancer of the Lung", Wiley, 2017	<1%
7	Internet	15 words	crawled on 28-Jan-2020 www.mdpi.com	<1%
8	Internet	13 words	crawled on 05-Nov-2020 worldwidescience.org	<1%
9	Crossref	11 words	ANA, "15th World Conference on Lung Cancer", Journ <i>al of Thoracic Oncology</i> , 2013	<1%
	Crossref	11 words	转到桌面以继续 Windows 浏览	<1%

国内版

国际版

Adjuvant therapy for lung neuroendocrine neoplasms



ALL

IMAGES

VIDEOS

1,370,000 Results

Any time ▾

[Pulmonary Neuroendocrine Tumors: Adjuvant and Systemic ...](#)

<https://pubmed.ncbi.nlm.nih.gov/32862320>

Bronchial carcinoids are well-differentiated **neuroendocrine** tumors and have a favorable survival outcome when compared with other subtypes of lung cancers. Treatment of bronchial carcinoids is not simple owing to intricacy of symptom presentation and heterogeneity of disease biology. Successful treatment of patients requires a multimodality approach. Resection is curative in the majority of patients with localized tumors and **adjuvant treatment** ...

Cited by: 1

Author: Dipesh Uprety, Thorvardur R Halfdanarson...

Publish Year: 2020

[Adjuvant Therapy for Patients With Early Large Cell Lung ...](#)

<https://pubmed.ncbi.nlm.nih.gov/31004586>

Background: Current guidelines do not routinely recommend **adjuvant therapy** for resected stage I large cell lung neuroendocrine cancer (LCNEC). However, data regarding the role of **adjuvant therapy** in early LCNEC are limited.

Cited by: 9

Author: Vignesh Raman, Oliver K. Jawitz, Chi-Fu ...

Publish Year: 2019

[Adjuvant chemotherapy for large-cell neuroendocrine lung ...](#)

<https://pubmed.ncbi.nlm.nih.gov/28459956>

Adjuvant chemotherapy for large-cell neuroendocrine lung carcinoma: results from the European Society for Thoracic Surgeons Lung Neuroendocrine Tumours Retrospective Database. A trend towards benefit from **adjuvant CT** has been observed in patients with LCNC.

Cited by: 26

Author: Pier Luigi Filosso, Francesco Guerrero, A...

Publish Year: 2017

[Pulmonary Neuroendocrine Tumors: Adjuvant and Systemic ...](#)

<https://mayoclinic.pure.elsevier.com/en/...>

Bronchial carcinoids are uncommon tumors accounting for 20 to 30% of all **neuroendocrine tumors** and about 1–2% of all cancers of pulmonary origin. Bronchial carcinoids are well-differentiated **neuroendocrine tumors** and have a favorable survival outcome when compared with other subtypes of lung cancers. Treatment of bronchial carcinoids is not ...

Cited by: 1

Author: Dinesh Uprety, Thorvardur R Halfdanarson