

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 65829

Manuscript Type: FRONTIER

Liver dysfunction and severe acute respiratory syndrome-coronavirus 2 infection

Liver dysfunction and SARS-CoV-2

Abstract

Severe acute respiratory syndrome-coronavirus 2 (SARS-CoV-2) infection is the cause of coronavirus disease-2019 (COVID-19), which predominantly affects the respiratory system; it also causes systemic and multi-organic disease. Liver damage is among the main extrapulmonary manifestations. COVID-19-associated liver injury is defined as any liver damage occurring during the disease course and treatment of COVID-19 in patients with or without pre-existing liver disease, and occurs in approximately 1 in 5 patients. Abnormal liver test results have been associated with a more severe course of

Match Overview

1	Internet 153 words www.ncbi.nlm.nih.gov	2%
2	Crossref 73 words Thomas Marjot, Gwilym J Webb, Alfred S Barritt, Pere Ginès et al. "SARS-CoV-2 vaccination in patients with liver dis...	1%
3	Crossref 57 words Giuseppe Lippi, Maria Helena Santos de Oliveira, Brandon Michael Henry. "Chronic liver disease is not associated with	1%
4	Internet 57 words crawled on 05-Jun-2020 onlinelibrary.wiley.com	1%
5	Crossref 47 words Thomas Marjot, Gustav Buescher, Marcial Sebode, Elean ... Barnes et al. "SARS-CoV-2 infection in patients with autoim	1%
6	Crossref 43 words Marwa Ibrahim Metawea, Walid Ibrahim Yousif, Islam Moh ... b. "COVID 19 and liver: An A-Z literature review", Digestive	1%
7	Crossref 43 words Oren K. Fix, Emily A. Blumberg, Kyong-Mi Chang, Jaime C hu et al. "AASLD Expert Panel Consensus Statement: Va...	1%
8	Internet 36 words crawled on 15-Mar-2021	<1%



ALL

IMAGES

VIDEOS

27,400,000 Results

Any time ▾

The liver in severe acute respiratory syndrome coronavirus ...

<https://pubmed.ncbi.nlm.nih.gov/33653988>

The liver in severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection. Eur J Gastroenterol Hepatol. 2021 Feb 26. doi: 10.1097/MEG.0000000000002048. Online ahead of print.

Author: Yana Davidov-Derevynko, Gil Ben Yakov,... **Publish Year:** 2021

Liver injury in patients with severe acute respiratory ...


<https://pubmed.ncbi.nlm.nih.gov/32796355>

Liver injury in patients with severe acute respiratory syndrome coronavirus-2 infection: a systematic review and meta-analysis Eur J Gastroenterol Hepatol . 2020 Aug 10. doi: 10.1097/MEG.0000000000001827.

Cited by: 5 **Author:** Christian Labenz, Gerrit Toenges, Marcus-A...

Publish Year: 2020

Images of Liver Dysfunction and Severe Acute Respiratory Syndro...

<bing.com/images>

[ALL](#)
[IMAGES](#)
[VIDEOS](#)
[MAPS](#)
[NEWS](#)
[SHOPPING](#)

101,000,000 Results

Any time ▾

[SARS-CoV-2 Infection and the Liver](#)

<https://pubmed.ncbi.nlm.nih.gov/32486188>

SARS-CoV-2 Infection and the **Liver** A novel strain of coronaviridae (**SARS-CoV-2**) was reported in Wuhan China in December 2019. Initially, **infection** presented with a broad spectrum of symptoms which typical...

Cited by: 9

Author: Katie Morgan, Kay Samuel, Martin Vandepu...

Publish Year: 2020

[SARS-CoV-2 infection of the liver directly contributes to ...](#)

<https://pubmed.ncbi.nlm.nih.gov/32437830>

Conclusions: **SARS-CoV-2 infection** in the **liver** directly contributes to hepatic impairment in patients with COVID-19. Hence, a surveillance of viral clearance in **liver** and long-term outcome of COVID-19 is require...

Cited by: 148

Author: Yijin Wang, Shuhong Liu, Hongyang Liu, We...

Publish Year: 2020

[Severe liver failure during SARS-CoV-2 infection | Gut](#)

<https://gut.bmj.com/content/69/7/1365> ▾

Jul 01, 2020 · However, while elevated **liver** aminotransferase levels have been observed in **SARS-CoV-2 infection**, severe **liver failure** has not been described in similar circumstances as yet.¹ Therefore, close...

Cited by: 19

Author: Sabine Weber, Julia Mayerle, Michael Irlbec...

Publish Year: 2020

Estimated Reading Time: 7 mins

[COVID-19 and liver disease: mechanistic and clinical ...](#)

<https://www.nature.com/articles/s41575-021-00426-4>

Mar 10, 2021 · As with many other **infections**, **SARS-CoV-2** is associated with systemic **inflammation** that could contribute to elevations in **liver** biochemistries via cytokine release 55. ...

Cited by: 2

Author: Thomas Marjot, Gwilym J. Webb, Alfred S. ...

Publish Year: 2021

[News about Liver Dysfunction And Sars-Cov-2 Infection](#)

[bing.com/news](#)

Non-Alcoholic Fatty Liver Disease May Be Treatable with Hops