

Table 1 Abdominal symptoms for all patients enrolled: items 1, 5, 17

Domain	Median t0	Range interquartile t0	Mediant1	Range interquartile t1	<i>P</i> value
1	1	1-2	1	1-2	^a <i>P</i> = 0.0022
5	1	1-1	1	1-2	^b <i>P</i> = 0.0268
17	1	1-2	1	1-2	<i>P</i> = 0.08

Table 2 Fatigue for all patients enrolled: Items 2, 4, 8, 11, 13

Domain	Median t0	Range interquartile t0	Median t1	Range interquartile t1	<i>P</i> value
2	2	1-2	2	1-3	^a <i>P</i> <0.0001
4	1	1-2	2	1-2	^b <i>P</i> =0.0006
8	2	1-2	2	1-3	^c <i>P</i> =0.006
11	2	1-2	2	1-3	^d <i>P</i> =0.003
13	1	1-2	2	1-2	^e <i>P</i> =0.0074

Table 3 Systemic symptoms for all patients enrolled: Items 3, 6, 21, 23, 27

Domain	Median t0	Range interquartile t0	Median t1	Range interquartile t1	<i>P</i> value
3	2	1-2	2	1-3	^a <i>P</i> =0.0035
6	1	1-2	2	1-2	^b <i>P</i> =0.0010
21	2	1-2	1	1-2	<i>P</i> =0.1488
23	1	1-2	2	1-2	^c <i>P</i> =0.0016
27	2	1-2	2	1-3	^d <i>P</i> =0.044

Table 4 Activity for all patients enrolled: Items 7, 9, 14

Domain	Median t0	Range	Median t1	Range	<i>P</i> value
		interquartile t0		interquartile t1	
7	5	5-5	5	5-5	<i>P</i> =0.86
9	1	1-2	2	1-3	^a <i>P</i> =0.0084
14	2	1-3	2	1-3	<i>P</i> =0.2

Table 5 Emotional function for all patients enrolled: Items 10, 12, 15, 16, 19, 20, 24, 26

Domain	Range		Range		<i>P</i> value
	Median t0	interquartile t0	Median t1	interquartile t1	
10	2	1-2	3	2-4	^a <i>P</i> <0.0001
12	4	3-4	4	3-4	^b <i>P</i> =0.0066
15	2	1-2	2	2-3	^c <i>P</i> <0.0001
16	2	1-2	2	1-3	^d <i>P</i> =0.0002
19	2	1-2	2	2-3	^e <i>P</i> <0.0001
20	2	1-2	2	1-3	^f <i>P</i> =0.0001
24	2	1-2	2	1-3	^g <i>P</i> <0.0001
26	1	1-2	1	1-2,25	^h <i>P</i> =0.0010

Table 6 Worry for all patients enrolled: Items 18, 22, 25, 28, 29

Domain	Median t0	Range interquartile t0	Median t1	Range interquartile t1	<i>P</i> value
18	2	1-2	2	1,7-3	^a <i>P</i> <0.0001
22	2	1-2	2	1-3	^b <i>P</i> <0.0001
25	2	1-2	2	1-3	^c <i>P</i> <0.0001
28	2	1-2	2	1-3	^d <i>P</i> =0.0008

Table 7 Abdominal symptoms in patients with autoimmune liver disease: items 1,5, 17

Domain	Median t0	Range	Median t1	Range	<i>P</i> value
		interquartile t0		interquartile t1	
1	1	1-1	1	1-2	^a <i>P</i> =0.031
5	1	1-1	1	1-2	^b <i>P</i> = 0.0078
17	1	1-1.5	1	1-2	<i>P</i> = 0.125

Table 8 Fatigue in patients with autoimmune liver disease: Items 2, 4, 8, 11, 13

Domain	Range		Median t1	Range		<i>P</i> value
	Median t0	interquartile t0		interquartile t1		
2	1	1-2	1.5	1-2.5		^a <i>P</i> =0.0068
4	1	1-1	1	1-2		^b <i>P</i> =0.002
8	1	1-1,5	1	1-2		^c <i>P</i> =0.0313
11	1	1-2	1	1-2		^d <i>P</i> =0.0156
13	1	1-1	1	1-2		<i>P</i> =0.0977

Table 9 Systemic symptoms in patients with autoimmune liver disease: Items 3, 6, 21, 23, 27

Domain	Range		Range		<i>P</i> value
	Median t0	interquartile t0	Median t1	interquartile t1	
3	1	1-2	1	1-2	^a <i>P</i> =0.0078
6	1	1-1.5	1	1-1.5	<i>P</i> =0.7695
21	1.5	1-2	1	1-2	<i>P</i> =0.6250
23	1	1-2	2	1-3	^b <i>P</i> =0.0010
27	1	1-2	1	1-3	<i>P</i> =0.0840

Table 10 Activity in patients with chronic autoimmune liver disease: Items 7, 9, 14

Domain	Median t0	Range	Median t1	Range	<i>P</i> value
		interquartile t0		interquartile t1	
7	5	5-5	5	5-5	^a <i>P</i> =0.4375
9	1	1-1.5	1	1-2	^b <i>P</i> =0.0156
14	1.5	1-2	1	1-1.5	<i>P</i> =0.6250

Table 11 Emotional function in patients with autoimmune liver disease: Items 10, 12, 15, 16, 19, 20, 24, 26

Domain	Range		Range		<i>P</i> value
	Median t0	interquartile t0	Median t1	interquartile t1	
10	1.5	1-2	2	2-3	^a <i>P</i> <0.0001
12	4	4-4	4	3-4	<i>P</i> =0.3054
15	1	1-2	1	2-3	^b <i>P</i> =0.0001
16	1	1-2	1	1-3	^c <i>P</i> =0.0117
19	2	1-2	2	2-3	^d <i>P</i> <0.0001
20	1	1-2	1	1-3	^e <i>P</i> =0.0105
24	1	1-2	2	1-2.5	^f <i>P</i> =0.0210
26	1	1-1	1	1-2	^g <i>P</i> =0.0034

Table 12 Worry in patients with autoimmune liver disease: Items 18, 22, 25, 28

Domain	Median t0	Range interquartile t0	Median t1	Range interquartile t1	<i>P</i> value
18	1	1-2	2	1-3	^a <i>P</i> =0.0001
22	1	1-2	2	1-3	^b <i>P</i> <0.0001
25	1	1-2	2	1-3	^c <i>P</i> =0.0001
28	1	1-2	2	1-3	^d <i>P</i> =0.0012