

国内版国际版

Microsoft Bing

Percutaneous Coronary Intervention of Totally Occluded Coronary \

Sign in

ALLIMAGESVIDEOS

12,200 ResultsAny time

Abstract 14077: Percutaneous Coronary Intervention of ...

[https://www.ahajournals.org/doi/10.1161/circ.134.suppl\\_1.14077](https://www.ahajournals.org/doi/10.1161/circ.134.suppl_1.14077)

Author: Michael P Savage, Evan Nardone, David L Fis... Publish Year: 2016

Introduction: Percutaneous coronary intervention (PCI) of diseased saphenous vein grafts (SVG) continues to be a clinical challenge. Current PCI guidelines give a class III recommendation against...

Percutaneous Coronary Intervention | NHLBI, NIH

<https://www.nhlbi.nih.gov/health-topics/percutaneous-coronary-intervention>

Nov 14, 2011 - Percutaneous coronary intervention (PCI), or coronary angioplasty, is a nonsurgical procedure to improve blood flow to the heart. It involves inserting a catheter tube and injecting contrast...

PEOPLE ALSO ASK

Are there anomalous coronary arteries, PFO, MVP, and aortic valve?

See more

https://cn.bing.com/?FORM=Z9FD1

国内版

国际版

Microsoft Bing

Percutaneous coronary intervention of totally occluded coronary vi

ALL

IMAGES

VIDEOS

12,300 ResultsAny time ▾

Abstract 14077: Percutaneous Coronary Intervention of ...  
[https://www.ahajournals.org/doi/abs/10.1161/circ.134.suppl\\_1.14077](https://www.ahajournals.org/doi/abs/10.1161/circ.134.suppl_1.14077)  
Introduction: Percutaneous coronary intervention (PCI) of diseased saphenous vein grafts (SVG) continues to be a clinical challenge. Current PCI guidelines give a class III recommendation against p...  
Author: Michael P Savage, Evan Nardone, Da... Publish Year: 2016

<


See more

Percutaneous Recanalization of Chronically Occluded ...  
<https://www.ahajournals.org/doi/full/10.1161/CIRCULATIONAHA.105.583716>  
The resulting large thrombotic burden significantly complicates the recanalization of occluded SVGs, resulting in lower procedural success and higher complication rates than after PCI of occluded native coronary arteries. 30 Reported success rates of intervention in chronically occluded SVGs have ranged from 58% to 77%. 24,30–35 Myocardial ...

27-Jul-2021 09:45AM

2175 words • 3 matches • 1 source

FAQ



65983\_Auto\_Edited.docx

Quoties Excluded  
Bibliography Excluded  
5%  
298 / 6

Match Breakdown

1 Internet 108 words  
crawled on 13-Apr-2020  
neights.ovid.com 5%

Match 1 of 3

Internet 108 words  
crawled on 13-Apr-2020  
neights.ovid.com 5%

Exclude Sources

**Name of Journal:** *World Journal of Cardiology*

**Manuscript NO:** 65983

**Manuscript Type:** ORIGINAL ARTICLE

**Retrospective Study**

**Percutaneous coronary intervention of totally occluded coronary venous bypass grafts: An exercise in futility?**

**Evan** W **Nardone**, Brandon M Madsen, Melissa M McCarey, David L Fischman, Nicholas J Ruggiero, Paul Walinsky, Alec Vishnevsky, Michael P Savage

**Abstract**

Page 1 of 1

Test Only Report

国内版

国际版

Percutaneous coronary intervention of totally occluded coronary v



ALL

IMAGES

VIDEOS

12,300 Results

Any time ▾

### Abstract 14077: Percutaneous Coronary Intervention of ...

[https://www.ahajournals.org/doi/abs/10.1161/circ.134.suppl\\_1.14077](https://www.ahajournals.org/doi/abs/10.1161/circ.134.suppl_1.14077)

Introduction: Percutaneous coronary intervention (PCI) of diseased saphenous vein grafts (SVG) continues to be a clinical challenge. Current PCI guidelines give a class III recommendation against p...

Author: Michael P Savage, Evan Nardone, Dav... Publish Year: 2016

### Coronary chronic total occlusion intervention: utility or ...

<https://www.tandfonline.com/doi/full/10.1080/14779072.2018.1459187>

Apr 03, 2018 · , [Web of Science ®] , [Google Scholar], 55 Azzalini L, Ojeda S, Karatasakis A, et al. Long-term outcomes of percutaneous coronary intervention for chronic total occlusion in patients who have undergone coronary artery bypass grafting vs those who have not. ...

Cited by: 1 Author: Patrick Marechal, Laurent Davin, Olivier G...

Publish Year: 2018

### Percutaneous Recanalization of Chronically Occluded ...

<https://www.ahajournals.org/doi/full/10.1161/CIRCULATIONAHA.105.583716>

The resulting large thrombotic burden significantly complicates the recanalization of occluded SVGs, resulting in lower procedural success and higher complication rates than after PCI of occluded native coronary arteries. 30 Reported success rates of intervention in chronically occluded SVGs have ranged from 58% to 77%. 24,30–35 Myocardial ...

Cited by: 840 Author: Gregg W. Stone, David E. Kandzari, Rox...

Publish Year: 2005

### Percutaneous In Situ Coronary Venous Arterialization

<https://www.jwatch.org/jc200107060000003/2001/07/...> ▾

Jul 06, 2001 · This report describes another approach called percutaneous in situ coronary venous arterialization (PICVA). In this procedure, a standard angioplasty guidewire is introduced from a coronary artery into an adjacent vein using an intravascular-ultrasound-directed needle. Then, a connector is inserted between the artery and vein to create a ...

Author: HC Herrmann Publish Year: 2001

Estimated Reading Time: 2 mins