

国内版 国际版

Determination of gluten immunogenic peptides as a tool for the m



ALL IMAGES VIDEOS

33,600 Results Any time ▾

Detection of gluten immunogenic peptides in the urine of ...

<https://gut.bmj.com/content/66/2/250> ▾

Feb 01, 2017 · Detection of gluten immunogenic peptides in the urine of patients with coeliac disease reveals transgressions in the gluten-free diet and incomplete mucosal healing. María de Lour...

Cited by: 162

Author: María de Lourdes Moreno, Ángel Cebolla,...

Publish Year: 2017

Estimated Reading Time: 11 mins

Analysis of gluten immunogenic peptides in feces to assess ...

<https://link.springer.com/article/10.1007/s00394-020-02404-z> ▾

Oct 15, 2020 · In celiac disease (CD) there is a need for precise and non-invasive tools to assess dietary compliance to the gluten-free diet (GFD). Our aim is to evaluate the efficacy of the detection o...

Author: María Roca, Ester Donat, Etna Masip,...

Publish Year: 2020

Estimated Reading Time: 5 mins

PEOPLE ALSO ASK

How are gluten immunogenic peptides used in celiac disease? ▾

How are GIP detected in urine after gluten consumption? ▾

Is there an objective gluten free diet for coeliac disease? ▾

How is GIP measured in celiac disease patients? ▾

Feedback

Gluten Peptides Monitor Celiac Disease | Celiac Disease ...

<https://celiac.org/about-the-foundation/featured...> ▾

Aug 01, 2019 · A recent study in Spain tested the use of gluten immunogenic peptides (GIP)—a direct measure of gluten intake—in stool samples to determine its usefulness in accurately monitoring...

Nutrients | Free Full-Text | Gluten Immunogenic Peptides ...

<https://www.mdpi.com/2072-6643/10/12/1927/htm> ▾

Gluten Immunogenic Peptides (GIP) contain sequences which specifically stimulate T-cell res...

国内版国际版

Microsoft Bing

Determination of gluten immunogenic peptides for the managem


Sign in

ALLIMAGESVIDEOS

12,200 ResultsAny time

Detection of gluten immunogenic peptides in the urine of ...

<https://gut.bmj.com/content/66/2/250>



Feb 01, 2017

The mainstay of the management of coeliac disease (CD) is a strict life-long compliance with gluten-free diet (GFD). 1, 2 However, full compliance with the GFD is very difficult to achieve given the ubiquity of gluten ...

Cited by: 184

Author: Maria de Lourdes Moreno, Ángel Ce...

Publish Year: 2017

Estimated Reading Time: 13 mins

Detection of gluten immunogenic peptides in the urine of ...

<https://europepmc.org/article/MED/26608460>

Nov 25, 2015

Detection of gluten immunogenic peptides in the urine of patients with coeliac disease reveals transgressions in the gluten-free diet and incomplete mucosal healing. 1 Europe PMC requires Javascript to

See more

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 66185

Manuscript Type: SYSTEMATIC REVIEWS

Determination of gluten immunogenic peptides for the management of the treatment adherence of celiac disease: A systematic review.

Laura Coto, Irati Mendia, Carolina Sousa, Julio César Bai, Angel Cebolla

Abstract

BACKGROUND

Gluten is a complex mixture of proteins with immunogenic peptide sequences

Match Overview

1	Internet: 3 words created on 18-Jul-2020 gut.bmj.com	1%
2	Crossref: 50 words created on 16-Jul-2020 Micaela de Lourdes Vireiro, Verónica Segura, Angélica Ruiz-Cinco, Ana María Nájlar, Isabel Comino, Carlina Sousa, "Dol"	1%
3	Crossref: 37 words created on 16-Jul-2020 Micaela Comino, Fernando Fabello-Bellares, María Esteve, Luis Ortegón et al "Fiesta: Golden Populists Reveals: Limitation"	1%
4	Internet: 20 words created on 06-Apr-2021 kpublibling.labc.com/windows.net	1%
5	Internet: 31 words created on 05-Oct-2020 www.mspg.com	1%

国内版

国际版

Determination of gluten immunogenic peptides for the managem



ALL

IMAGES


VIDEOS

12,200 Results

Any time ▾

Detection of gluten immunogenic peptides in the urine of ...

<https://gut.bmj.com/content/66/2/250> ▾



Feb 01, 2017 · The mainstay of the **management** of coeliac **disease** (CD) is a strict life-long compliance with **gluten-free** diet (GFD). 1, 2 However, full compliance with the GFD is very difficult to achieve given the ubiquity of **gluten** ...

Cited by: 184

Author: María de Lourdes Moreno, Ángel ...

Publish Year: 2017

Estimated Reading Time: 13 mins

Detection of gluten immunogenic peptides in the urine of ...

<https://europepmc.org/article/MED/26608460> ▾

Nov 25, 2015 · **Detection of gluten immunogenic peptides** in the urine of patients with coeliac **disease** reveals transgressions in the **gluten-free** diet and incomplete mucosal healing. 1 Europe PMC requires Javascript to function effectively.

People also ask

How are gluten immunogenic peptides related to CD? ▾

Is there an objective gluten free diet for coeliac disease? ▾

Which is the best treatment for celiac disease? ▾

When do you excrete gluten peptides after GCD? ▾

Feedback

Gluten Degrading Enzymes for Treatment of Celiac Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7400306>

Jul 15, 2020 · 4. **Gluten Immunogenic Peptides** as Drivers of CeD. Gliadins and glutenins harbor at least 50 different **immunogenic peptide** sequences that are largely resistant to gastrointestinal peptidases [3,15,21,22]. These **peptides** can reach the small intestinal lamina propria, in part through active transepithelial transport.

Cited by: 9

Author: Guoxian Wei, Eva J. Helmerhorst, Ghass...