

A rare case of secondary peripheral T-cell lymphoma and acute mye



ALL IMAGES VIDEOS

79,400 Results Any time Open links in new tab

### Hepatosplenic T-cell lymphoma: a rare but challenging ...

<https://ashpublications.org/blood/article/136/18/...>

Oct 29, 2020 · Hepatosplenic T-cell lymphoma (HSTCL) is a rare subtype of peripheral T-cell lymphoma (PTCL), first described in 1981 and included as provisional entity γδ hepatosplenic T-cell...

Cited by: 2 Author: Barbara Pro, Pamela Blair Allen, Amir Be...  
Publish Year: 2020

### T-cell lymphoma with a granulomatous lesion of the lungs ...

<https://diagnosticpathology.biomedcentral.com/...>

Oct 09, 2020 · She was diagnosed with peripheral T-cell lymphoma, not otherwise specified, accompanied by notable granulomatous lesions. Here, as a unique case of metachronous B-cell and...

Author: Yusuke Kajimoto, Yasuhiro Terasaki, ... Publish Year: 2020

#### PEOPLE ALSO ASK

- What is peripheral T cell lymphoma? ▾
- What kind of cancer does Burkitt lymphoma have? ▾
- What is the treatment for Burkitt lymphoma? ▾
- What are the different types of T cell lymphoma? ▾

Feedback

### T-Cell Lymphoma - Lymphoma Research Foundation

<https://lymphoma.org/aboutlymphoma/nhl/tcell>

< **Nomenclature** Classification Overview Signs and symptoms >

Lymphomas are often, but not always, named from a description of the normal cell that leads to cancer. Lymphomas that arise from mature T cells are sometimes categorized together under the general term **peripheral T-cell lymphoma** (PTCL), which distinguishes them from the lymphoma that arise from immature T cells or lymphoblastic lymphoma. Under this broad meaning, almost all types of T-cell lymphoma fall under the category of PTCL.

## Second Cancers After Non-Hodgkin Lymphoma

<https://www.cancer.org/cancer/non-hodgkin-lymphoma/...>

People who have had non-Hodgkin **lymphoma** (NHL) can get any type of second **cancer**, but they have an increased risk of certain cancers, including: Melanoma skin **cancer**. Lung **cancer**. Kidney **cancer**. Kaposi sarcoma. Cancers of the head/neck area (includes the lip, tongue, floor of the mouth, throat, salivary glands, and voice box)

[Cancer Screening Guidelines · Second Cancers in Adults](#)

### EXPLORE FURTHER

- Amelanotic melanoma:** Symptoms, **treatment**, and prevention [www.medicalnewstoday.com](http://www.medicalnewstoday.com)
- Amelanotic Melanoma - Pictures, Symptoms, Prognosis ...** [cancerwall.com](http://cancerwall.com)
- Amelanotic Melanoma:** It Doesn't Look Like Other ... [www.skincancer.org](http://www.skincancer.org)

Recommended to you based on what's popular · [Feedback](#)

## Angioimmunoblastic T-cell lymphoma after acute myeloid ...

<https://onlinelibrary.wiley.com/doi/10.1002/ccr3.3430>

Nov 03, 2020 · The development of **acute myeloid leukemia** with mutation in NPM1 and angioimmunoblastic **T-cell lymphoma**, in the same patient, could be linked by a common pathogenesis. Further studies are needed to elucidate the role of these genetic alterations in AITL pathogenesis and eventually develop molecularly targeted therapies to treat this aggressive ...

**Author:** Isabel Iturrate, Javier Loscertales, Elena... **Publish Year:** 2020

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 67105

Manuscript Type: CASE REPORT

**Secondary peripheral T-cell lymphoma and acute myeloid leukemia after Burkitt lymphoma treatment: A case report**

A rare case of MPC

**Abstract**

**BACKGROUND**

Multiple primary cancer (MPC) refers to more than one synchronous or sequential cancer in the same individual. MPC always presents as solid cancer or acute myeloid leukemia (AML) secondary to lymphoma. Here, we report a rare case of secondary peripheral T-cell lymphoma and AML after Burkitt lymphoma treatment.

Match Overview

- 1 Internet 12 words  
created on 03-Nov-2020  
www.wjgnet.com 1%
- 2 Crossref Posted Content 13 words  
Maryam Azarfa, Mohsen Tehrani, Reza Valadani, Raaj Maleki  
et al. "HYEM/BLA Immune Checkpoint Expression in Devel... 1%
- 3 Internet 12 words  
created on 29-Jul-2020  
doaj.org 1%



50,400 Results Any time ▾

### Acute Myeloid Leukemia and Myelodysplastic Syndrome ...

<https://www.ncbi.nlm.nih.gov/books/br.fcgi?book=cmed6&part=A44446>

It has been long accepted that the occurrence of therapy related myelodysplasia (t-MDS) or acute myelogenous leukemia (t-AML) is one of the most serious late consequences of successful treatment of a prior malignant disease.<sup>87</sup> In 1977 the first study was published of a close association between the use of a specific group of chemotherapeutic agents and the development of t-MDS and t-AML with ...

Cited by: 1 Author: Denise A. Levitan, Rita Nanda, Janet D. ...

Publish Year: 2003

### Non-Hodgkin Lymphoma - StatPearls - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov/books/NBK559328>

Dec 14, 2020 · Lumbar puncture: usually reserved in those with a high risk of CNS involvement, i.e., highly aggressive NHL (Burkitt lymphoma, DLBCL, peripheral T cell lymphoma, grade 3b FL, mantle cell lymphoma, precursor T or B lymphoblastic leukemia/lymphoma, human immunodeficiency virus (HIV)-positive NHL), who have epidural, bone marrow, testicular, or ...

Author: Sumina Sapkota, Hira Shaikh Publish Year: 2020

#### PEOPLE ALSO ASK

What is the survival rate for Burkitt lymphoma? ▾

Are there second malignancies after treatment of lymphoma? ▾

How are stem cells used to treat Burkitt's lymphoma? ▾

What kind of mutation does Burkitt's lymphoma have? ▾

Feedback

### Lymphoma: Diagnosis and Treatment - American Family ...

<https://www.aafp.org/afp/2020/0101/p34> ▾

Jan 01, 2020 · Lymphoma is a group of malignant neoplasms of lymphocytes with more than 90 subtypes. It is traditionally classified broadly as non-Hodgkin or Hodgkin lymphoma. Approximately 82,000 new U.S. ...