

[Management of femoral head fractures through surgical hip ...](#)

<https://link.springer.com/article/10.1007/s00402-020-03666-2> ▾

Oct 28, 2020 · **Femoral head fractures** considered to be rare injuries. **Surgical** intervention is indicated for major fragment displacement or in the presence of instability. **Surgical management** can be achieved...

Author: Ahmed A. Khalifa, Ahmed A. Khalifa, O... **Publish Year:** 2020

Estimated Reading Time: 6 mins

[Dislocation of the Hip: A Review of Types, Causes, and ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6162140>

A 2005 study of more than 20,000 total hip replacements found a significantly decreased rate of **dislocation** with the use of larger **femoral heads**. 30 Stratified by **femoral head** size, **dislocation** rates...

Cited by: 16 **Author:** Kwesi Dawson-Amoah, Jesse Raszewski, ...

Publish Year: 2018

PEOPLE ALSO ASK

What happens to the femoral head after a hip dislocation? ▾

How to reduce the risk of hip dislocation? ▾

Can a radiologist classify a hip dislocation as a head fracture? ▾

42,500 Results Any time ▾

Dislocation of the Hip: A Review of Types, Causes, and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6162140>

A 2005 study of more than 20,000 total hip replacements found a significantly decreased rate of dislocation with the use of larger femoral heads. 30 Stratified by femoral head size, dislocation rates were 3.6% for 28 mm, 4.8% for 26 mm, and 18.8% for 22 mm. 8 Other studies have noted the effectiveness of even larger head sizes ranging from 28 to 40 mm. 31,32 Types of prosthetics include ...

Cited by: 21 Author: Kwesi Dawson-Amoah, Jesse Raszewski...
Publish Year: 2018

Management of femoral head fractures through surgical hip ...

<https://link.springer.com/article/10.1007/s00402-020-03666-2>

Oct 28, 2020 · Femoral head fractures considered to be rare injuries. Surgical intervention is indicated for major fragment displacement or in the presence of instability. Surgical management can be achieved through either Anterior, posterior, and trans-trochanteric surgical approaches. Surgical hip dislocation (SHD) has been advocated by many authors to be a safe and effective alternative way of management.

Author: Ahmed A. Khalifa, Ahmed A. Khalifa, ... Publish Year: 2020
Estimated Reading Time: 11 mins

PEOPLE ALSO ASK

- What happens to the femoral head after a hip dislocation? ▾
- Which is better tha or ha for femoral neck fractures? ▾
- Can a radiologist classify a hip dislocation as a head fracture? ▾
- What are the risk factors for hip dislocation? ▾

Feedback

Hip arthroscopy versus open surgical dislocation for ...

<https://journals.lww.com/md-journal/Fulltext/2016/...>

Background: This meta-analysis aims to evaluate the efficacy and safety of hip arthroscopy versus open surgical dislocation for treating femoroacetabular impingement (FAI) through published clinical

16-Jul-2021 09:38PM 7677 words - 16 matches - 2 sources 67542_Auto_Edited.docx Quotes Excluded Bibliography Excluded 4%

iThenticate

Name of Journal: *World Journal of Orthopedics*
Manuscript NO: 67542
Manuscript Type: SYSTEMATIC REVIEWS

Safety and efficacy of surgical hip dislocation in managing femoral head fractures: A systematic review and meta-analysis

Khalifa AA *et al.* SHD for FHF, systematic review

Ahmed A Khalifa, Mohamed A Haridy, Ali Fergany

Abstract
BACKGROUND
Femoral head fractures (FHF) are considered relatively uncommon injuries; however, open reduction and internal fixation (ORIF) are preferred for most displaced

Match Overview

1	Crossref 216 words Elsayed Said, Mohamed E. Abdel-Khams, Mohamed Amour, Ali A. Dayel, Mostaf H. Mostafem, Ahmed M. Ahmed, Ham	3%
2	Crossref 48 words Ahmed A. Khalifa, Omar Rafea, Olayna Fawzi, Mohammed Karam, Abdelkader, Management of femoral head fractures	1%

Page 1 of 27

国内版

国际版

Safety and efficacy of surgical hip dislocation in managing femoral



ALL

IMAGES

VIDEOS

10,300 Results

Any time ▾

Dislocation of the Hip: A Review of Types, Causes, and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6162140>

A 2005 study of more than 20,000 total hip replacements found a significantly decreased rate of **dislocation** with the use of larger **femoral heads**. 30 Stratified by **femoral head size**, **dislocation** rates were 3.6% for 28 mm, 4.8% for 26 mm, and 18.8% for 22 mm. 8 Other studies have noted the **effectiveness** of even larger head sizes ranging from 28 to 40 mm. 31,32 Types of prosthetics include ...

Cited by: 21

Author: Kwesi Dawson-Amoah, Jesse Raszewski...

Publish Year: 2018

Management of femoral head fractures through surgical hip ...

<https://link.springer.com/article/10.1007/s00402-020-03666-2> ▾

Oct 28, 2020 · **Femoral head fractures** considered to be rare injuries. **Surgical** intervention is indicated for major fragment displacement or in the presence of instability. **Surgical management** can be achieved through either Anterior, posterior, and trans-trochanteric **surgical** approaches. **Surgical hip dislocation** (SHD) has been advocated by many authors to be a safe and effective alternative way of **management**.

Author: Ahmed A. Khalifa, Ahmed A. Khalifa, ... Publish Year: 2020

Estimated Reading Time: 11 mins

PEOPLE ALSO ASK

What happens to the femoral head after a hip dislocation? ▾

Which is better tha or ha for femoral neck fractures? ▾

What are the risk factors for hip dislocation? ▾

Can a radiologist classify a hip dislocation as a head fracture? ▾

Feedback

Hip arthroscopy versus open surgical dislocation for ...

<https://journals.lww.com/md-journal/Fulltext/2016/...>

Background: This **meta-analysis** aims to evaluate the **efficacy** and **safety** of **hip arthroscopy** versus