

国内版国际版

Microsoft Bing

Acute bilateral lower extremity arterial thrombosis after intraocular

ALL

IMAGES

VIDEOS

35,800 ResultsAny time

Lower limb ischemia after migration of a coronary artery ...

<https://academic.oup.com/icvts/article/7/3/447/672982>

Jun 01, 2008 · In consideration of the high risk of worsening of the acute lower limb ischemia due to common femoral artery thrombosis, we decided to treat the patient by an open surgical stent removal...

Cited by: 8Author: Andrea Siani, Luca Maria Siani, Federica ...

Publish Year: 2008

Foreign Bodies | RadioGraphics

<https://pubs.rsna.org/doi/full/10.1148/rg.233025137>

11,700 Results

Acute Aortic Thrombosis following Incorrect Application of ...

<https://www.researchgate.net/publication/11458991...>

This study was a structured **literature review** with the objective of determining whether in adults, either conscious or unconscious, with **acute foreign body** airway obstructions, if any specific ...

Acute on chronic limb ischemia: From surgical embolectomy ...

<https://www.sciencedirect.com/science/article/pii/S0895796718300449>

Jun 01, 2018 · Jun 01, 2018 · Abstract. **After** the invention of the balloon catheter by Fogarty in 1963, surgical thromboembolectomy was considered the gold standard treatment for many years in patients with **acute lower** limb ischemia (ALLI). ALLI is a dramatic event, carrying a high risk of amputation and perioperative morbidity and mortality.

Cited by: 9

Author: Gianmarco de Donato, Edoardo Pasqui, Fra...

Publish Year: 2018

Radial neuropathy following arterial line removal: A rare ...

<https://europepmc.org/abstract/MED/29511544> ▼

Feb 27, 2018 · Feb 27, 2018 · Radial artery **thrombosis** is a rare complication of cannulation. There are no reported cases of **acute thrombosis** and severe **acute** neuropathy in the setting of cannula discontinuation. We **report a case of acute** radial nerve mono-neuropathy following **thrombosis after** radial **arterial line removal**.

Author: Ali Khalifeh, Tamara Khashab, Michael ...

Publish Year: 2018

[Clinical Practice and Cases in Emergency Medicine](#)

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 67735

Manuscript Type: CASE REPORT

Acute lower extremity arterial thrombosis after intraocular foreign body removal under general anesthesia: A case report and review of literature

Jeon S *et al.* Arterial thrombosis during ophthalmic surgery

Abstract

BACKGROUND

Surgery, which is a major risk factor for venous thrombosis, has rarely been considered a risk factor for arterial thrombosis. Recent studies have suggested that venous and arterial thromboses share common risk factors and have a bidirectional relationship. Accordingly, there is a growing interest in the risk of arterial thrombosis after surgery. We report a case of acute bilateral lower extremity arterial thromboses that developed

Match Overview

1	Internet 26 words crawled on 30-Nov-2019 dune.unie.edu	1%
2	Internet 25 words crawled on 17-Jan-2021 www.sagepub.com	1%
3	Crossref 18 words Jing Xiong, "Anticoagulant and antithrombotic activity of a ... ew peptide pCHW (pCHW-Ash-Tip)", <i>Journal of Pharmacy an</i>	1%
4	Internet 18 words crawled on 15-Feb-2021 www.scrib.com	1%
5	Internet 15 words crawled on 09-Oct-2019 www.e-sciencecentral.org	<1%
6	Internet 14 words crawled on 29-Dec-2019 www.birpublications.org	<1%
7	Internet 14 words crawled on 12-Apr-2021 www.roac.eg.net	<1%
8	Internet 12 words crawled on 07-Feb-2021 jama-network.com	<1%

国内版

国际版

Acute lower extremity arterial thrombosis after intraocular foreign



ALL

IMAGES

VIDEOS

40,400 Results

Any time ▼

Acute Aortic Thrombosis following Incorrect Application of ...

<https://www.researchgate.net/publication/11458991...>

This study was a structured literature review with the objective of determining whether in adults, either conscious or unconscious, with acute foreign body airway obstructions, if any specific ...

Acute on chronic limb ischemia: From surgical embolectomy ...

<https://www.sciencedirect.com/science/article/pii/S0895796718300449>

Jun 01, 2018 · 1. Introduction1.1. Epidemiology. Acute lower limb ischemia (ALLI) is defined as any sudden decrease in limb perfusion causing a potential threat to limb viability in patients who present within 2 weeks of the acute event .The incidence of this condition is approximately 15 cases per 100.000 persons per year .The prevalence is <0.1% in general population and about 5% to 10% in patients ...

Cited by: 9

Author: Gianmarco de Donato, Edoardo Pasqui, ...

Publish Year: 2018

Lower Extremity Amputation - StatPearls - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov/books/NBK546594/?report=reader>

The use of general anesthesia (GA) versus regional anesthesia (RA) for performing major lower extremity amputation is an area of ongoing debate. There is literature to support the use of RA for major lower extremity amputation with decreased blood loss, need for transfusion, postoperative pain medication, and faster time to oral intake when ...

Author: Cesar S. Molina, JimBob Faulk Publish Year: 2019

StatPearls - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov/books/NBK430685>

Jan 01, 2021 · 24-Hour Urine Collection. 24-Hour Urine Testing for Nephrolithiasis Interpretation. 2-Octyl Cyanoacrylate. 3,4-Methylenedioxy-Methamphetamine. 3-3-2 Rule. 38-Year-Old Male Presents With Lower Extremity Edema. 5 Alpha Reductase Deficiency. 5 Alpha ...

Varicose Veins - Medical Clinical Policy Bulletins | Aetna

www.aetna.com/cpb/medical/data/1_99/0050.html

Number: 0050. Policy: Aetna considers the following procedures medically necessary for treatment of varicose veins when the following criteria are met: great saphenous vein or small saphenous vein ligation / division / stripping, radiofrequency endovenous occlusion (RFA/S procedure), and endovenous laser