

国内版

国际版

Microsoft Bing

Fecal diversion in complex anal fistulas: Is there a way to avoid it?



ALL

IMAGES

VIDEOS

7,920 Results

Any time ▾

Open links in new tab



Rectovaginal fistula - Diagnosis and treatment - Mayo Clinic

<https://www.mayoclinic.org/diseases-conditions/rectovaginal-fistula/diagnosis...> ▾

Repairing the **anal** sphincter muscles if they've been damaged by the **fistula** or by scarring or tissue damage from radiation or Crohn's disease. Performing a colostomy before repairing a **fistula in complex** or recurrent cases to divert stool through an opening in your abdomen instead of through your rectum. Most of the time, this surgery isn't needed.

Doctors & Departments · Symptoms & Causes

EXPLORE FURTHER

Rectovaginal Fistula: Symptoms, Causes, Diagnosis, and ... www.verywellhealth.com

Rectovaginal Fistula: Symptoms, Treatment, Causes, and More www.healthline.com

Rectovaginal Fistula | Symptoms, Treatment & Procedures www.centerforcolonandrectalsurger...

Rectovaginal Fistula Repair - DoveMed www.dovemed.com

What Is A Fistula? Types, causes and treatments explained ... www.nafc.org

Recommended to you based on what's popular • Feedback

Benign Anorectal Conditions: Perianal Abscess/Fistula Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2780182>

Anal fistulas are also categorized as "**complex**" when they have any of the following risk factors: a high tract that traverses more than 30 to 50% of the external sphincter, an anterior location in a female, multiple tracts, and a patient with preexisting incontinence, recurrent **fistula**, local irradiation, chronic diarrhea, or Crohn's ...

A Complete Guide to Anal Fistulas: Symptoms, Causes ...

<https://www.adlermicromed.com/anal-fistula> ▾

An **anal fistula**, also known as **fistula-in-ano**, is a small channel that connects the rectum to the outer skin



68095_Auto_Edited - check.docx

Quotes Excluded
Bibliography Included

2%

Match Overview

1	Crossref 27 words Michael S. Kasparek, Joerg Glatzle, Tanja Temeltcheva, Mario H. Mueller, Alfred Koenigsrainer, Martin E. Kreis. "Long-Term Q	1%
2	Crossref 13 words "Contents", Surgical Clinics of North America, 2019	1%

国内版

国际版

Fecal diversion in complex anal fistulas: Is there a way to avoid it?



ALL

IMAGES

VIDEOS

11,800 Results

Any time ▾

[Rectovaginal fistula - Diagnosis and treatment - Mayo Clinic](#)

<https://www.mayoclinic.org/diseases-conditions/rectovaginal-fistula/diagnosis...> ▾

Repairing the anal sphincter muscles if they've been damaged by the fistula or by scarring or tissue damage from radiation or Crohn's disease. Performing a colostomy **before** repairing a **fistula in complex** or recurrent cases to divert stool through an opening in your abdomen instead of through your rectum. Most of the time, this surgery isn't needed.

[Doctors & Departments](#) · [Symptoms & Causes](#)

EXPLORE FURTHER

[Rectovaginal Fistula: Symptoms, Causes, Diagnosis, and ...](#)

www.verywellhealth.com

[Rectovaginal Fistula: Symptoms, Treatment, Causes, and More](#)

www.healthline.com

[Rectovaginal Fistula | Symptoms, Treatment & Procedures](#)

www.centerforcolonandrectalsurger...

[Rectovaginal Fistula Repair - DoveMed](#)

www.dovemed.com

[What Is A Fistula? Types, causes and treatments explained ...](#)

www.nafc.org

Recommended to you based on what's popular • Feedback

[Fecal Diversion - colorectal](#)

<https://mycolonclinic.com/.../fecal-diversion> ▾

Fecal diversion is used to treat Stage IV cancer means that it has spread to most of the viscera in the patients' body ergo surgical approaches are mainly limited to palliative care and taking care of some of the colon cancer symptoms such as persistent bloating, prolonged constipation and severe blood loss especially in the stool and into the abdominal cavity.

Estimated Reading Time: 7 mins

[Temporary Fecal Diversion in the Management of Colorectal ...](#)

<https://www.hindawi.com/journals/grp/2015/286315> ▾

In these cases, temporary fecal diversion is an effective way to "buy time" and to postpone the decision on definitive surgical treatments, at the same time providing the small chance that definitive surgical treatments might even be avoided at all. Many patients are afraid of definitive stoma creation.

[Benign Anorectal Conditions: Perianal Abscess/Fistula Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2780182>