

Treatment for Biliary Atresia | NIDDK

<https://www.niddk.nih.gov/health-information/liver...> ▾

The Kasai procedure is usually the first treatment for **biliary atresia**. The Kasai procedure does **not** cure **biliary atresia**. However, if the procedure is successful, it may slow liver damage and delay or prevent complications and the need for a liver **transplant**. The earlier the procedure is done, the more effective it ...

Biliary Atresia (BA) - guidelines and management of

<https://www.starship.org.nz/guidelines/biliary...> ▾

Nov 18, 2020 · Operative management should be undertaken by a paediatric surgeon experienced in the **management of biliary atresia**, who performs **cholangiograms** and Kasai portoenterostomy on a regular basis. A **cholangiogram** that shows a normal intra **hepatic biliary** tree, normal external hepatic ducts and normal drainage into the duodenum excludes the diagnosis.

PEOPLE ALSO ASK

When do you need a liver transplant for biliary atresia? ▾

Is the Kasai procedure a cure for biliary atresia? ▾

How is biliary atresia treated in an infant? ▾

Who is the best surgeon for biliary atresia? ▾

Feedback

Transplant Surgery - Biliary Atresia

The initial treatment recommended for children with biliary atresia is an operation known as the **Kasai procedure**, which creates a new pathway to drain bile from the liver into the intestine. The correction buys time before a transplant becomes necessary, and in some cases, fixes the bile flow problem well enough that a transplant isn't necessary.

[Biliary Atresia and Liver Transplant: Claire's Story ...](#)
www.chop.edu/stories/biliary-atresia-and-liver-transplant-claire-s-story

Was this helpful? 👍 👎

PEOPLE ALSO ASK

- When do you need a liver transplant for biliary atresia? ▾
- Is the Kasai procedure a cure for biliary atresia? ▾
- How are bile ducts replaced in biliary atresia? ▾
- How are antibiotics used to treat biliary atresia? ▾

Feedback

Transplant Surgery - Biliary Atresia
<https://transplantsurgery.ucsf.edu/conditions-procedures/biliary-atresia.aspx> ▸
In **biliary atresia**, the **bile** ducts outside the liver (extrahepatic **bile** ducts) are

Biliary atresia

Childhood Disease

- Symptoms Diagnosis Causes Treatments >

Biliary atresia, also known as extrahepatic ductopenia and progressive obliterative cholangiopathy, is a childhood disease of the liver in which one or more bile ducts are abnormally narrow, blocked, or absent. It can be congenital or acquired. It has an incidence of one in 10,000–15,000 live births in the United States, and a prevalence of one in 16,700 in the British Isles. Biliary atresia is most common in East Asia, with a frequency of one in 5,000.

 [Wikipedia](#)

People also search for

- [Infant Jaundice](#)
- [Jaundice](#)
- [Cholestasis](#)
- [Alagille syndrome](#)
- [Patent Ductus Arteriosus](#)
- [See more ▾](#)

Name of Journal: *World Journal of Transplantation*

Manuscript NO: 68379

Manuscript Type: MINIREVIEWS

Management of biliary atresia: To transplant or not to transplant

Kakos CD *et al.* Management of biliary atresia

Match Overview

1	Crossref 52 words Jorge A. Baccera, Cathie Spino, John C. Magee, Benjamin L. Shneider et al. "Use of Corticosteroids After Hepatoport...	2%
2	Crossref 49 words Ricardo Saperina, John C. Magee, Mary L. Brandt, Patrick J. Hesley et al. "The Anatomic Pattern of Biliary Atresia Ident	1%
3	Internet 34 words crawled on 05-Jan-2020 link.springer.com	1%
4	Crossref 32 words Elyse LeeVan, Lea Matsuoka, Shu Cao, Susan Groshen, So photis Alexopoulos. "Biliary-Enteric Drainage vs Primary I...	1%
5	Internet 13 words crawled on 30-Sep-2020 academic.oup.com	<1%

国内版

国际版

Management of biliary atresia: To transplant or not to transplant



ALL

IMAGES

VIDEOS

Clear

81,900 Results

Any time ▾

The initial treatment recommended for children with biliary atresia is an operation known as the **Kasai procedure**, which creates a new pathway to drain bile from the liver into the intestine. The correction buys time before a transplant becomes necessary, and in some cases, fixes the bile flow problem well enough that a transplant isn't necessary.

[Biliary Atresia and Liver Transplant: Claire's Story ...](#)

www.chop.edu/stories/biliary-atresia-and-liver-transplant-claire-s-story

Was this helpful?

PEOPLE ALSO ASK

When do you need a liver transplant for biliary atresia? ▾

Is the Kasai procedure a cure for biliary atresia? ▾

How are bile ducts replaced in biliary atresia? ▾

How are antibiotics used to treat biliary atresia? ▾

Feedback

Treatment for Biliary Atresia | NIDDK

<https://www.niddk.nih.gov/health-information/liver...> ▾

The Kasai procedure is usually the first treatment for biliary atresia. The Kasai procedure does **not** cure biliary atresia. However, if the procedure is successful, it may slow liver damage and delay or prevent complications and the need for a liver transplant. The earlier the procedure is done, the more effective it ...

Transplant Surgery - Biliary Atresia

transplant.surgery.ucsf.edu/conditions--procedures/biliary-atresia.aspx ▾



Disease Progression

Causes

Types of Biliary Atresia

Symptoms

