



## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 69533

**Title:** Duodenal ulcer caused by coil wiggle after digital subtraction angiography-guided embolization: A case report

**Reviewer's code:** 05393250

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer's Country/Territory:** Japan

**Author's Country/Territory:** China

**Manuscript submission date:** 2021-07-04

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2021-07-04 13:36

**Reviewer performed review:** 2021-07-10 13:01

**Review time:** 5 Days and 23 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input checked="" type="checkbox"/> Rejection
<b>Re-review</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA

**Telephone:** +1-925-399-1568

**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)

**https://**[www.wjgnet.com](http://www.wjgnet.com)

#### **SPECIFIC COMMENTS TO AUTHORS**

Which coils embolized were penetrating to duodenum? Did you remove 5 coils? Stopping blood flow might make ischemic ulcer. Did you find any ischemic change in duodenum soon after DSA or in any follow up EGD? I would think migration of embolization coil is not so rare.



**PEER-REVIEW REPORT**

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 69533

**Title:** Duodenal ulcer caused by coil wiggle after digital subtraction angiography-guided embolization: A case report

**Reviewer’s code:** 04213496

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer’s Country/Territory:** Japan

**Author’s Country/Territory:** China

**Manuscript submission date:** 2021-07-04

**Reviewer chosen by:** Ze-Mao Gong

**Reviewer accepted review:** 2021-07-17 12:02

**Reviewer performed review:** 2021-07-19 09:02

**Review time:** 1 Day and 21 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

#### **SPECIFIC COMMENTS TO AUTHORS**

In this report, the authors reported a rare case of a secondary duodenal ulcer by migrated coil used for digital subtraction angiography (DSA) embolization before. I think the case is worthy to be published because it reminds us of the possibility that embolization coil may be pushed out from a vessel and become a cause of a gastrointestinal ulcer. However, I have some questions and I think some corrections will improve the quality of the report. <Specific comments> 1. What was the cause of the first acute gastrointestinal bleeding (GIB)? The authors should clearly show that the duodenal ulcer did not exist in the first GIB episode and form after the first GIB episode, because of migrated coil. 2. As the author mentioned in discussion, endoscopy is the best initial method for the diagnosis and treatment of upper gastrointestinal bleeding. If so, the authors should describe why second esophagogastroduodenoscopy was not performed before DSA. 3. There are several mistakes about indexes, units, and spaces. Please correct them.