

World Journal of *Stem Cells*

World J Stem Cells 2022 March 26; 14(3): 219-266



REVIEW

- 219 Adult neural stem cells and schizophrenia
Hu L, Zhang L

ORIGINAL ARTICLE**Basic Study**

- 231 *In vitro* induced pluripotency from urine-derived cells in porcine
Recchia K, Machado LS, Botigelli RC, Pieri NCG, Barbosa G, de Castro RVG, Marques MG, Pessoa LVF, Fantinato Neto P, Meirelles FV, Souza AF, Martins SMMK, Bressan FF
- 245 Optimization of adipose tissue-derived mesenchymal stromal cells transplantation for bone marrow repopulation following irradiation
Kim MJ, Moon W, Heo J, Lim S, Lee SH, Jeong JY, Lee SJ

LETTER TO THE EDITOR

- 264 Mesenchymal stem/stromal cells as adjuvant therapy in COVID-19-associated acute lung injury and cytokine storm: Importance of cell identification
Pawitan JA

ABOUT COVER

Editorial Board Member of *World Journal of Stem Cells*, Yun-Bae Kim, DVM, PhD, Professor, College of Veterinary Medicine, Chungbuk National University, 1 Chungdaero, Cheongju, Chungbuk 28644, South Korea. solar93@chungbuk.ac.kr

AIMS AND SCOPE

The primary aim of *World Journal of Stem Cells (WJSC, World J Stem Cells)* is to provide scholars and readers from various fields of stem cells with a platform to publish high-quality basic and clinical research articles and communicate their research findings online. *WJSC* publishes articles reporting research results obtained in the field of stem cell biology and regenerative medicine, related to the wide range of stem cells including embryonic stem cells, germline stem cells, tissue-specific stem cells, adult stem cells, mesenchymal stromal cells, induced pluripotent stem cells, embryonal carcinoma stem cells, hemangioblasts, lymphoid progenitor cells, etc.

INDEXING/ABSTRACTING

The *WJSC* is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Biological Abstracts, BIOSIS Previews, Scopus, PubMed, and PubMed Central. The 2021 Edition of Journal Citation Reports® cites the 2020 impact factor (IF) for *WJSC* as 5.326; IF without journal self cites: 5.035; 5-year IF: 4.956; Journal Citation Indicator: 0.55; Ranking: 14 among 29 journals in cell and tissue engineering; Quartile category: Q2; Ranking: 72 among 195 journals in cell biology; and Quartile category: Q2. The *WJSC*'s CiteScore for 2020 is 3.1 and Scopus CiteScore rank 2020: Histology is 31/60; Genetics is 205/325; Genetics (clinical) is 64/87; Molecular Biology is 285/382; Cell Biology is 208/279.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: Yan-Liang Zhang; Production Department Director: Xu Guo; Editorial Office Director: Ze-Mao Gong.

NAME OF JOURNAL

World Journal of Stem Cells

ISSN

ISSN 1948-0210 (online)

LAUNCH DATE

December 31, 2009

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Shengwen Calvin Li, Carlo Ventura

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/1948-0210/editorialboard.htm>

PUBLICATION DATE

March 26, 2022

COPYRIGHT

© 2022 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>

Mesenchymal stem/stromal cells as adjuvant therapy in COVID-19-associated acute lung injury and cytokine storm: Importance of cell identification

Jeanne Adiwinata Pawitan

Specialty type: Cell and tissue engineering

Provenance and peer review: Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): A
Grade B (Very good): B
Grade C (Good): C
Grade D (Fair): 0
Grade E (Poor): 0

P-Reviewer: Cai J, China; Tan JK, Malaysia; Tazegul G, Turkey

Received: September 11, 2021

Peer-review started: September 11, 2021

First decision: November 17, 2021

Revised: November 23, 2021

Accepted: March 6, 2022

Article in press: March 6, 2022

Published online: March 26, 2022



Jeanne Adiwinata Pawitan, Department of Histology, Faculty of Medicine, Universitas Indonesia, Jakarta 10430, DKI Jaya, Indonesia

Jeanne Adiwinata Pawitan, Stem Cell Medical Technology Integrated Service Unit, Dr. Cipto Mangunkusumo General Hospital/Faculty of Medicine Universitas Indonesia, Jakarta 10430, DKI Jaya, Indonesia

Jeanne Adiwinata Pawitan, Stem Cell and Tissue Engineering Research Center, Indonesia Medical Education and Research Institute (IMERI), Faculty of Medicine Universitas Indonesia, Jakarta 10430, DKI Jaya, Indonesia

Corresponding author: Jeanne Adiwinata Pawitan, MD, PhD, Professor, Department of Histology, Faculty of Medicine, Universitas Indonesia, Gedung Anatomi, Jl. Salemba 6, Jakarta 10430, DKI Jaya, Indonesia. jeanneadiwip@gmail.com

Abstract

Theoretically, mesenchymal stem cells (MSCs) are very promising as adjuvant therapy to alleviate coronavirus disease 2019 (COVID-19)-associated acute lung injury and cytokine storm. Several published studies, which used MSCs to alleviate COVID-19-associated acute lung injury and cytokine storm, reported promising results. However, the evidence came from a case report, case series, and clinical trials with a limited number of participants. Therefore, more studies are needed to get robust proof of MSC beneficial effects.

Key Words: COVID-19; Mesenchymal stem cells; Pneumonia; Cytokine storm; Acute respiratory distress syndrome

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Several published studies, which used mesenchymal stem cells (MSCs) to alleviate coronavirus disease 2019-associated acute lung injury and cytokine storm, reported promising results. However, the evidence came from a case report, case series, and clinical trials with a limited number of participants. Therefore, more robust proof is needed. The studies and ongoing clinical trials used MSCs from various sources, and theoretically angiotensin-converting enzyme 2 negative subsets are preferable. Therefore, in future reporting of clinical trial results, the complete identity of the MSCs needs to be defined.

Citation: Pawitan JA. Mesenchymal stem/stromal cells as adjuvant therapy in COVID-19-associated acute lung injury and cytokine storm: Importance of cell identification. *World J Stem Cells* 2022; 14(3): 264-266

URL: <https://www.wjgnet.com/1948-0210/full/v14/i3/264.htm>

DOI: <https://dx.doi.org/10.4252/wjsc.v14.i3.264>

TO THE EDITOR

I read with interest a minireview by Zhang *et al*[1], who elaborately discussed the prospects of mesenchymal stem/stromal cells (MSCs) in coronavirus disease 2019 (COVID-19)-associated acute lung injury/acute respiratory distress syndrome. In the beginning, the authors pointed out two recently reported MSC based therapies to deal with cytokine storm and pulmonary damage. The first report was by Leng *et al*[2], which enrolled 7 MSC treated subjects and 3 controls. The report showed favorable prognosis in terms of clinical recovery and serum cytokine profile. The second report of MSC based therapy for COVID-19 was a case report by Liang *et al*[3] that reported a favorable outcome.

Though the two reports showed favorable outcomes, I highly support the opinion of Zhang *et al*[1] that the systematic elaboration of the therapeutics and underlying mechanism is far from satisfactory. The first report, which enrolled only a few subjects, showed that the treatment and control group were unequal in terms of age of the patients and severity of disease. The second report is a case report of only 1 patient[2,3], which provides the lowest level of evidence. There were several other reports that were not assessed by the authors. A case series of 12 patients by Terry[4] used two intravenous infusions of bone marrow-derived MSCs (Ryoncil® from Mesoblast). The results showed that 75% of patients who were previously refractory to other experimental therapies were free from ventilators within 10 d, and overall survival was 83%. Further, a recent randomized clinical trial from Indonesia, which enrolled 40 patients, gave umbilical cord (UC)-derived MSCs, and the results showed that the survival rate in the treatment group was 2.5 times higher than in the control group. However, when only patients with comorbidities were assessed, the survival rate of the treatment group was 4.5 times compared to controls. Moreover, there was a significant decrease in interleukin-6 in the recovered patients, and this result was in line with the anti-inflammatory property of MSCs[5]. Interestingly, there are 70 clinical trials at various stages, which are ongoing, and these trials are using MSCs from various sources[1].

It is interesting to note that Zhang *et al*[1] pointed out the superiority of angiotensin-converting enzyme 2 (ACE2) negative subsets of UC-derived MSCs that were used by Leng *et al*[2]. Other studies that used MSCs for COVID-19 did not use ACE2 negative subsets of MSCs[3-5]. A study showed that ACE2 expression was significantly higher in adipose tissue and bone marrow-derived MSCs compared to UC or placenta-derived MSCs. In addition, culture conditions and passage also had an impact on ACE2 expression levels. At higher passages (3-5 passages) both UC and placenta-derived MSCs expressed higher levels of ACE2[6]. I highly support the opinion of Zhang *et al*[1] that highly bioactive subpopulations from the heterogeneous MSCs need to be identified[1]. Therefore, future studies that will use MSCs need to completely report the source, culture conditions, passage, identity, and properties of the MSCs that are used.

FOOTNOTES

Author contributions: Pawitan JA designed the research, performed the research, analyzed data, wrote the letter, and revised the letter.

Conflict-of-interest statement: Jeanne Adiwinata Pawitan has no conflict of interest.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: Indonesia

ORCID number: Jeanne Adiwinata Pawitan [0000-0002-6551-5238](https://orcid.org/0000-0002-6551-5238).

S-Editor: Fan JR

L-Editor: Filipodia

P-Editor: Fan JR

REFERENCES

- 1 **Zhang LS**, Yu Y, Yu H, Han ZC. Therapeutic prospects of mesenchymal stem/stromal cells in COVID-19 associated pulmonary diseases: From bench to bedside. *World J Stem Cells* 2021; **13**: 1058-1071 [PMID: [34567425](https://pubmed.ncbi.nlm.nih.gov/34567425/) DOI: [10.4252/wjsc.v13.i8.1058](https://doi.org/10.4252/wjsc.v13.i8.1058)]
- 2 **Leng Z**, Zhu R, Hou W, Feng Y, Yang Y, Han Q, Shan G, Meng F, Du D, Wang S, Fan J, Wang W, Deng L, Shi H, Li H, Hu Z, Zhang F, Gao J, Liu H, Li X, Zhao Y, Yin K, He X, Gao Z, Wang Y, Yang B, Jin R, Stambler I, Lim LW, Su H, Moskalev A, Cano A, Chakrabarti S, Min KJ, Ellison-Hughes G, Caruso C, Jin K, Zhao RC. Transplantation of ACE2⁺ Mesenchymal Stem Cells Improves the Outcome of Patients with COVID-19 Pneumonia. *Aging Dis* 2020; **11**: 216-228 [PMID: [32257537](https://pubmed.ncbi.nlm.nih.gov/32257537/) DOI: [10.14336/AD.2020.0228](https://doi.org/10.14336/AD.2020.0228)]
- 3 **Liang B**, Chen J, Li T, Wu H, Yang W, Li Y, Li J, Yu C, Nie F, Ma Z, Yang M, Xiao M, Nie P, Gao Y, Qian C, Hu M. Clinical remission of a critically ill COVID-19 patient treated by human umbilical cord mesenchymal stem cells: A case report. *Medicine (Baltimore)* 2020; **99**: e21429 [PMID: [32756149](https://pubmed.ncbi.nlm.nih.gov/32756149/) DOI: [10.1097/MD.00000000000021429](https://doi.org/10.1097/MD.00000000000021429)]
- 4 **Terry M**. Mesoblast's stem cell therapy shows 83% survival in ventilator-dependent covid-19 patients. Biospace; 2020. [cited 10 July 2022]. Available from: [https://www.biospace.com/article/mesoblast-ltd-s-stem-cell-therapy-shows-83-percent-survival-in-covid-19-patients/#:~:text=Melbourne%2C%20Australia%20and%20New%20York,stem%20cell%20candidate%20Ryoncil%20\(reme stemcel\)](https://www.biospace.com/article/mesoblast-ltd-s-stem-cell-therapy-shows-83-percent-survival-in-covid-19-patients/#:~:text=Melbourne%2C%20Australia%20and%20New%20York,stem%20cell%20candidate%20Ryoncil%20(reme stemcel))
- 5 **Dilogo IH**, Aditiansih D, Sugiarto A, Burhan E, Damayanti T, Sitompul PA, Mariana N, Antarianto RD, Liem IK, Kispita T, Mujadid F, Novialdi N, Luviah E, Kurniawati T, Lubis AMT, Rahmatika D. Umbilical cord mesenchymal stromal cells as critical COVID-19 adjuvant therapy: A randomized controlled trial. *Stem Cells Transl Med* 2021; **10**: 1279-1287 [PMID: [34102020](https://pubmed.ncbi.nlm.nih.gov/34102020/) DOI: [10.1002/sctm.21-0046](https://doi.org/10.1002/sctm.21-0046)]
- 6 **Desterke C**, Griscelli F, Imeri J, Marcoux P, Lemonnier T, Latsis T, Turhan AG, Bennaceur-Griscelli A. Molecular investigation of adequate sources of mesenchymal stem cells for cell therapy of COVID-19-associated organ failure. *Stem Cells Transl Med* 2021; **10**: 568-571 [PMID: [33237619](https://pubmed.ncbi.nlm.nih.gov/33237619/) DOI: [10.1002/sctm.20-0189](https://doi.org/10.1002/sctm.20-0189)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

