

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 73404

Title: Pneumocystis jiroveci pneumonia after total hip arthroplasty in a dermatomyositis

patient: a case report

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05142912 Position: Peer Reviewer Academic degree: MBBS

Professional title: Doctor

Reviewer's Country/Territory: Saudi Arabia

Author's Country/Territory: China

Manuscript submission date: 2021-11-30

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-11-30 18:05

Reviewer performed review: 2021-11-30 18:25

Review time: 1 Hour

Scientific quality	[Y] Grade A: Excellent [] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[Y] Grade A: Priority publishing [] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[Y] Accept (High priority) [] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[Y] Yes [] No



Baishideng Publishing Publishing

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568

E-mail: bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

Dear authors, Thank you for this rare case report. I have few comments. How much was the drip of hydrocortisone before anesthesia (dose, STAT/gradual through operation)? Also, two days after surgery what was the dose. There are no previous studies about PCP discovered incidentally postop and treated in introduction?? In physical examination, what do you mean by exacerbation of the rash? Do you mean no rash at all, or not increasing? What do you mean by LYMPH? lymphocyte you mean?



7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 73404

Title: Pneumocystis jiroveci pneumonia after total hip arthroplasty in a dermatomyositis

patient: a case report

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 02353770 Position: Peer Reviewer

Academic degree: DPhil, MD

Professional title: Adjunct Professor, Doctor, Staff Physician

Reviewer's Country/Territory: Spain

Author's Country/Territory: China

Manuscript submission date: 2021-11-30

Reviewer chosen by: AI Technique

Reviewer accepted review: 2021-11-30 05:27

Reviewer performed review: 2021-12-08 18:29

Review time: 8 Days and 13 Hours

Scientific quality	[] Grade A: Excellent [] Grade B: Very good [Y] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No



Baishideng Publishing

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer statements

Peer-Review: [] Anonymous [Y] Onymous

Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

Reference number 1 in line 86 do not seem appropriate. Please revise. This is a well described case of dermatomyositis patient anti-MDA5 positive who develop an infection by P. jirovecci in the postoperative period after right total arthroplasty. It is well known that trimethoprim-sulfamethoxazole prophylaxis is indicated when higher than 20 mg/d glucocorticoids are used for more than 4 weeks. However, this was not the case because the patient received only 8 mg/d. Thus, the case is worth to be published, an increased awareness of the risk of P jirovecci in dermatomyositis patients is warranted. Moreover, it seems that anti-MDA5 ILD dermatomyositis patients are prone to develop this infection from the onset and not exactly related only to the immunosuppressive regimen they are being treated with. This interesting issue should prompt a comment by the authors in the discussion section. We suggest reducing the discussion section, mainly not focus on the postoperative period in a repetitive manner.