



**PEER-REVIEW REPORT**

**Name of journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 75782

**Title:** Percutaneous Transluminal Angioplasty Balloons for Endoscopic  
Ultrasound-Guided Pancreatic Duct Interventions

**Provenance and peer review:** Invited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer’s code:** 06255208

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer’s Country/Territory:** China

**Author’s Country/Territory:** United States

**Manuscript submission date:** 2022-02-14

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2022-02-16 01:53

**Reviewer performed review:** 2022-02-16 03:24

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input checked="" type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

<b>Peer-reviewer statements</b>	Peer-Review: [ <input checked="" type="checkbox"/> ] Anonymous [ <input type="checkbox"/> ] Onymous Conflicts-of-Interest: [ <input type="checkbox"/> ] Yes [ <input checked="" type="checkbox"/> ] No
-------------------------------------	---

### **SPECIFIC COMMENTS TO AUTHORS**

1.please explain SAA in detail? 2.Patients with chronic pancreatitis can try accessory nipple intubation. Have you tried it? 3.The difficulty and key of the technology lies in that the guide wire passes through the narrow section. Do you agree with this view? 4.please explain SAA with post-operative leak in detail. Diagnostic criteria and severity of pancreatic fistula? 5.Postoperative follow-up time? 6.What about the follow-up treatment of these successful cases?



**PEER-REVIEW REPORT**

**Name of journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 75782

**Title:** Percutaneous Transluminal Angioplasty Balloons for Endoscopic  
Ultrasound-Guided Pancreatic Duct Interventions

**Provenance and peer review:** Invited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer’s code:** 03261315

**Position:** Editorial Board

**Academic degree:** FACE, PhD

**Professional title:** Academic Research, Chief Doctor, Doctor, Postdoc, Professor, Senior  
Researcher

**Reviewer’s Country/Territory:** Romania

**Author’s Country/Territory:** United States

**Manuscript submission date:** 2022-02-14

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2022-02-15 07:55

**Reviewer performed review:** 2022-02-17 11:19

**Review time:** 2 Days and 3 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input checked="" type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input checked="" type="checkbox"/> Rejection



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

### **SPECIFIC COMMENTS TO AUTHORS**

The manuscript does not clearly present the background and present status of the study. The objectives of the study are missing. In the introduction the authors should not present the technique or procedure. The methods are not clearly presented. The demographic data are missing. There are some abbrevions like SAA without any explications. The results are ambiguos. The bibliograhya should be updated.



## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 75782

**Title:** Percutaneous Transluminal Angioplasty Balloons for Endoscopic  
Ultrasound-Guided Pancreatic Duct Interventions

**Provenance and peer review:** Invited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 06251425

**Position:** Peer Reviewer

**Academic degree:** MBBS

**Professional title:** Academic Fellow

**Reviewer's Country/Territory:** United States

**Author's Country/Territory:** United States

**Manuscript submission date:** 2022-02-14

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2022-02-17 06:08

**Reviewer performed review:** 2022-02-27 19:23

**Review time:** 10 Days and 13 Hours

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

<b>Peer-reviewer statements</b>	Peer-Review: [ <input checked="" type="checkbox"/> ] Anonymous [ <input type="checkbox"/> ] Onymous Conflicts-of-Interest: [ <input type="checkbox"/> ] Yes [ <input checked="" type="checkbox"/> ] No
-------------------------------------	---

### **SPECIFIC COMMENTS TO AUTHORS**

This is a good descriptive study. It has studied the role of a relatively new modality to treat difficult to treat strictures. Conclusions appropriately summarize the data.