

## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Orthopedics*

**Manuscript NO:** 76689

**Title:** Hip prosthetic loosening and periprosthetic osteolysis: A commentary

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 03067229

**Position:** Peer Reviewer

**Academic degree:** DSc

**Professional title:** Research Scientist

**Reviewer's Country/Territory:** Russia

**Author's Country/Territory:** Sweden

**Manuscript submission date:** 2022-03-25

**Reviewer chosen by:** Dong-Mei Wang

**Reviewer accepted review:** 2022-05-01 03:53

**Reviewer performed review:** 2022-05-04 04:42

**Review time:** 3 Days

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Peer-reviewer</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
<https://www.wjgnet.com>

statements

Conflicts-of-Interest: [ ] Yes [Y] No

## SPECIFIC COMMENTS TO AUTHORS

Mini review is of scientific interest. No comments.

## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Orthopedics*

**Manuscript NO:** 76689

**Title:** Hip prosthetic loosening and periprosthetic osteolysis: A commentary

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 05758354

**Position:** Peer Reviewer

**Academic degree:** PhD

**Professional title:** Academic Research, Doctor

**Reviewer's Country/Territory:** China

**Author's Country/Territory:** Sweden

**Manuscript submission date:** 2022-03-25

**Reviewer chosen by:** Dong-Mei Wang

**Reviewer accepted review:** 2022-05-09 04:25

**Reviewer performed review:** 2022-05-09 04:55

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Peer-reviewer</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
<https://www.wjgnet.com>

statements

Conflicts-of-Interest: [ ] Yes [Y] No

#### **SPECIFIC COMMENTS TO AUTHORS**

This is a good commentary to clarify the causal relationship between hip prosthetic loosening and periprosthetic osteolysis. I recommend acceptance.

## PEER-REVIEW REPORT

**Name of journal:** *World Journal of Orthopedics*

**Manuscript NO:** 76689

**Title:** Hip prosthetic loosening and periprosthetic osteolysis: A commentary

**Provenance and peer review:** Unsolicited Manuscript; Externally peer reviewed

**Peer-review model:** Single blind

**Reviewer's code:** 03442364

**Position:** Peer Reviewer

**Academic degree:** MD, PhD

**Professional title:** Doctor

**Reviewer's Country/Territory:** China

**Author's Country/Territory:** Sweden

**Manuscript submission date:** 2022-03-25

**Reviewer chosen by:** Dong-Mei Wang

**Reviewer accepted review:** 2022-05-09 10:13

**Reviewer performed review:** 2022-05-09 10:15

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input type="checkbox"/> Grade B: Very good <input checked="" type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>Peer-reviewer</b>	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
<https://www.wjgnet.com>

statements

Conflicts-of-Interest: [ ] Yes [Y] No

#### **SPECIFIC COMMENTS TO AUTHORS**

This is an interesting and meaningful study, and I recommend accept.