

World Journal of *Psychiatry*

World J Psychiatry 2022 September 19; 12(9): 1115-1267



EDITORIAL

- 1115 Suicidal behavior-advances in clinical and neurobiological research and improvement of prevention strategies
Sobanski T, Peikert G, Kastner UW, Wagner G

OPINION REVIEW

- 1127 Emerging role of psychosis in Parkinson's disease: From clinical relevance to molecular mechanisms
Zhang S, Ma Y

REVIEW

- 1141 Underlying mechanisms of mindfulness meditation: Genomics, circuits, and networks
Gu YQ, Zhu Y
- 1150 Depressive disorder and antidepressants from an epigenetic point of view
Šalamon Arčan I, Kouter K, Videtič Paska A

ORIGINAL ARTICLE**Case Control Study**

- 1169 Delayed improvements in visual memory task performance among chronic schizophrenia patients after high-frequency repetitive transcranial magnetic stimulation
Du XD, Li Z, Yuan N, Yin M, Zhao XL, Lv XL, Zou SY, Zhang J, Zhang GY, Li CW, Pan H, Yang L, Wu SQ, Yue Y, Wu YX, Zhang XY

- 1183 Galectin-3 mediated risk of inflammation in stable schizophrenia, with only possible secondary consequences for cognition
Minic Janicijevic S, Jovanovic IP, Gajovic NM, Jurisevic MM, Debnath M, Arsenijevic NN, Borovcanin MM

Observational Study

- 1194 Associations between social support and anxiety during the COVID-19 lockdown in young and middle-aged Israelis: A cross-sectional study
Xi Y, Elkana O, Jiao WE, Li D, Tao ZZ

SYSTEMATIC REVIEWS

- 1204 Psychotic symptoms in bipolar disorder and their impact on the illness: A systematic review
Chakrabarti S, Singh N
- 1233 Mental health impact on Black, Asian and Minority Ethnic populations with preterm birth: A systematic review and meta-analysis
Delanerolle G, Zeng YT, Phiri P, Phan T, Tempest N, Busuulwa P, Shetty A, Raymont V, Rathod S, Shi JQ, Hapangama DK

LETTER TO THE EDITOR

- 1255** Sodium selenite may be not the optimal speciation as an effective therapy for arsenic-induced anxiety-/depression-like behavior
Ren XH, Wang XX, He LP
- 1258** Beneficial for mental health, exercise more or less?
Yan WJ, Zhang F, Ouyang H, Xing CQ, Liu WZ
- 1261** Magnesium may be an effective therapy for Alzheimer's disease
Lei DY, Sun J
- 1264** Why do we not reverse the path? Stress can cause depression, reduction of brain-derived neurotrophic factor and increased inflammation
Claro AE, Palanza C, Mazza M, Rizzi A, Tartaglione L, Marano G, Muti-Schuenemann G, Rigoni M, Muti P, Pontecorvi A, Janiri L, Sani G, Pitocco D

ABOUT COVER

Editorial Board Member of *World Journal of Psychiatry*, Giampaolo Perna, MD, PhD, Chairman, Professor, Department of Biomedical Sciences, Humanitas University, Milan 20090, Italy. giampaolo.perna@hunimed.eu

AIMS AND SCOPE

The primary aim of *World Journal of Psychiatry (WJP, World J Psychiatry)* is to provide scholars and readers from various fields of psychiatry with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJP mainly publishes articles reporting research results and findings obtained in the field of psychiatry and covering a wide range of topics including adolescent psychiatry, biological psychiatry, child psychiatry, community psychiatry, ethnopsychology, psychoanalysis, psychosomatic medicine, etc.

INDEXING/ABSTRACTING

The *WJP* is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Current Contents/Clinical Medicine, Journal Citation Reports/Science Edition, PubMed, PubMed Central, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database. The 2022 Edition of Journal Citation Reports® cites the 2021 impact factor (IF) for *WJP* as 3.500; IF without journal self cites: 3.313; 5-year IF: 7.380; Journal Citation Indicator: 0.62; Ranking: 89 among 155 journals in psychiatry; and Quartile category: Q3.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: *Yu-Xi Chen*; Production Department Director: *Xu Guo*; Editorial Office Director: *Jia-Ping Yan*.

NAME OF JOURNAL

World Journal of Psychiatry

ISSN

ISSN 2220-3206 (online)

LAUNCH DATE

December 31, 2011

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Rajesh R Tampi, Ting-Shao Zhu, Panteleimon Giannakopoulos

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/2220-3206/editorialboard.htm>

PUBLICATION DATE

September 19, 2022

COPYRIGHT

© 2022 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>

Beneficial for mental health, exercise more or less?

Wen-Jie Yan, Fan Zhang, Hui Ouyang, Chen-Qi Xing, Wei-Zhi Liu

Specialty type: Psychology

Provenance and peer review:

Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): A

Grade B (Very good): B

Grade C (Good): 0

Grade D (Fair): 0

Grade E (Poor): 0

P-Reviewer: Shalaby MN, Egypt;

Velázquez-Saornil J, Spain

Received: May 9, 2022

Peer-review started: May 9, 2022

First decision: June 11, 2022

Revised: June 21, 2022

Accepted: August 17, 2022

Article in press: August 17, 2022

Published online: September 19, 2022



Wen-Jie Yan, Fan Zhang, Hui Ouyang, Chen-Qi Xing, Wei-Zhi Liu, Lab for Post-traumatic Stress Disorder, Faculty of Psychology and Mental Health, Naval Medical University, Shanghai 200433, China

Corresponding author: Wei-Zhi Liu, MD, PhD, Professor, Lab for Post-traumatic Stress Disorder, Faculty of Psychology and Mental Health, Naval Medical University, No. 800 Xiangyin Road, Shanghai 200433, China. 13024141970@163.com

Abstract

Regular physical activity may improve mental health during the pandemic by reducing inflammatory responses. However, overtraining or prolonged exercise training may adversely affect mental health.

Key Words: Physical activity; Exercise; Mental health; Runner's high

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: Several empirical studies have provided evidence regarding coronavirus disease 2019 (COVID-19)'s deleterious effects on people's physical and mental well-being. Those who exercised frequently before the COVID-19 pandemic, such as professional athletes, may suffer from significant imbalance, which can be as uncomfortable as withdrawal symptoms. Further research should focus on groups with high physical activity levels.

Citation: Yan WJ, Zhang F, Ouyang H, Xing CQ, Liu WZ. Beneficial for mental health, exercise more or less? *World J Psychiatry* 2022; 12(9): 1258-1260

URL: <https://www.wjgnet.com/2220-3206/full/v12/i9/1258.htm>

DOI: <https://dx.doi.org/10.5498/wjp.v12.i9.1258>

TO THE EDITOR

We recently reviewed the article "Physical activity and mental well-being during the coronavirus disease 2019 (COVID-19) pandemic," issued in Volume 11 No. 12 of *World J of Psychiatry*. The authors assert that the COVID-19 pandemic may have deleterious effects on physical and mental well-being, including a growing level of angiotensin-converting enzyme 2 (ACE-2), associated with highly inflammatory effects[1].

Furthermore, they highlighted the significance of regular physical activities that maintain individuals' mental health during the pandemic. The conclusion should be adequately considered. Additionally, several empirical studies have provided evidence supporting this opinion, along with our comments in this correspondence.

Previous studies have shown that quarantine during an epidemic can be detrimental to mental health. In particular, it may lead to an increased probability of depression, anxiety, or post-traumatic stress disorder symptoms[2,3]. Moreover, the pandemic presents an explicit threat of suicide risk for some individuals[4]. During the pandemic, Brazilian undergraduate students had a higher rate of suicide risk than they had in the past[5]. Notably, one of the most visible negative changes the pandemic forced upon the public owing to the isolation policy, is increased sedentary behavior and reduced physical activity[6]. According to a multi-country cross-sectional analysis involving 8424 adults[7], negative changes in exercise behavior were associated with worse mental health and low happiness during the early COVID-19 restrictions compared to pre-pandemic restrictions. Research has proved that even home-based physical activities, such as cleaning the floor, bathing pets, or singing with children, can meet the WHO's recommendations when it is necessary to stay at home[8].

Abdelbasset *et al*[1] concluded in the article that regular physical activities might improve mental health during the pandemic by reducing inflammatory responses. However, they also noted that overtraining or prolonged exercise may adversely induce mental disorders. The endorphin hypothesis is a part of the physiological mechanism that explains the effect of exercise on mental health. Athletes who endured prolonged stress and overtraining may experience a feeling of well-being under the impact of endorphin; this phenomenon was acknowledged as "runner's high"[9]. Recently, Pearce *et al*[10] conducted a meta-analysis to explore the dose-response association between physical activity and incident depression in adults. They noted an inverse curvilinear association, in which the benefits were maximized when the frequency of activity changed from none to some. Additionally, the differences in the risk of depression were most significant with low doses of physical activity. Those who exercised frequently before COVID-19, such as professional athletes, may suffer from more imbalance, which is as uncomfortable as withdrawal symptoms. We call for further research focusing on these groups, enriching the data available about populations with higher physical activity levels.

FOOTNOTES

Author contributions: Yan WJ and Zhang F contributed equally to this work; Yan WJ, Zhang F, Ouyang H, Xing CQ, and Liu WZ contributed equally in the production of this paper.

Conflict-of-interest statement: The authors declare they do not have conflict of interest.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: China

ORCID number: Wei-Zhi Liu 0000-0001-6836-5522.

S-Editor: Chen YL

L-Editor: A

P-Editor: Chen YL

REFERENCES

- 1 **Abdelbasset WK**, Nambi G, Eid MM, Elkhohli SM. Physical activity and mental well-being during COVID-19 pandemic. *World J Psychiatry* 2021; **11**: 1267-1273 [PMID: 35070776 DOI: 10.5498/wjp.v11.i12.1267]
- 2 **Dong L**, Bouey J. Public Mental Health Crisis during COVID-19 Pandemic, China. *Emerg Infect Dis* 2020; **26**: 1616-1618 [PMID: 32202993 DOI: 10.3201/eid2607.200407]
- 3 **Wu L**, Guo X, Shang Z, Sun Z, Jia Y, Sun L, Liu W. China experience from COVID-19: Mental health in mandatory quarantine zones urgently requires intervention. *Psychol Trauma* 2020; **12**: S3-S5 [PMID: 32538663 DOI: 10.1037/tra0000609]
- 4 **Moutier C**. Suicide Prevention in the COVID-19 Era: Transforming Threat Into Opportunity. *JAMA Psychiatry* 2020 [PMID: 33064124 DOI: 10.1001/jamapsychiatry.2020.3746]
- 5 **Demenech LM**, Neiva-Silva L, Brignol SMS, Marcon SR, Lemos SM, Tassitano RM, Dumith SC. Suicide risk among undergraduate students in Brazil in the periods before and during the COVID-19 pandemic: results of the SABES-Grad national survey. *Psychol Med* 2022; 1-13 [PMID: 35698864 DOI: 10.1017/S0033291722001933]

- 6 **Nyenhuis SM**, Greiwe J, Zeiger JS, Nanda A, Cooke A. Exercise and Fitness in the Age of Social Distancing During the COVID-19 Pandemic. *J Allergy Clin Immunol Pract* 2020; **8**: 2152-2155 [PMID: [32360185](#) DOI: [10.1016/j.jaip.2020.04.039](#)]
- 7 **Faulkner J**, O'Brien WJ, McGrane B, Wadsworth D, Batten J, Askew CD, Badenhorst C, Byrd E, Coulter M, Draper N, Elliot C, Fryer S, Hamlin MJ, Jakeman J, Mackintosh KA, McNarry MA, Mitchelmore A, Murphy J, Ryan-Stewart H, Saynor Z, Schaumberg M, Stone K, Stoner L, Stuart B, Lambrick D. Physical activity, mental health and well-being of adults during initial COVID-19 containment strategies: A multi-country cross-sectional analysis. *J Sci Med Sport* 2021; **24**: 320-326 [PMID: [33341382](#) DOI: [10.1016/j.jsams.2020.11.016](#)]
- 8 **Carvalho VO**, Gois CO. COVID-19 pandemic and home-based physical activity. *J Allergy Clin Immunol Pract* 2020; **8**: 2833-2834 [PMID: [32470443](#) DOI: [10.1016/j.jaip.2020.05.018](#)]
- 9 **Mikkelsen K**, Stojanovska L, Polenakovic M, Bosevski M, Apostolopoulos V. Exercise and mental health. *Maturitas* 2017; **106**: 48-56 [PMID: [29150166](#) DOI: [10.1016/j.maturitas.2017.09.003](#)]
- 10 **Pearce M**, Garcia L, Abbas A, Strain T, Schuch FB, Golubic R, Kelly P, Khan S, Utukuri M, Laird Y, Mok A, Smith A, Tainio M, Brage S, Woodcock J. Association Between Physical Activity and Risk of Depression: A Systematic Review and Meta-analysis. *JAMA Psychiatry* 2022; **79**: 550-559 [PMID: [35416941](#) DOI: [10.1001/jamapsychiatry.2022.0609](#)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

