01-Apr-2019 03:43PM

4720 words • 23 matches • 18 sources

46491-Review.docx

Quotes Excluded Bibliography Excluded

11%

FAQ

√ iThenticate

•

Name of Journal: World Journal of Psychiatry

Manuscript NO: 46491

Manuscript Type: EDITORIAL

Evidence for using pimavanserin for the treatment of Parkinson's disease psychosis

Tampi RR et al. Evidence for using pimavanserin for the treatment of PDP

Rajesh R Tampi, Deena J Tampi, Juan J Young, Silpa Balachandran, Rakin A Hoq, Geetha Manikkara

Abstract

The aim of this editorial is to evaluate the evidence for using pimavanserin for the

- h Match Overview Internet 48 words crawled on 06-Sep-2018 Crossref 48 words Chang, Anna, and Susan H. Fox. "Psychosis in Parkins n's Disease: Epidemiology, Pathophysiology, and Manag 1% crawled on 12-May-2015 www.acadia-pharm.com Internet 37 words 1% crawled on 25-Mar-2019 planningtovisitthephilippines.blogspot.com 1% crawled on 12-Mar-2019 Internet 23 words crawled on 11-Apr-2018 www.accessdata.fda.gov 1% crawled on 17-Oct-2018 en.wikipedia.org Crossref 19 words 1% Raquel N. Taddei, Federica Spinnato, Peter Jenner. "Ne w Symptomatic Treatments for the Management of Mot-1% Sarah Schubmehl, Joleen Sussman, "Perspective on Pi mavanserin and the SAPS-PD: Novel Scale Developm. Internet 15 words <1% 1 crawled on 03-Feb-2019 onlinelibrary.wiley.com





Evidence for using pimavanserin for the treatment of Parkinson's disease psychosis



AII

Images

Videos

翻译成中文

关闭取词

336,000 Results

Any time ▼

Evidence for the use of pimavanserin in the treatment of ...

www.ncbi.nlm.nih.gov > ... > Ther Adv Neurol Disord > v.9(6); 2016 Nov

Oct 03, 2016 · Psychotic symptoms are a devastating feature of PD, increasing NH admission, mortality, and caregiver burden. There is strong evidence that pimavanserin is effective in the treatment of PD without worsening motor symptoms, and it has been newly approved by the FDA for treating the delusions and hallucinations of PDP.

Cited by: 4 Author: Harini Sarva, Claire Henchcliffe

Publish Year: 2016

Evidence for the use of pimavanserin in the treatment of ...

journals.sagepub.com/doi/abs/10.1177/1756285616664300 -

Oct 03, 2016 - Evidence for the use of pimavanserin in the treatment of Parkinson's disease psychosis Harini Sarva Division of Neurology, Maimonides Medical Center, 883 65 th Street, Brooklyn, NY 11220, USA, Claire Henchcliffe Department of Neurology, Weill Cornell Medical Center, New ...

Cited by: 4 Author: Harini Sarva, Claire Henchcliffe

Publish Year: 2016

The Emerging Role of Pimavanserin in the Management of ...

https://www.jmcp.org/doi/full/10.18553/jmcp.2017.23.6-b.s2

Sarva H, Henchcliffe C. Evidence for the use of pimavanserin in the treatment of Parkinson's disease psychosis. Ther Adv Neurol Disord. 2016;9(6): 462-73. Crossref, Medline, Google Scholar: 29. Pollak P, Tison F, Rascol O, et al. Clozapine in drug induced psychosis in Parkinson's disease: a randomised, placebo controlled study with open follow up.

Author: Neal Hermanowicz, Gustavo Alva, Fer... Publish Year: 2017

Evidence for the use of pimavanserin in the treatment of ...

https://www.researchgate.net/publication/309570717_Evidence_for...

Pimavanserin tartrate is the first 5-HT(2A) inverse agonist to enter clinical trials as a treatment for L-dopa-induced psychosis in Parkinson's disease and for augmentation of low-dose risperidone ...

The function and efficacy of pimavanserin ... - Rho Chi Post

https://rhochistj.org/RhoChiPost/function-efficacy-pimavanserin... -

Apr 01, 2017 - Pimavanserin for patients with Parkinson's disease psychosis: a randomised, placebocontrolled phase 3 trial. Lancet. 2014;383(9916):533-40. Sarva H, Henchcliffe C. Evidence for the use of pimavanserin in the treatment of Parkinson's disease psychosis. Ther Adv Neurol Disord. 2016;9(6):462-473. Epub 2016 Oct 3.

Evidence for using pimavanserin for the treatment of Parkinson's disease psychosi



All

Images

Videos

翻译成中文

开启取词

366,000 Results

Any time ▼

Evidence for the use of pimavanserin in the treatment of ...

www.ncbi.nlm.nih.gov > ... > Ther Adv Neurol Disord > v.9(6); 2016 Nov

Oct 03, 2016 · **Psychotic symptoms** are a devastating feature of **PD**, increasing NH admission, mortality, and caregiver burden. There is strong **evidence** that **pimavanserin** is effective in the **treatment** of **PD** without worsening motor symptoms, and it has been newly approved by the FDA for **treating** the delusions and hallucinations of PDP.

Cited by: 4 Author: Harini Sarva, Claire Henchcliffe

Publish Year: 2016

Evidence for the use of pimavanserin in the treatment of ...

journals.sagepub.com/doi/abs/10.1177/1756285616664300 -

Oct 03, 2016 · Evidence for the use of pimavanserin in the treatment of Parkinson's disease psychosis Harini Sarva Division of Neurology, Maimonides Medical Center, 883 65 th Street, Brooklyn, NY 11220, USA, Claire Henchcliffe Department of Neurology, Weill Cornell Medical Center, New York, NY

Cited by: 4 Author: Harini Sarva, Claire Henchcliffe

Publish Year: 2016

The Emerging Role of Pimavanserin in the Management of ...

https://www.jmcp.org/doi/full/10.18553/jmcp.2017.23.6-b.s2

Sarva H, Henchcliffe C. **Evidence** for the **use** of **pimavanserin** in the **treatment** of **Parkinson's disease psychosis**. Ther Adv Neurol Disord. 2016;9(6): 462-73. Crossref, Medline, Google Scholar: 29. Pollak P, Tison F, Rascol O, et al. Clozapine in drug induced **psychosis in Parkinson's disease**: a randomised, placebo controlled study with open follow up.

Author: Neal Hermanowicz, Gustavo Alva, Fer... Publish Year: 2017


Pimavanserin for Treatment of Hallucinations and Delusions ...

https://www.managedhealthcareconnect.com/article/pimavanserin... •

Nov 01, 2016 · In patients with Parkinson disease, psychotic symptoms can be frequent, burdensome,

Parkinson's disease

Medical Condition



b Chat with Bing

A chronic and progressive movement disorder.

- ▲ Diagnosis often requires lab test or imaging
- Treatments can help manage condition, no known cure
- Can last several years or be lifelong

Parkinson's disease is caused by a loss of nerve cells in substantia nigra of the brain. This leads to a reduction in a chemical called dopamine in the brain. Many different symptoms are associated with Parkinson's disease and the more common symptoms are slowness in movement and muscle stiffness. Currently there is no cure for Parkinson's disease. But,