

56786-Review.docx

Quotes Excluded Bibliography Excluded

0% SIMILAR

Name of Journal: World Journal of Clinical Cases

Manuscript NO: 56786

Manuscript Type: CASE REPORT

Intra-abdominal inflammatory pseudotumor-like follicular dendritic cell sarcoma associated with paraneoplastic pemphigus: A case report

Jia-Yi Zhuang, Fang-Fei Zhang, Qing-Wen Li, Yong-Feng Chen

Abstract

BACKGROUD



Match Overview







Intra-abdominal inflammatory pseudotumor-like follicul





Q ALL

■ VIDEOS

19,600 Results

Any time ▼

Paraneoplastic pemphigus associated with follicular ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4680329

Oct 01, 2015 · Introduction. Follicular dendritic cell sarcoma (FDCS) is a rare type of tumor, since the first description of the disease by Monda, etc. in 1986 []. Until now a total of about 150 cases has been reported worldwide, FDCS is still extremely rare tumor and often misdiagnosed []. Throughout the relevant literature, we found that the malignant degree of all patients ...

Cited by: 9 Author: Zheng Su, Gaojie Liu, Jianping Liu, Ting...

Publish Year: 2015

Follicular Dendritic Cell Sarcoma | Archives of Pathology ...

https://www.archivesofpathology.org/doi/full/10.5858/arpa.2016-0126-RS

Paraneoplastic pemphigus associated with follicular dendritic cell sarcoma: report of a case and review of literature. Int J Clin Exp Pathol. 2015;8(10): 11983 – 11994. [Google Scholar] 7. Chow SC, Yeung EC, Ng CS, Wong R, To KF, Wan I. Mediastinal follicular dendritic cell sarcoma with paraneoplastic pemphigus.

Cited by: 19 Author: Tiffany Chen, Purva Gopal

Publish Year: 2017

Paraneoplastic pemphigus and myasthenia gravis, associated ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4974432

Paraneoplastic pemphigus (PNP) is an autoimmune blistering disease associated with neoplasms. The disease is most commonly of lymphoproliferative origin and presents high mortality. We describe a patient with PNP and myasthenia gravis associated with inflammatory pseudotumor-like follicular dendritic cell sarcoma, as well as the response to rituximab.


Cited by: 4 Author: Lifang Wang, Hui Deng, Mei Mao

Publish Year: 2016

Case Report: Follicular dendritic cell sarcoma of the ...

https://www.nchi.nlm.nih.gov/nmc/articles/DMC5836680

国际版



Sign in





43,300 Results

Any time ▼

Paraneoplastic pemphigus associated with follicular ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4680329

Intra-abdominal inflammatory pseudotumor-like follicula

Oct 01, 2015 · Introduction. Follicular dendritic cell sarcoma (FDCS) is a rare type of tumor, since the first description of the disease by Monda, etc. in 1986 []. Until now a total of about 150 cases has been reported worldwide, FDCS is still extremely rare tumor and often misdiagnosed []. Throughout the relevant literature, we found that the malignant degree of all patients diagnosed with malignant tumors ...

===

Cited by: 9 Author: Zheng Su, Gaojie Liu, Jianping Liu, Tingf...

Publish Year: 2015

Epstein-Barr virus-negative inflammatory pseudotumor-like ...

https://www.sciencedirect.com/science/article/pii/S2210740120301509

Follicular dendritic cell sarcoma (FDCS) can be divided into the conventional type, and the inflammatory pseudotumor (IPT)-like variant type. Epstein-Barr virus (EBV) infection is considered to be closely associated with the pathogenesis of IPT-like variant of FDCS.

Case Report: Follicular dendritic cell sarcoma of the ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5836680

Background. B-cell zones within lymph nodes can exist as primary or secondary follicles. 1 The former is

Follicular dendritic cell sarcoma

Extremely Rare Neoplasm

Follicular dendritic cell sarcoma is an extremely rare neoplasm. While the existence of FDC tumors was predicted by Lennert in 1978, the tumor wasn't fully recognized as its own cancer until 1986 after characterization by Monda et al. It accounts for only 0.4% of soft tissue sarcomas, but has significant recurrent and metastatic potential and is considered an intermediate grade malignancy. The major hurdle in treating FDCS has been misdiagnosis. It is a newly characterized cancer, and because of its similarities in presentation and markers to lymphoma, both Hodgkin and Non-Hodgkin subtypes, diagnosis of FDCS can be difficult. With recent advancements in cancer biology better diagnostic assays and chemotherapeutic agents have been made to more accurately diagnose and treat FDCS.



ALL

IMAGES

VIDEOS

MAPS

SHOPPING

42,700 Results

ults Any time •

Paraneoplastic pemphigus associated with follicular ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4680329

Oct 01, 2015 Introduction. Follicular dendritic cell sarcoma (FDCS) is a rare type of tumor, since the first description of the disease by Monda, etc. in 1986 []. Until now a total of about 150 cases has been reported worldwide, FDCS is still extremely rare tumor and often misdiagnosed []. Throughout the relevant literature, we found that the malignant degree of all patients diagnosed with malignant tumors ...

NEWS

Cited by: 9 Author: Zheng Su, Gaojie Liu, Jianping Liu, Tingf...

Publish Year: 2015

Extranodal follicular dendritic cell sarcoma: A ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4247019

Cheuk W, Chan JK, Shek TW, et al. Inflammatory pseudotumor-like follicular dendritic cell tumor: a distinctive low-grade malignant intra-abdominal neoplasm with consistent Epstein-Barr virus association. Am J Surg Pathol. 2001; 25:721–731. doi: 10.1097/00000478-200106000-00003.

Cited by: 12 Author: Rui-Fen Wang, Wei Han, Lei Qi, Li-Hui S...

Publish Year: 2015

Follicular Dendritic Cell Sarcoma of Parapharyngeal Space ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4382470

Follicular dendritic cell sarcoma (FDCS) is a rare malignant neoplasm arising from follicular dendritic cells of the lymphoid follicles at nodal or extranodal sites. It was first described in 1986 by Monda et al. [1] in a series of four cases involving lymph nodes.

Cited by: 5 Author: Turki Al-Hussain, Muhammad Saleem, S...

Publish Year: 2015

Epstein-Barr virus-negative inflammatory pseudotumor-like ...

https://www.sciencedirect.com/science/article/pii/S2210740120301509

Follicular dendritic cell sarcoma (FDCS) can be divided into the conventional type, and the

global.bing.com/?FORM#Z9FD1 ory pseudotumor (IPT)-like variant type. Epstein-Barr virus (EBV) infection is considered to be

Data from: Wikipedia

Follicular dendritic cell sarcoma

Extremely Rare Neoplasm

Follicular dendritic cell sarcoma is an extremely rare neoplasm. While the existence of FDC tumors was predicted by Lennert in 1978, the tumor wasn't fully recognized as its own cancer until 1986 after characterization by Monda et al. It accounts for only 0.4% of soft tissue sarcomas, but has significant recurrent and metastatic potential and is considered an intermediate grade malignancy. The major hurdle in treating FDCS has been misdiagnosis. It is a newly characterized cancer, and because of its similarities in presentation and markers to lymphoma, both Hodgkin and Non-Hodgkin subtypes, diagnosis of FDCS can be difficult. With recent advancements in cancer biology better diagnostic assays and chemotherapeutic agents have been made to more accurately diagnose and treat FDCS.



People also search for

Hemangiosarcoma

Leiomyosarcoma

Dermatofibrosarcoma protuberans

Chondrosarcoma

Desmoplastic small-round-cell tumor

See more 💌