

Rectovaginal fistula after low anterior resection for ...<https://www.sciencedirect.com/science/article/pii/S2210261217305278>

Jan 01, 2017 · Rectovaginal fistula (RVF) is one of the complications after low anterior resection for rectal cancer. RVF has been considered to be refractory to conservative treatment. We report a case of RVF in which conservative treatment was successful.

Cited by: 2 Author: Shigenobu Emoto, Hiroaki Nozawa, Sato...
Publish Year: 2017

Rectovaginal fistula after low anterior resection in ...europepmc.org/articles/PMC5641198

Rectovaginal fistula is a postoperative complication of low anterior resection. We investigated the incidence of rectovaginal fistula (RVF) after low anterior resection, its ...

PEOPLE ALSO ASK

What is the treatment for rectovaginal fistula? ▾

Can rectovaginal fistula be repaired? ▾

What is rectovaginal septum repair? ▾

What is a low rectovaginal fistula? ▾

Feedback

The treatment for refractory rectovaginal fistula after ...<https://www.sciencedirect.com/science/article/pii/S2210261220307914>

Jan 01, 2020 · Rectovaginal fistula (RVF) is a refractory complication that occurs after anastomotic leakage following low anterior resection for rectal disease. Due to its refractory nature, RVF is often managed with surgical treatment, such as stoma creation for fecal diversion, closure of the fistula and/or re-anastomosis, rather than conservative therapy.

Author: Masatsugu Hiraki, Toshiya Tanaka, Ta... Publish Year: 2020

Avoidance of Rectovaginal Fistula as a Complication After ...<https://pubmed.ncbi.nlm.nih.gov/10404128>

ALL IMAGES VIDEOS

60,000 Results Any time

Rectovaginal fistula after low anterior resection for ...
https://www.sciencedirect.com/science/article/pii/S2210261217305278
Cited by: 2 Author: Shigenobu Emoto, Hiroaki Nozawa, Satomi Yoney...

Jan 01, 2017 - Rectovaginal fistula (RVF) is one of the complications after low anterior resection for rectal cancer. RVF has been considered to be refractory to conservative treatment. We report a case of RVF in which conservative treatment was successful.

Rectovaginal fistula after low anterior resection in ...
europepmc.org/articles/PMC5641198
Cited by: 12 Author: Hongtu Zheng, Tianan Guo, Yuchen Wu, Co...

Sep 01, 2017 - Rectovaginal fistula is a postoperative complication of low anterior resection. We investigated the incidence of rectovaginal fistula (RVF) after low anterior resection, its risk factors and its optimal treatment.

PEOPLE ALSO ASK

- What is the treatment for rectovaginal fistula?
What causes fistulization in the rectum?

Rectovaginal Fistula

Medical condition

Symptoms Diagnosis Causes Treatments

Abnormal tissue growth that connects the colon, rectum and vagina

WebMD

Symptoms

Signs and symptoms of a rectovaginal fistula may include:

- Passage of gas, stool or pus from your vagina
• Foul-smelling vaginal discharge
• Recurrent vaginal or urinary tract infections
• Irritation or pain in the vulva, vagina and the area between your...

Read more on MayoClinic

Causes

A rectovaginal fistula may form as a result of:

Injuries during childbirth. Delivery-related injuries are the most common cause of rectovaginal fistulas. This includes tears in the perineum that

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 63432

Manuscript Type: MINIREVIEWS

Rectovaginal fistula after low anterior resection: Prevention and management

Lohsiriwat V *et al.* RVF after low anterior resection

Varut Lohsiriwat, Romyen Jitmonggan

Match Overview

There are no matching sources for this report.

国内版 国际版

Rectovaginal fistula after low anterior resection: Prevention and mar



ALL IMAGES VIDEOS

59,000 Results Any time ▾

Rectovaginal fistula after low anterior resection for ...

<https://www.sciencedirect.com/science/article/pii/S2210261217305278>

Jan 01, 2017 · Rectovaginal fistula (RVF) is one of the complications after low anterior resection for rectal cancer. RVF has been considered to be refractory to conservative treatment. We report a case of RVF in which conservative treatment was successful.

Cited by: 2 Author: Shigenobu Emoto, Hiroaki Nozawa, Sato...
Publish Year: 2017

Rectovaginal fistula after low anterior resection in ...

europepmc.org/articles/PMC5641198

Sep 01, 2017 · Rectovaginal fistula is a postoperative complication of low anterior resection. We investigated the incidence of rectovaginal fistula (RVF) after low anterior resection, its risk factors and its optimal treatment.

Cited by: 12 Author: Hongtu Zheng, Tianan Guo, Yuchen Wu, ...
Publish Year: 2017

PEOPLE ALSO ASK

What is the treatment for rectovaginal fistula? ▾

What causes fistulization in the rectum? ▾

What are the characteristics of a rectovaginal fistula? ▾

What is the prognosis for rectovaginal fistula? ▾

Feedback

The treatment for refractory rectovaginal fistula after ...

<https://www.sciencedirect.com/science/article/pii/S2210261220307914>

Jan 01, 2020 · Rectovaginal fistula (RVF) is a refractory complication that occurs after anastomotic leakage following low anterior resection for rectal disease. Due to its refractory nature, RVF is often managed with surgical treatment, such as stoma creation for fecal diversion, closure of the fistula and/or re-anastomosis, rather than conservative therapy.