



30167-Review.docx

Quotes Excluded
Bibliography Excluded

6%
SIMILAR

Name of Journal: *World Journal of Transplantation*

Manuscript NO: 30167

Manuscript Type: Case Report

De novo intraocular amyloid deposition after hepatic transplantation in
Familial Amyloidotic Polyneuropathy

Ivo Filipe Gama, Leonor Duarte Almeida

Abstract

The familiar amyloid polyneuropathy (FAP) is a rare autosomal-dominant systemic amyloidosis. Amyloid deposition occurs more frequently and extensively in the vitq. The increase in intraocular pressure (IOP) is a result of deposition of TTR in trabecular meshwork. Rarely, the amyloid deposition in anterior segment can be more exuberant than in posterior segment. A 42 years-old man, with FAP (Val30Met mutation), liver transplantation in 1997. He was

Match Overview

- Crossref** 50 words 2%
Ola Sandgren. "Ocular manifestations in liver transplant recipients with familial amyloid polyneuropathy", Acta Ophthalmologica
- Internet** 46 words 2%
crawled on 01-Mar-2010
archophth.ama-assn.org
- Internet** 11 words 1%
crawled on 17-May-2012
www.ncbi.nlm.nih.gov
- Crossref** 10 words <1%
Difficult and Complicated Cases in Refractive Surgery, 2015.
- Crossref** 10 words <1%
Liu, Y.T.. "Transthyretin Ala97Ser in Chinese-Taiwanese patients with familial amyloid polyneuropathy: Genetic studies are...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 70,000 条结果 (用时 0.56 秒)

Google 学术: De novo intraocular amyloid deposition after hepatic transplantation in Familial Amyloidotic Polyneuropathy

... amyloidotic polyneuropathy after liver transplantation - Ando - 被引用次数: 46

... amyloid deposits after liver transplantation - Ando - 被引用次数: 72

... in patients with familial amyloid polyneuropathy: ocular ... - Munar-Qués - 被引用次数: 49

Ocular Manifestations and Therapeutic Options in Patients with ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: AC Martins - 2015 - [相关文章](#)

2015年10月19日 - Despite liver transplantation, eye synthesis of amyloid persists and is ... We used terms such as amyloidosis, transthyretin, familial amyloid polyneuropathy, clinical de novo oculoleptomeningeal amyloid deposits after liver ...

A different amyloid formation mechanism: de novo ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/14966406 - [翻译此页](#)

作者: Y Ando - 2004 - 被引用次数: 72 - [相关文章](#)

2004年2月15日 - A different amyloid formation mechanism: de novo oculoleptomeningeal amyloid deposits after liver transplantation. ... BACKGROUND: Liver transplantation has served as a treatment for patients with familial amyloidotic polyneuropathy (FAP) ... OBJECTIVE: To investigate changes in ocular tissues and the ...

Early onset vitreous amyloidosis in familial amyloidotic ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: TM O'Hearn - 2007 - 被引用次数: 12 - [相关文章](#)

2007年5月23日 - Familial amyloidotic polyneuropathy (FAP) comprises a genetically ... He had



De novo intraocular amyloid deposition after hepatic transplantation in Familial Ar 

[全部](#)

[图片](#)

[新闻](#)

[视频](#)

[购物](#)

[更多](#)

[设置](#)

[工具](#)

找到约 136,000 条结果 (用时 0.58 秒)

Google 学术 : De novo intraocular amyloid deposition after hepatic transplantation in Familial Amyloidotic Polyneuropathy

... amyloidotic polyneuropathy after liver transplantation - Ando - 被引用次数 : 48

... amyloid deposits after liver transplantation - Ando - 被引用次数 : 74

... in patients with familial amyloid polyneuropathy: ocular ... - Munar-Qués - 被引用次数 : 50

de novo amyloid synthesis in ocular tissue in familial amyloidotic ...

journals.lww.com > Home > October 15, 1996 - Volume 62 - Issue 7 ▼ [翻译此页](#)

作者 : Y Ando - 1996 - 被引用次数 : 48 - [相关文章](#)

DE NOVO AMYLOID SYNTHESIS IN OCULAR TISSUE IN FAMILIAL ... of deposited amyloid in familial amyloidotic polyneuropathy (FAP) types I and II is variant ... In fact, after liver transplantation, variant TTR levels in the serum decreased to ...

A different amyloid formation mechanism: de novo oculoleptom ...

journals.lww.com > Home > February 15, 2004 - Volume 77 - Issue 3 - [翻译此页](#)

作者 : Y Ando - 2004 - 被引用次数 : 74 - [相关文章](#)

Liver transplantation has served as a treatment for patients with familial amyloidotic. de novo oculoleptomeningeal amyloid deposits after liver transplantation ... with familial amyloidotic polyneuropathy (FAP) because variant transthyretin (TTR), ... in ocular tissues and the central nervous system (CNS) of FAP patients after ...

A different amyloid formation mechanism: de novo ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/14966406> - [翻译此页](#)

作者 : Y Ando - 2004 - 被引用次数 : 75 - [相关文章](#)

2004年2月15日 - A different amyloid formation mechanism: de novo oculoleptomeningeal amyloid deposits after liver transplantation. ... BACKGROUND: Liver transplantation has served as a treatment for patients with familial amyloidotic polyneuropathy (FAP) ... OBJECTIVE: To investigate changes in ocular tissues and the

De novo intraocular amyloid deposition after hepatic transplantation in familial ar

全部 图片 视频 新闻 地图 图书

找到约 142,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: De novo intraocular amyloid deposition after hepatic transplantation in familial amyloidotic polyneuropathy](#)

[... amyloidotic polyneuropathy after liver transplantation](#) - Ando - 被引用次数: 48

[... amyloid deposits after liver transplantation](#) - Ando - 被引用次数: 74

[... in patients with familial amyloid polyneuropathy: ocular ...](#) - Munar-Qués - 被引用次数: 50

[de novo amyloid synthesis in ocular tissue in familial amyloidotic ... journals.lww.com/transplantjournal/.../De_Novo_Amyloid_Synthesis_in_Ocular_Tissue_in.28.aspx](#) ▼

DE NOVO AMYLOID SYNTHESIS IN OCULAR TISSUE IN FAMILIAL ... of deposited amyloid in familial amyloidotic polyneuropathy (FAP) types I and II is variant ... In fact, after liver transplantation, variant TTR levels in the serum decreased to ...

[\[PDF\] Familial amyloid polyneuropathy and liver transplantation](#)

[www.journal-of-hepatology.eu/article/S0168-8278\(04\)00253-3/pdf](#)

1. Introduction. Familial amyloid polyneuropathy (FAP) is an autosomal ... was first observed in 1939 by Corino de Andrade, a Portuguese ... the previous denomination of disseminated amyloidosis or ... been published after liver transplantation in FAP patients. aware of the novo oculo meningeal amyloid deposits [40]. 6.

[Iatrogenic amyloid polyneuropathy after domino liver transplantation](#)

[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5295145/](#)

28 Jan 2017 ... Transthyretin familial amyloidosis is an autosomal dominant multisystem ... De novo transthyretin amyloid neuropathy cases after liver transplantation ... and ocular deposition of amyloid is not abated after liver transplantation, ...

[A different amyloid formation mechanism: de novo ... - NCBI](#)

[https://www.ncbi.nlm.nih.gov/pubmed/14966406](#)