

Name of Journal: *World Journal of Cardiology*

ESPS Manuscript NO: 31559

Manuscript Type: Original Article

*Observational Study*

Markers of inflammation and cardiovascular disease in recently diagnosed celiac disease patients

Walter F Tetzlaff, Tomás Meroño, Martin Menafra, Maximiliano Martin, Eliana Botta, Maria D Matoso, Patricia Sorroche, Juan A De Paula, Laura E Boero, Fernando Brites

#### Abstract

**Aim:** To evaluate novel risk factors and biomarkers of cardiovascular disease in celiac disease (CD) patients compared with healthy controls.

**Methods:** Twenty adult patients with recent diagnosis of CD and 20 sex, age

#### Match Overview

- | Match Number | Crossref | Words  | Similarity |
|--------------|----------|--|------------|
| 1            | Crossref | 44 words<br>Merono, T.. "Proatherogenic disturbances in lipoprotein profile, associated enzymes and transfer proteins in w....       | 1%         |
| 2            | Crossref | 28 words<br>Pitocco, D.. "Combined atherogenic effects of celiac disease and type 1 diabetes mellitus", <i>Atherosclerosis</i> , 201 | 1%         |
| 3            | Crossref | 26 words<br>Cacciagiu, L.D.. "HDL-associated enzymes and proteins in hemodialysis patients", <i>Clinical Biochemistry</i> , 201202   | 1%         |
| 4            | Crossref | 23 words<br>"Sunday, 2 September 2007", <i>European Heart Journal</i> , 09/02/2007   | 1%         |
| 5            | Crossref | 21 words<br>Norsa, Lorenzo. "Cardiovascular disease risk factor profiles in children with celiac disease on gluten-free diets",      | 1%         |
| 6            | Crossref | 20 words<br>Botta, Eliana, Tomás Meroño, Carla Saucedo, Maximiliano Martín, Walter Tetzlaff, Patricia Sorroche, Laura Boero          | 1%         |

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,140,000 条结果 (用时 0.70 秒)

## Google 学术: Markers of inflammation and cardiovascular disease in recently diagnosed celiac disease patients

... ; the Councils on Cardiovascular Disease in the Young, ... - Kavey - 被引用次数: 512

... to diagnosis and treatment of celiac disease: an ... - Fasano - 被引用次数: 1307

... 1 diabetes mellitus role of interleukin-6 and disease ... - Davi - 被引用次数: 143

## Long Term Follow Up of Celiac Disease—Is Atherosclerosis a Problem?

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: A Rybak - 2014 - 被引用次数: 7 - [相关文章](#)

2014年7月21日 - As cardiovascular disease appears to be an inflammatory process leading to ... a memory cell phenotype and expressed  $\beta 7$  integrin as a marker of gut homing. ... to BMI  $\geq 25$ ) in 34% of 50 newly diagnosed adult patients.

## Celiac Disease and Autoimmune-Associated Conditions - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: E Lauret - 2013 - 被引用次数: 45 - [相关文章](#)

2013年7月24日 - Celiac disease (CD) is a chronic immune-mediated disorder .... that PRL level may serve as a potential marker for CD activity [31, 32]. .... However, in several cases, the diagnosis of PSC was made in patients with inflammatory bowel disease, ... Recently, it has been suggested that NAFLD is associated with ...

## Celiac Disease and Drug Absorption: Implications for Cardiovascular ...

[onlinelibrary.wiley.com/doi/10.1111/1755-5922.12094/pdf](https://onlinelibrary.wiley.com/doi/10.1111/1755-5922.12094/pdf) - [翻译此页](#)

作者: I Wang - 2014 - [相关文章](#)

one study in patients with celiac disease following myocardial infarction found lower ... free diet





Markers of inflammation and cardiovascular disease in recently diagnosed



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 1,010,000 条结果 (用时 0.78 秒)

## Google 学术: Markers of inflammation and cardiovascular disease in recently diagnosed celiac disease patients

... to diagnosis and treatment of celiac disease: an ... - Fasano - 被引用次数: 1340

... profile in people with newly diagnosed coeliac disease ... - Lewis - 被引用次数: 41

... sensitivity: the new frontier of gluten related disorders - Catassi - 被引用次数: 249

## Long Term Follow Up of Celiac Disease—Is Atherosclerosis a Problem?

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Rybak - 2014 - 被引用次数: 7 - 相关文章

2014年7月21日 - As cardiovascular disease appears to be an inflammatory process leading to ... a memory cell phenotype and expressed  $\beta 7$  integrin as a marker of gut homing. ... to BMI  $\geq 25$ ) in 34% of 50 newly diagnosed adult patients.

## Noninvasive Markers of Disease Activity in Inflammatory Bowel Disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Vrabie - 2014 - 被引用次数: 3 - 相关文章

Determining disease activity in IBD is difficult, as patients might have a ... These markers have been more recently thought to be less sensitive and specific ... a substitute for endoscopic procedures, both in making the diagnosis of IBD and in ... Alzheimer disease and heart failure) to inflammatory diseases (eg, vasculitis and ...

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 952,000 条结果 (用时 0.76 秒)

## Google 学术: Markers of inflammation and cardiovascular disease in recently diagnosed celiac disease patients

... to diagnosis and treatment of celiac disease: an ... - Fasano - 被引用次数: 1348

... profile in people with newly diagnosed coeliac disease ... - Lewis - 被引用次数: 44

... sensitivity: the new frontier of gluten related disorders - Catassi - 被引用次数: 259

## Celiac Disease and Autoimmune-Associated Conditions - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: E Lauret - 2013 - 被引用次数: 55 - 相关文章

2013年7月24日 - Celiac disease (CD) is a chronic immune-mediated disorder triggered by ....

However, in several cases, the diagnosis of PSC was made in patients with inflammatory bowel ...

Recently, it has been suggested that NAFLD is associated with ... markers for CD were tested in patients with various liver diseases ...

## Long Term Follow Up of Celiac Disease—Is Atherosclerosis a Problem?

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Rybak - 2014 - 被引用次数: 9 - 相关文章

2014年7月21日 - As cardiovascular disease appears to be an inflammatory process leading to ... a

memory cell phenotype and expressed  $\beta 7$  integrin as a marker of gut homing. ... to BMI  $\geq 25$ ) in 34% of 50 newly diagnosed adult patients.

## Noninvasive Markers of Disease Activity in Inflammatory Bowel Disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Vrabie - 2014 - 被引用次数: 3 - 相关文章

Determining disease activity in IBD is difficult, as patients might have a ... These markers have been

more recently thought to be less sensitive and specific ... a substitute for endoscopic procedures, both in