

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 33022

Manuscript Type: Minireviews

Conventional *vs* drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma

Jeong Eun Song, Do Young Kim

Abstract

Transarterial chemoembolization (TACE) is the current standard of therapy for patients with intermediate-stage hepatocellular carcinoma (HCC) according to the Barcelona Clinic Liver Cancer (BCLC) classification. The concept of conventional

Match Overview

1	Crossref 145 words Sieghart, Wolfgang, Florian Huckle, and Markus Peck-Rad osavljeyic. "Transarterial chemoembolization: Modalities...	4%
2	Internet 135 words crawled on 27-Feb-2017 theme-connect.de	4%
3	Crossref 87 words Ekni Liapi. "Transcatheter Arterial Chemoembolization for Liver Cancer: Is It Time to Distinguish Conventional from	3%
4	Internet 74 words crawled on 16-Jul-2016 www.ejgnet.com	2%
5	Internet 72 words crawled on 07-Jan-2017 www.e-sciencecentral.org	2%
6	Internet 56 words crawled on 15-Nov-2016 www.dovepress.com	2%
7	Internet 39 words crawled on 29-Sep-2009 hepatitis-central.com	1%
8	Crossref 21 words Myeong Jun Song. "Drug-eluting bead loaded with doxorubicin versus conventional Lipiodol-based transarterial chem	1%



Conventional versus drug-eluting beads transarterial chemoembolization



All

Images

Videos

News

Shopping

More

Settings

Tools

About 24,200 results (0.55 seconds)

Scholarly articles for **Conventional versus drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma**

Chemoembolization of hepatocellular carcinoma with ... - Varela - Cited by 692
... of conventional transarterial chemoembolization (... - Dhanasekaran - Cited by 161
... -bead embolization in the treatment of hepatocellular ... - Lammer - Cited by 860

Conventional transarterial chemoembolization versus drug-eluting ... bmccancer.biomedcentral.com/articles/10.1186/s12885-015-1480-x

10 Jun 2015 - Hepatocellular carcinoma (HCC) is one of the most common cancers, ... Drug-eluting bead transarterial chemoembolization (DEB-TACE) has ...

Doxorubicin-loaded Drug-eluting beads Versus Conventional ... - NCBI <https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by M Arabi - 2015 - Cited by 8 - Related articles

Doxorubicin-loaded Drug-eluting beads Versus Conventional Transarterial Chemoembolization for Nonresectable Hepatocellular Carcinoma. Mohammad Arabi ...

Drug-eluting beads versus conventional chemoembolization for the ... <https://www.ncbi.nlm.nih.gov/pubmed/26331807>

by A Facciorusso - 2016 - Cited by 16 - Related articles

Drug-eluting beads versus conventional chemoembolization for the treatment of unresectable hepatocellular carcinoma. ... demonstrations of superior efficacy of drug-eluting beads transarterial chemoembolization with respect to conventional ...

Transarterial chemoembolization using drug eluting beads for the ... <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4712160/>

by HY Woo - 2015 - Cited by 5 - Related articles

Jump to Characteristics of conventional TACE and TACE with DEBs - Generally, conventional TACE ... sponge particles or other agents. 12 Lipiodol is a ... is to embolize the cancer vasculature, and ... the hepatic artery, doxorubicin elutes ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 16,700 条结果 (用时 0.41 秒)

Google 学术: Conventional vs drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma

Chemoembolization of hepatocellular carcinoma with ... - Varela - 被引用次数: 724

... of conventional transarterial chemoembolization (... - Dhanasekaran - 被引用次数: 166

... -bead embolization in the treatment of hepatocellular ... - Lammer - 被引用次数: 913

Conventional transarterial chemoembolization versus drug-eluting ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Kloeckner - 2015 - 被引用次数: 17 - 相关文章

2015年6月10日 - Hepatocellular carcinoma (HCC) is one of the most common cancers, ... Drug-eluting bead transarterial chemoembolization (DEB-TACE) has ...

Transarterial chemoembolization using drug eluting beads for the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4712160/> - 翻译此页

作者: HY Woo - 2015 - 被引用次数: 8 - 相关文章

跳到 Characteristics of **conventional** TACE and TACE with DEBs - Generally, **conventional** TACE involves ... such as gelatin sponge particles or other ... the **cancer** vasculature, and the second ... **hepatic** artery, doxorubicin **elutes** locally ...

Transarterial chemoembolization with drug-eluting beads in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5083790/> - 翻译此页

作者: HC Nam - 2016 - 相关文章

2016年10月28日 - Hepatocellular carcinoma (HCC) is the most common liver malignancy Drug-eluting beads versus conventional chemoembolization for the ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 16,900 条结果 (用时 0.57 秒)

Conventional transarterial chemoembolization versus drug-eluting ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Kloeckner - 2015 - 被引用次数: 19 - 相关文章

2015年6月10日 - Hepatocellular carcinoma (HCC) is one of the most common cancers, ... Drug-eluting bead transarterial chemoembolization (DEB-TACE) has ...

Drug-eluting beads versus conventional chemoembolization ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26331807> - 翻译此页

作者: A Facciorusso - 2016 - 被引用次数: 18 - 相关文章

Drug-eluting beads versus conventional chemoembolization for the treatment of unresectable hepatocellular carcinoma. ... demonstrations of superior efficacy of drug-eluting beads transarterial chemoembolization with respect to conventional ...

Transarterial chemoembolization with drug-eluting beads in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5083790/> - 翻译此页

作者: HC Nam - 2016 - 相关文章

2016年10月28日 - Hepatocellular carcinoma (HCC) is the most common liver malignancy Drug-eluting beads versus conventional chemoembolization for the ...

[PDF] Drug-Eluting Beads Versus Conventional TACE - Endovascular Today

evtoday.com/pdfs/et0410_feature_lencioni.pdf ▼ 翻译此页

lular carcinoma (HCC). A cumulative meta ... (PRECISION V), the use of DC Bead drug-eluting beads. (LC Bead in the to transarterial chemoembolization in patients with hepatocellular carcinoma. Comparison of conventional transarterial.

Conventional versus drug-eluting beads chemoembolization for ...