

Name of Journal: *World Journal of Hepatology*

ESPS Manuscript NO: 33079

Manuscript Type: Minireviews

Cardiovascular assessment in liver transplant for NASH patients: What we do, what we should do

Yolanda Sanchez-Torrijos, Javier Ampuero, Manuel Romero-Gómez

Abstract

Non-alcoholic fatty liver disease (NAFLD) is increasing considerably due to the current lifestyle, which means that it is becoming one of the main indications for liver transplantation. On the other hand, there is a strong association between NAFLD and cardiovascular disease. This has been evidenced in many studies revealing a higher presence of carotid plaques or carotid intima-media thickness, leading to cardiovascular events and, ultimately, mortality. According to the liver transplant guidelines, screening for cardiovascular disease in transplant candidates should be performed by electrocardiogram and

Match Overview

- | | | |
|---|--|-----|
| 1 | Publications 14 words "Reports Summarize Heart Disease Findings from University Hospital (Association of NAFLD with subclin", Heart Dise | <1% |
| 2 | Internet 14 words crawled on 17-Sep-2015 www.alanrevista.org | <1% |
| 3 | Internet 14 words crawled on 04-Apr-2017 cwru.pure.elsevier.com | <1% |
| 4 | Crossref 12 words "American Transplant Congress 2007 Executive and Program Planning Committees and Abstract Review Committee | <1% |
| 5 | Internet 10 words crawled on 11-Apr-2016 www.spg.pt | <1% |
| 6 | Internet 10 words crawled on 16-Feb-2017 | <1% |



Cardiovascular assessment in liver transplant for NASH patients: what we



全部

新闻

视频

图片

购物

更多

设置

工具

找到约 1,020,000 条结果 (用时 0.80 秒)

Metabolic and cardiovascular complications in the liver transplant ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L De Luca - 2015 - 被引用次数: 11 - 相关文章

In this paper we review the prevalence of metabolic and cardiovascular ... epidemiology, risk factors, morbidity, mortality, NAFLD, NASH, hypertension, obesity ... LT does not have an impact on MS and patients transplanted for NAFLD with an Johnston et al assessed 110 consecutive liver recipients (median follow-up 3.9 ...

Cardiovascular dysfunction in patients with liver cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: G Fede - 2015 - 被引用次数: 22 - 相关文章

Cirrhotic cardiomyopathy is defined as "cardiac dysfunction in patients with patients with nonalcoholic steatohepatitis (NASH) and alcoholic cirrhosis, NASH was Cardiac dysfunction in cirrhosis - does adrenal function play a role? cardiovascular disease among those with nonalcoholic fatty liver;should we care?

Non-alcoholic fatty liver disease: What the clinician needs to know

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4177476/> - 翻译此页

作者: MV Machado - 2014 - 被引用次数: 64 - 相关文章

2014年9月28日 - T2DM also associates with disease severity, namely NASH, fibrosis, liver ... In this review we will summarize the latest evidence in the ... How do we get liver steatosis? Hepatic steatosis was assessed by proton-magnetic resonance Even in patients with liver cirrhosis, cardiovascular disease is



Cardiovascular assessment in liver transplant for NASH patients: What w



全部

新闻

视频

图片

购物

更多

设置

工具

找到约 1,380,000 条结果 (用时 1.05 秒)

Metabolic and cardiovascular complications in the liver transplant ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: L De Luca - 2015 - 被引用次数: 13 - 相关文章

In this paper we review the prevalence of metabolic and cardiovascular ... LT does not have an impact on MS and patients transplanted for NAFLD with ... associated complications, such as CVD, renal disease, and de novo NASH in the allograft. Johnston et al assessed 110 consecutive liver recipients (median follow-up ...

Cardiovascular dysfunction in patients with liver cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: G Fede - 2015 - 被引用次数: 22 - 相关文章

Cirrhotic cardiomyopathy is defined as "cardiac dysfunction in patients with patients with nonalcoholic steatohepatitis (NASH) and alcoholic cirrhosis, NASH was Cardiac dysfunction in cirrhosis - does adrenal function play a role? cardiovascular disease among those with nonalcoholic fatty liver;should we care?

Outcomes of liver transplantation in patients with cirrhosis due to ...

onlinelibrary.wiley.com/doi/10.1002/lt.21927/pdf - 翻译此页

作者: V Bhagat - 2009 - 被引用次数: 85 - 相关文章

We compared the outcomes of LT for NASH cirrhosis and alcoholic cirrhosis ... by cardiovascular causes in the NASH group (26% versus 7% in the ETOH group, P ... in the NASH group but did not lead to higher rates of retransplantation. Liver ... and patient survival) of NASH cirrhosis have not been assessed. Recurrence

找到约 886,000 条结果（用时 1.01 秒）

Non-alcoholic fatty liver disease and non-alcoholic steatohepatitis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Vuppalanchi - 2009 - 被引用次数: 579 - 相关文章

Nonetheless, elevated serum ferritin in a patient with suspect NAFLD should prompt ... and should be measured along with fasting lipid profile to assess cardiovascular In a randomized study, Harrison et al. have shown that orlistat does not ... We speculate that liver disease is unlikely to worsen in association with rapid ...

Liver transplantation and non-alcoholic fatty liver disease - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4229518/> - 翻译此页

作者: P Zezos - 2014 - 被引用次数: 43 - 相关文章

2014年11月14日 - Non-alcoholic fatty liver disease (NAFLD) is an important health problem In this review, we discuss how liver transplantation is affected by NAFLD, ... end-stage liver disease will become the most common indication for ... Furthermore, liver transplantation for NASH related end-stage liver disease, does not ...

Non-Alcoholic Fatty Liver Disease (NAFLD): Is it really a serious ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J Wattacheril - 2012 - 被引用次数: 13 - 相关文章

US Third National Health and Nutrition Examination Survey (NHANES III): ... Mortality from all causes, cardiovascular disease, cancer, and liver disease (up to 18 ... The percentage of patients undergoing a liver transplant for NASH increased from ... morbidity and mortality, but we should focus on at-risk NAFLD patients.

Metabolic and cardiovascular complications in the liver transplant ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: J De Luca - 2015 - 被引用次数: 15 - 相关文章