

Name of Journal: *World Journal of Nephrology*

Manuscript NO: 33475

Manuscript Type: Original Article

Basic Study

Tesevatinib ameliorates progression of polycystic kidney disease in rodent models of autosomal dominant polycystic kidney disease

William E Sweeney, Philip Frost, Ellis D Avne

Abstract

AIM

Match Overview

1

Internet: 153 words
crawled on 02-Jan-2017
<http://www.maint.jasn.usnjournals.org>

3%

2

Crossref: 117 words
"Childhood Polycystic Kidney Disease". *Pediatric Nephrology*, 2015

2%

3

Crossref: 34 words
Sweeney, William E., and Ellis D. Avner. "Pathophysiology of childhood polycystic kidney diseases: new insights into disease

2%

4

Crossref: 19 words
William E. Sweeney. "Molecular and cellular pathophysiology of autosomal recessive polycystic kidney disease (ARPKD)".

<1%

5

Crossref: 16 words
William E. Sweeney. "Diagnosis and management of childhood polycystic kidney disease". *Pediatric Nephrology*, 10/29/20

<1%

[All](#)
[News](#)
[Images](#)
[Shopping](#)
[Videos](#)
[More](#)
[Settings](#)
[Tools](#)

8 results (0.85 seconds)

Polycystic Kidney Disease - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov/books/NBK373381/>

Autosomal recessive **polycystic kidney disease (ARPKD)**, historically called infantile ... 133)

("Tesevatinib Ameliorates Progression of ARPKD in Rodent Models" ...

Src Inhibition Ameliorates Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#)

by WE Sweeney Jr - 2008 - [Cited by 101](#) - [Related articles](#)

The **ARPKD disease**-causing gene, PKHD1 (**polycystic kidney** and hepatic ... with **disease progression** in both the BPK and PCK **rodent models of ARPKD**; (2) in ...

Autosomal dominant polycystic kidney disease in children - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#)

by MA Cadnapaphornchai - 2015 - [Cited by 3](#) - [Related articles](#)

Autosomal dominant **polycystic kidney disease (ADPKD)** is the most ... which **ameliorates** the **progression** of ADPKD to chronic kidney failure, would be in an **animal model of ADPKD** was associated with decreased kidney cyst volume and ...

Murine Models of Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4085131/>

by LF Menezes - 2013 - [Cited by 2](#) - [Related articles](#)

Oct 31, 2013 - Multiple **mouse models** have been produced for the genetic forms of the ... Autosomal Dominant **Polycystic Kidney Disease (ADPKD)** ... delay in cyst **progression** in rodents translates into human outcomes. Rapamycin **ameliorates** PKD resulting from conditional inactivation of Pkd1. J Am Soc Nephrol.

The epidermal growth factor receptor pathway in chronic kidney ...

www.nature.com/nrneph/journal/vaop/.../nrneph.2016.91.html?WT...models...disease

Jul 4, 2016 - Cross sections of kidneys from a rat model of **polycystic kidney disease** (cy/+ ErbB4 accelerated disease **progression** in the Cpk **mouse model of ARPKD**. The patients who received **tesevatinib** and completed the 24 months of change is **ameliorated** by neonatal epidermal growth

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

获得 10 条结果 (用时 0.53 秒)

Childhood Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK373381/> - 翻译此页

作者: A Patil - 2015 - 被引用次数: 1

Autosomal recessive polycystic kidney disease (ARPKD), historically called infantile ... 133)

("Tesevatinib Ameliorates Progression of ARPKD in Rodent Models" ...

Polycystic Kidney Disease, Autosomal Recessive - GeneReviews ...

<https://www.ncbi.nlm.nih.gov/sites/books/NBK1326/> - 翻译此页

2016年9月15日 - Autosomal recessive polycystic kidney disease (ARPKD) belongs to a ... Tesevatinib ameliorates progression of ARPKD in rodent models.

AUTOSOMAL RECESSIVE POLYCYSTIC KIDNEY DISEASE AND ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Gunay-Aygun - 2006 - 被引用次数: 76 - 相关文章

Autosomal recessive polycystic kidney disease/congenital hepatic fibrosis Fibrocystin and several other human and rodent PKD proteins appear to play a role in the progression of kidney and liver disease in murine models of ARPKD, ... V2RA therapy might prove beneficial for ameliorating or preventing the renal cysts ...

Novel Therapies for Polycystic Kidney Disease | Open Access Journals

<https://www.omicsonline.org/novel-therapies-for-polycystic-kidney-disease-...> ▼ 翻译此页

Autosomal dominant (AD) polycystic kidney disease (PKD) is a major cause of end-stage renal ... trials and Phase II & III human trials to ameliorate PKD progression. ... including: polycystic kidney disease-PKD (both autosomal recessive-AR and ... Src inhibition can ameliorate PKD cystic pathology in rodent models and the ...

[PDF] Emerging Therapies for Childhood Polycystic Kidney Disease - Front

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

获得 9 条结果 (用时 0.66 秒)

Childhood Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK373381/> - 翻译此页

作者: A Patil - 2015 - 被引用次数: 1

Autosomal recessive polycystic kidney disease (ARPKD), historically called infantile ... 133)

("Tesevatinib Ameliorates Progression of ARPKD in Rodent Models" ...

Polycystic Kidney Disease, Autosomal Recessive - GeneReviews ...

<https://www.ncbi.nlm.nih.gov/books/NBK1326/> - 翻译此页

作者: WE Sweeney - 2014 - 被引用次数: 5 - 相关文章

2001年7月19日 - Autosomal recessive polycystic kidney disease (ARPKD) belongs to a ... Tesevatinib ameliorates progression of ARPKD in rodent models.

Src Inhibition Ameliorates Polycystic Kidney Disease

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: WE Sweeney Jr - 2008 - 被引用次数: 108 - 相关文章

Autosomal recessive PKD (ARPKD) is a developmental disorder caused by ... correlates with disease progression in both the BPK and PCK rodent models of ...

Novel Therapies for Polycystic Kidney Disease | Open Access Journals

<https://www.omicsonline.org/novel-therapies-for-polycystic-kidney-disease-...> ▼ 翻译此页

Autosomal dominant (AD) polycystic kidney disease (PKD) is a major cause of end-stage renal ... trials and Phase II & III human trials to ameliorate PKD progression. ... including: polycystic kidney disease-PKD (both autosomal recessive-AR and ... Src inhibition can ameliorate PKD cystic pathology in rodent models and the ...

[PDF] Emerging Therapies for Childhood Polycystic Kidney Disease - Front...