



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 616 条结果 (用时 0.76 秒)

[Google 学术: Everolimus halts hepatic cystogenesis in a rodent model of polycystic liver disease](#)

... with autosomal dominant polycystic kidney disease - Walz - 被引用次数: 344

... in the hepatic cystogenesis of an animal model of ... - Banales - 被引用次数: 77

... in autosomal dominant polycystic kidney disease - Serra - 被引用次数: 330

[Polycystic liver diseases: advanced insights into the molecular ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: MJ Perugorria - 2014 - 被引用次数: 11 - [相关文章](#)

跳到 [Hepatic cystogenesis](#) - Hepatic cystogenesis in PCLDs is associated with ductal ... mouse models of ADPKD and promotes liver cyst growth in ... Unfortunately, effects of everolimus on liver volume were not examined in these trials. halts hepatic cystogenesis in PCK rats, decreasing fibrosis and inflammation.

[\[PDF\] Polycystic liver diseases: advanced insights into the ... - ResearchGate](#)

www.researchgate.net/.../543276340cf20c6211b... - [翻译此页](#)

2014年9月30日 - Polycystic liver diseases (PCLDs) are genetic disor- cell-matrix interaction)

account for hepatic cystogenesis. Cholangiocytes from the PCK rat, an animal model

Everolimus alone or in combination with octreotide (targets cAMP and mTOR) with marimastat halts hepatic cystogenesis in PCK rats, ..

[New Advances in Polycystic Liver Diseases - Thieme Connect](#)

<https://www.thieme-connect.com/products/ejournals/.../s-0036-1597817.pdf> - [翻译此页](#)

cystogenesis > etiology > pathogenesis ... rats (an

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 33732

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Everolimus halts hepatic cystogenesis in a rodent model of polycystic-liver-disease

Temmerman F *et al*, Everolimus halts polycystic-liver-disease in rats

Frederik Temmerman, Feng Chen, Louis Libbrecht, Ingrid Vander Elst, Petra Windmolders, Yuanbo Feng, Yicheng Ni, Humbert De Smedt, Frederik Nevens, Jos van Pelt

Abstract

AIM

To develop a MRI-based method for accurate determination of liver volume (LV) and

Match Overview

1	Internet 73 words crawled on 20-Mar-2017 www.cellsignal.com	2%
2	Crossref 32 words F. Temmerman. "Systematic review: the pathophysiology and management of polycystic liver disease : Systematic r...	1%
3	Crossref 19 words Stephen B. Mason. "Disease Stage Characterization of Hepatorenal Fibrocystic Pathology in the PCK Rat Model of A..."	1%
4	Internet 13 words crawled on 04-Oct-2016 www.spandidos-publications.com	<1%
5	Internet 12 words crawled on 18-Apr-2016 www.omicsonline.org	<1%
6	Crossref 12 words Neijenhuis, Myrte K., Tom J.G. Gevers, Marie C. Hogan, Patrick S. Kamath, Titus F.M. Wijnands, Ralf C.P.M. van den O...	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 677 条结果 (用时 0.84 秒)

Google 学术: Everolimus halts hepatic cystogenesis in a rodent model of polycystic-liver-disease

Everolimus in patients with autosomal dominant ... - Walz - 被引用次数: 366

... in the hepatic cystogenesis of an animal model of ... - Banales - 被引用次数: 80

... and management of polycystic liver disease - Temmerman - 被引用次数: 69

Polycystic liver diseases: advanced insights into the molecular ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: MJ Perugorria - 2014 - 被引用次数: 13 - [相关文章](#)

跳到 **Hepatic cystogenesis** - Hepatic cystogenesis in PCLDs is associated with ductal mouse models of ADPKD and promotes liver cyst growth in ... Unfortunately, effects of everolimus on liver volume were not examined in these trials. halts hepatic cystogenesis in PCK rats, decreasing fibrosis and inflammation.

Murine Models of Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4085131/> - [翻译此页](#)

作者: LF Menezes - 2013 - 被引用次数: 3 - [相关文章](#)

2013年10月31日 - Using mouse models to understand/treat human disease ... In the case of everolimus, the drug was highly effective in reducing rate of cyst capable of halting disease progression, are unlikely to target mutant cells Octreotide inhibits hepatic cystogenesis in a rodent model of polycystic liver disease by ...

ISOLATED POLYCYSTIC LIVER DISEASE - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)



Everolimus halts hepatic cystogenesis in a rodent model of polycystic-liver-dise



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 676 条结果 (用时 0.99 秒)

Google 学术 : Everolimus halts hepatic cystogenesis in a rodent model of polycystic-liver-disease

Everolimus in patients with autosomal dominant ... - Walz - 被引用次数 : 365

... in the hepatic cystogenesis of an animal model of ... - Banales - 被引用次数 : 80

... and management of polycystic liver disease - Temmerman - 被引用次数 : 69

Polycystic liver diseases: advanced insights into the molecular ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : MJ Perugorria - 2014 - 被引用次数 : 13 - 相关文章

跳到 **Hepatic cystogenesis** - Hepatic cystogenesis in PCLDs is associated with ductal mouse models of ADPKD and promotes liver cyst growth in ... Unfortunately, effects of everolimus on liver volume were not examined in these trials. halts hepatic cystogenesis in PCK rats, decreasing fibrosis and inflammation.

Murine Models of Polycystic Kidney Disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4085131/> - 翻译此页

作者 : LF Menezes - 2013 - 被引用次数 : 3 - 相关文章

2013年10月31日 - Using mouse models to understand/treat human disease ... In the case of everolimus, the drug was highly effective in reducing rate of cyst capable of halting disease progression, are unlikely to target mutant cells Octreotide inhibits hepatic cystogenesis in a rodent model of polycystic liver disease by ...

ISOLATED POLYCYSTIC LIVER DISEASE - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : Q Qian - 2010 - 被引用次数 : 35 - 相关文章

Isolated polycystic liver disease (PCLD) is an autosomal dominant disease ... Apart from liver cysts, it exhibits few extra-hepatic manifestations and the ... lack of orthologous PCLD animal model, studies of polycystic liver disease in Prospective clinical trials of sirolimus and everolimus in ADPKD are