

Match Overview

1	Crossref 199 words Yun Huang, "–607 C/A polymorphism in the promoter c ... L-18 gene is associated with 2 h post-loading plasma gl	8%
2	Internet 34 words crawled on 18-Jun-2011 atvb.ahajournals.org	1%
3	Crossref 22 words Qiao, Jianlin, Yun Liu, Xiaoqian Li, Yuan Xia, Yulu Wu, De peng Li, Hongchun Li, Ping Ma, Feng Zhu, Zhenyu Li, Kai	1%
4	Publications 18 words Negi, Smita I. Pankow, James S. Fernstro, "Racial differe nces in association of elevated interleukin-18 levels w ...	1%
5	Internet 14 words crawled on 29-May-2016 www.eje-online.org	1%
6	Crossref 13 words Zhang, N., "Interleukin-18 promoter polymorphisms an ... risk of ischemic stroke", <i>Brain Research Bulletin</i> , 20100	1%
7	Crossref 11 words Syeda Sadia Fatima, Zehra Jamil, Faiza Alam, Hajira Zaf ar Malik, Sarosh Ifan Madhani, Muhammad Saad Ahma	<1%
8	Crossref 11 words Fatima, Syeda Sadia, Faiza Alam, Bushra Chaudhry, and Taseer Ahmed Khan, "Elevated levels of chemerin, lep ...	<1%
	Internet 11 words	

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 33755

Manuscript Type: Original Article

Observational Study

Interleukin-18 polymorphism as an inflammatory index in metabolic syndrome: A preliminary study

Syeda Sadia Fatima, Zehra Jamil, Syed Hani Abidi, Daniyal Nadeem, Zara Bashir, Ahmed Ansari

Abstract

Background: This study aimed to assess circulatory levels of IL-18 and determine whether the presence of IL-18 promoter polymorphism influences metabolic syndrome phenotypes.

Material and Methods: This study recruited one hundred and eighty individuals



Interleukin-18 as an Inflammatory Marker Index in Metabolic Syndromes



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 3,970,000 条结果 (用时 1.29 秒)

Google 学术: Interleukin-18 as an Inflammatory Marker Index in Metabolic Syndromes

... of vascular inflammation in the metabolic syndrome: a ... - Esposito - 被引用次数: 1738

... lifestyle changes on vascular inflammatory markers in ... - Esposito - 被引用次数: 1479

... interleukin-18 levels are associated with the metabolic ... - Hung - 被引用次数: 214

Elevated Interleukin-18 Levels Are Associated With the Metabolic ...

atvb.ahajournals.org/content/25/6/1268 - 翻译此页

作者: J Hung - 2005 - 被引用次数: 214 - 相关文章

Interleukin-18 (IL-18) is a pleiotropic proinflammatory cytokine with important ... subjects correlated with metabolic syndrome traits including body mass index (BMI), ... Correlation Between Metabolic Syndrome Traits and Inflammatory Markers.

The association of interleukin-18 genotype and serum levels with ...

www.eje-online.org/content/157/5/633.full - 翻译此页

作者: J Evans - 2007 - 被引用次数: 46 - 相关文章

2007年11月1日 - Relationship between serum IL-18 and metabolic syndrome score, ... known risk factors for type 2 diabetes and other inflammatory markers (52). ... Metabolic indices in relation to body composition changes during weight ...

The association of interleukin-18 genotype and serum levels with

找到约 276,000 条结果 (用时 0.76 秒)

Google 学术 : Interleukin-18 polymorphism as an inflammatory index in metabolic syndrome: A preliminary study

... is a marker of inflammation, atherosclerosis, and acute ... - Lehrke - 被引用次数 : 147

Serum interleukin-18 concentrations are increased in ... - Escobar-Morreale - 被引用次数 : 195

Inflammatory aspects of Alzheimer disease and other ... - Schwab - 被引用次数 : 196

Interleukin-18 and Atherosclerosis: Mediator or Biomarker | Open ...

<https://www.omicsonline.org/.../interleukin-and-atherosclerosis-mediator-or-...> - 翻译此页

Atherosclerosis, a progressive disorder of the vessel walls with the formation of ... Interleukin-18 (IL-18) is a pleiotropic pro-inflammatory cytokine, which CVDs risk factors, including many components of the metabolic syndrome, ... The IL-18+183 A/G polymorphism another polymorphism studies in CAD patients [54,55].

IL18 interleukin 18 [(human)] - NCBI

<https://www.ncbi.nlm.nih.gov/gene/3606> - 翻译此页

IL-18 is associated with inflammatory activity in gout, as well as with IL-6 levels L-18 -607C/A gene promoter polymorphism is a major genetic factor for with acute coronary syndrome. study concludes that genetic variants of IL-18 and of IL18 are associated with risk factors for obesity and metabolic syndrome (i.e., ...

Interleukin 18 in the CNS | Journal of Neuroinflammation | Full Text

<https://jneuroinflammation.biomedcentral.com/articles/10.../1742-2094-7-9> ▼ 翻译此页

作者 : S Alboni - 2010 - 被引用次数 : 134 - 相关文章

2010年1月29日 - Interleukin (IL)-18 was isolated in 1995 as a co-factor that, in synergism ... cancer, as well as metabolic syndrome and atherosclerosis [5, 6, 7, 8, 9, 10, 11]. indicating that the association of IL-18 promoter polymorphisms with AD is not ... Other studies suggested that the

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 701,000 条结果 (用时 0.61 秒)

Google 学术: Interleukin-18 polymorphism as an inflammatory index in metabolic syndrome: A preliminary study

... is a marker of inflammation, atherosclerosis, and acute ... - Lehrke - 被引用次数: 147

Serum interleukin-18 concentrations are increased in ... - Escobar-Morreale - 被引用次数: 195

Inflammatory aspects of Alzheimer disease and other ... - Schwab - 被引用次数: 198

IL18 interleukin 18 [(human)] - NCBI

<https://www.ncbi.nlm.nih.gov/gene/3606> - 翻译此页

2017年4月9日 - IL-18 is associated with inflammatory activity in gout, as well as with IL-6 levels. ... L-18 -607C/A gene promoter polymorphism is a major genetic factor for coronary syndrome. study concludes that genetic variants of IL-18 and this preliminary study documents that serum IL-1RA and IL-18 levels are ...

Interleukin-18 and Atherosclerosis: Mediator or Biomarker | Open ...

<https://www.omicsonline.org/.../interleukin-and-atherosclerosis-mediator-or-...> - 翻译此页

Atherosclerosis, a progressive disorder of the vessel walls with the formation of ... Interleukin-18 (IL-18) is a pleiotropic pro-inflammatory cytokine, which CVDs risk factors, including many components of the metabolic syndrome, ... The IL-18+183 A/G polymorphism another polymorphism studies in CAD patients [54,55].

NLRP3 Inflammasome Polymorphism and Macrovascular ... - Hindawi

<https://www.hindawi.com/journals/jdr/2015/616747/> - 翻译此页

作者: J Klen - 2015 - 被引用次数: 5 - 相关文章

2015年3月17日 - Impact Factor 2.164 ... Such metabolic damage signals may activate inflammasome and trigger ... Our preliminary data suggest the role of NLRP3 polymorphism in ... resulting in cleavage of pro-interleukin 18 (pro-IL-18) and release of ... a retrospective study that included T2D patients aged