

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34035

Manuscript Type: ORIGINAL ARTICLE

### Observational Study

Prophylactic lateral pelvic lymph node dissection in stage IV low rectal cancer

Hiroshi Tamura, Yoshifumi Shimada, Hitoshi Kameyama, Ryoma Yagi, Yosuke Tajima, Takuma Okamura, Mae Nakano, Masato Nakano, Masayuki Nagahashi, Jun Sakata, Takashi Kobayashi, Shin-ichi Kosugi, Hitoshi Nogami, Satoshi Maruyama, Yasumasa Takii, Toshifumi Wakai

### Abstract

### Match Overview

1	<b>Crossref</b> 60 words Yagi, Ryoma, Yoshifumi Shimada, Hitoshi Kameyama, Yosuke Tajima, Takuma Okamura, Jun Sakata, Takashi Kobayas	2%
2	<b>Crossref</b> 34 words Yoshihiro Moriya. "Importance of Extended Lymphadenecomy with Lateral Node Dissection for Advanced Lower Recta	1%
3	<b>Internet</b> 31 words crawled on 09-Jul-2013 medfeeds.sunway.dk	1%
4	<b>Crossref</b> 24 words Shimada, Yoshifumi, Tomoki Kido, Hitoshi Kameyama, Mae Nakano, Ryoma Yagi, Yosuke Tajima, Takuma Okamura, M	1%
5	<b>Crossref</b> 18 words H. Yano. "The incidence of lateral pelvic side-wall nodal involvement in low rectal cancer may be similar in Japan and t	1%
6	<b>Crossref</b> 18 words Akiyoshi, Takashi, Toshiaki Watanabe, Satoshi Miyata, Kenjiro Kotake, Tetsuichiro Muto, and Kenichi Sugihara. "Result	1%
7	<b>Crossref</b> 14 words Furuhata, Tomohisa, Kenji Okita, Toshihiko Nishidate, Tatsu ya Ito, Hiroshi Yamaguchi, Tomomi Ueki, Emi Akizuki, Mako	<1%
8	<b>Crossref</b> 10 words van Dijk, T. H., K. Tamas, J. C. Beukema, G. L. Beets, A. J. G. elderblom, K. P. de Jong, I. D. Nagtegaal, H. J. Rutten, C. J.	<1%

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 117,000 条结果 (用时 0.31 秒)

### Robotic and laparoscopic pelvic lymph node dissection for rectal cancer

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - [翻译此页](#)

作者: SU Bae - 2014 - [被引用次数: 17](#) - [相关文章](#)

2014年1月22日 - The role of lateral **pelvic node dissection** in **rectal cancer** surgery remains ... **node** involvement and better than that of **stage IV** cancers [2]. .... From the database we identified 1,686 patients undergoing TME for **lower rectal cancer** ... LPND was **bilateral** in 7 patients (33%) and unilateral in 14 patients (67%).

### Potential Prognostic Benefit of Lateral Pelvic Node Dissection for ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - [翻译此页](#)

作者: H Ueno - 2007 - [被引用次数: 65](#) - [相关文章](#)

Advanced **lower rectal cancer** patients having LNI in the lateral pelvic area ... In Western countries, TME, which has been associated with good prognosis and **low** morbidity, ... is TME combined with radiotherapy or lateral **pelvic lymphadenectomy**, ... and the **prophylactic** lateral dissection should produce morbidity, including ...

### Lateral Pelvic Lymph Node Dissection in Rectal Cancer. Optimal ...

[colorectal-cancer.imedpub.com/lateral-pelvic-lymph-node-dissection-inrecta...](http://colorectal-cancer.imedpub.com/lateral-pelvic-lymph-node-dissection-inrecta...) ▾ [翻译此页](#)

作者: K Dev - 2015 - [相关文章](#)

<sup>4</sup>Department of Surgical Oncology, Kidwai Memorial Institute of Oncology, ... Lateral pelvic lymph node (LPLN) metastasis in **rectal cancer** is considered as systemic ... of patients with **stage** III disease and also better prognosis in patients with small ... level to justify **prophylactic** lateral **pelvic lymphadenectomy** is still **low** [16].



Prophylactic lateral pelvic lymph node dissection in stage IV low rectal cancer

全部 图片 视频 新闻 地图 图书

找到约 83,000 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Lateral Pelvic Lymph Node Dissection in Rectal Cancer. Optimal ... colorectal-cancer.imedpub.com/lateral-pelvic-lymph-node-dissection-inrectal-cancer-optimal-treatment.php?...](#)

<sup>4</sup>Department of Surgical Oncology, Kidwai Memorial Institute of Oncology, Bangalore, ...  
Rectal cancer; Lateral pelvic lymph node; Metastasis; Regional recurrence ... Fujito proved the difference of benefit with the stage of the tumour at the time of ... level to justify prophylactic lateral pelvic lymphadenectomy is still low [16].

[Potential Prognostic Benefit of Lateral Pelvic Node Dissection for ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1867942/>

Advanced lower rectal cancer patients having LNI in the lateral pelvic area are ... TME, which has been associated with good prognosis and low morbidity, is now ... and the prophylactic lateral dissection should produce morbidity, including ... The lateral area, ie, the iliac lymph node area outside of the mesorectum, was ...

[Lateral lymph node dissection for lower rectal cancer. - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/23703637>

Lateral lymph node dissection for lower rectal cancer. ... of the inferior mesenteric artery or laterally toward the pelvis aslong the internal iliac artery. ... In addition, it is unlikely that prophylactic lateral lymph node dissection is required in all ...

[IPDF\] Chapter 4 Lateral Pelvic Lymph Node Dissection in ... - Avid Science](#)

[www.avidscience.com/wp.../RAC0C-15-04\\_March-28-2016.pdf](http://www.avidscience.com/wp.../RAC0C-15-04_March-28-2016.pdf)

22 Mar 2016 ... section of lateral pelvic lymph nodes is performed along with total mesorectal ... Rectal cancers, particularly those with lower localizations (lo-

[Lateral Pelvic Lymph Node Dissection; Rectal Cancer; Metastatic ...](#)

<https://www.omicsonline.org/.../is-there-a-role-of-lateral-pelvic-lymph-node-dissection-in-the-current-era-ofneoadjuvant-chemoradiotherapy-f...>

Is there a Role of Lateral Pelvic Lymph Node Dissection in the Current Era of ... hence, perform prophylactic LPLND in low rectal cancers of stage T3 or more or ... to N2a /N2b mesorectal nodes but definitely better than distant metastasis [4].



全部

图片

视频

新闻

购物

更多

设置

工具

找到约 114,000 条结果 (用时 0.60 秒)

### Lateral Pelvic Lymph Node Dissection in Rectal Cancer. Optimal ...

[colorectal-cancer.imedpub.com/lateral-pelvic-lymph-node-dissection-in-recta...](https://colorectal-cancer.imedpub.com/lateral-pelvic-lymph-node-dissection-in-recta...) ▼ 翻译此页

作者: K Dev - 2015 - 相关文章

<sup>4</sup>Department of Surgical Oncology, Kidwai Memorial Institute of Oncology, Bangalore, ... Rectal cancer; Lateral pelvic lymph node; Metastasis; Regional recurrence ... Fujito proved the difference of benefit with the stage of the tumour at the time of ... level to justify prophylactic lateral pelvic lymphadenectomy is still low [16].

### Potential Prognostic Benefit of Lateral Pelvic Node Dissection for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1867942/> - 翻译此页

作者: H Ueno - 2007 - 被引用次数: 67 - 相关文章

Advanced lower rectal cancer patients having LNI in the lateral pelvic area are ... TME, which has been associated with good prognosis and low morbidity, is now ... and the prophylactic lateral dissection should produce morbidity, including ... The lateral area, ie, the iliac lymph node area outside of the mesorectum, was ...

Abstract - PATIENTS AND METHODS - RESULTS - DISCUSSION

### Lateral Node Dissection in Low Rectal Cancer: Time for a Gl... : Annals ...

[journals.lww.com](https://journals.lww.com) > Home > Current Issue - 翻译此页

The optimal approach to treatment for patients with low rectal cancer has long been ... TME with prophylactic dissection of internal iliac and obturator lymph nodes ... lateral pelvic lymph node dissection (LPLND) for clinical stage II/III low rectal ... as a potentially curable regional disease rather than incurable stage IV disease.

### [PDF] Chapter 4 Lateral Pelvic Lymph Node Dissection in ... - Avid Science

[www.avidscience.com/wp-content/.../RAC0C-15-04\\_March-28-2016.pdf](https://www.avidscience.com/wp-content/.../RAC0C-15-04_March-28-2016.pdf) ▼ 翻译此页

作者: HK Bektasoglu - 2016 - 相关文章