

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 131,000 条结果 (用时 0.71 秒)

您是不是要找: **THE SIGNIFICANCE OF DORMANT FORMS OF
HELICOBACTER PYLORI IN *ULCER OOGENESIS***

Pathogenesis of Helicobacter pylori Infection - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1539101/> - 翻译此页

作者: JG Kusters - 2006 - 被引用次数: 1451 - 相关文章

This review focuses on the pathogenesis of *H. pylori* infection, with emphasis on its ... The etiological role of these bacteria in the development of peptic ulcer disease ... *H. felis* is highly motile; on agar plates it does not really form colonies but ... The significance of *H. felis* in gastric disorders of cats and dogs is somewhat ...

Coccoid forms of Helicobacter pylori are the morphologic ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JG Kusters - 1997 - 被引用次数: 282 - 相关文章

Coccoid forms of *Helicobacter pylori* are the morphologic manifestation of cell death. ... that it is a dormant form potentially involved in the transmission of *H. pylori* and in a ... Changes in *Helicobacter pylori* ultrastructure and antigens during ...

Helicobacter pylori - Wikipedia

https://en.wikipedia.org/wiki/Helicobacter_pylori ▼ 翻译此页

Helicobacter pylori, previously *Campylobacter pylori*, is a gram-negative, microaerophilic Following attachment of *H. pylori* to stomach epithelial cells, the type IV the importance of recombinational DNA repair in survival of *H. pylori* within its host. ... Testing for *H. pylori* is recommended if peptic ulcer disease or low-grade ...

缺少字词: dormant

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 34148

Manuscript Type: REVIEW

Significance of dormant forms of *Helicobacter pylori* in ulcerogenesis

Reshetnyak VI *et al.* Dormant forms of *H. pylori*

Vasiliy Ivanovich Reshetnyak, Tatiana Magomedalieвна Reshetnyak

Abstract

Nearly half of the global population is carriers of *Helicobacter pylori* (*H. pylori*), a gram-negative bacterium that persists in the healthy human stomach. *H. pylori* can be a pathogen and causes development of peptic ulcer disease in a certain state of the macroorganism. It is well established that *H. pylori* infection is the main cause of chronic gastritis and peptic ulcer disease (PUD). Decontamination of the gastric mucosa with various antibiotics leads to *H. pylori* elimination and longer remission in this disease.

Match Overview

1	Internet 261 words crawled on 02-Sep-2010 www.ncbi.nlm.nih.gov	4%
2	Internet 158 words crawled on 23-Apr-2016 www.wjgnet.com	3%
3	Internet 132 words crawled on 03-Nov-2009 aem.asm.org	2%
4	Crossref 46 words Yuri Costa Farago FERNANDES, Gabriel da Rocha BONATTO, Mauro Willeman BONATTO. "RECURRENCE RAT	1%
5	Internet 37 words crawled on 20-Dec-2013 www.angelfire.com	1%
6	Internet 29 words crawled on 06-Jun-2017 www.jove.com	<1%
7	Internet 23 words crawled on 17-May-2016 askdrwiki.com	<1%
8	Internet 18 words crawled on 19-Dec-2014 www.gastro-j.ru	<1%
9	Internet 18 words crawled on 15-Jan-2016 www.saudijgastro.com	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 168,000 条结果（用时 0.57 秒）

您是不是要找: **Significance of dormant forms of Helicobacter pylori in ulcer oogenesis**

Pathogenesis of Helicobacter pylori Infection - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1539101/> - 翻译此页

作者: JG Kusters - 2006 - 被引用次数: 1542 - 相关文章

This review focuses on the pathogenesis of *H. pylori* infection, with emphasis on its ... The etiological role of these bacteria in the development of peptic ulcer disease ... *H. felis* is highly motile; on agar plates it does not really form colonies but ... The significance of *H. felis* in gastric disorders of cats and dogs is somewhat ...

Morphology and Ultrastructure - Helicobacter pylori - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/Bookshelf> - 翻译此页

作者: J O'Rourke - 2001 - 被引用次数: 18 - 相关文章

Recently, studies of ferritin in *H. pylori* showed that in a wild-type strain grown in before the coccoid forms can be considered truly a dormant form capable of reinfection. The cag PAI has biological significance and may provide an explanation for the Ditschuneit *H.* Fine structure of active and healed duodenal ulcer.

Coccoid Forms of Helicobacter pylori in the Human Stomach

<https://academic.oup.com/ajcp/article-pdf/102/4/503/.../ajcpath102-0503.pdf> - 翻译此页

作者: WY Chan - 1994 - 被引用次数: 183 - 相关文章

cases (21.9%) of benign peptic ulcer, and 1 case (1.6%) of malignant lymphoma. ... Under an electron microscope, coccoid forms of *H pylori* appeared as ... cal significance. of *H pylori* represents a dormant, more resilient form of the.

Coccoid Forms of Helicobacter pylori Causing Active Gastritis ...

<https://academic.oup.com/.../Coccoid-Forms-of-Helicobacter-pylori-Causing> - 翻译此页

作者: JP Balakrishna - 2013

2015年10月21日 - Coccoid Forms of Helicobacter pylori Causing Active Gastritis ... pathogen associated with type B gastritis, peptic ulcer disease, and ... the infective form and the coccoid form is thought to be the dormant form. ... This emphasizes the role of coccoid forms in causing active

[All](#)[News](#)[Images](#)[Videos](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 171,000 results (0.91 seconds)

Did you mean: Significance of dormant forms of Helicobacter pylori in *ulcerogenesis*

Morphology and Ultrastructure - Helicobacter pylori - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf

by J O'Rourke - 2001 - Cited by 18 - Related articles

Recently, studies of ferritin in *H. pylori* showed that in a wild-type strain grown in before the coccoid forms can be considered truly a dormant form capable of reinfection. The cag PAI has biological significance and may provide an explanation for the Ditschuneit H. Fine structure of active and healed duodenal ulcer.

Adherence and Colonization - Helicobacter pylori - NCBI Bookshelf

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > Bookshelf

by TL Testerman - 2001 - Cited by 43 - Related articles

It remains possible that *H. pylori* survives in a dormant state and that current Using the AGS cell line, it was found that coccoid forms of *H. pylori* adhere to the ... by the anti-ulcer compound sulglycotide results in loss of binding of *H. pylori* to Although these latter studies questioned the relevance of HpaA in *H. pylori* ...

Pathogenesis of Helicobacter pylori Infection - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1539101/>

by JG Kusters - 2006 - Cited by 1542 - Related articles

This review focuses on the pathogenesis of *H. pylori* infection, with emphasis on its ... The etiological role of these bacteria in the development of peptic ulcer disease ... *H. felis* is highly motile; on agar plates it does not really form colonies but ... The significance of *H. felis* in gastric disorders of cats and dogs is somewhat ...

Coccoid Forms of Helicobacter pylori in the Human Stomach

<https://academic.oup.com/ajcp/article-pdf/102/4/503/4979348/ajcp102-0503.pdf>

by WY Chan - 1994 - Cited by 183 - Related articles

cases (21.9%) of benign peptic ulcer, and 1 case (1.6%) of malignant lymphoma. ... Under an electron microscope, coccoid forms of *H. pylori* appeared as ... cal significance. of *H. pylori* represents a dormant, more resilient form of the