

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35116

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Combined treatment of pancreatic cancer xenograft with ⁹⁰Y-ITGA6B4-mediated radioimmunotherapy and PI3K/mTOR inhibitor

Aung W *et al.* Radioimmunotherapy and BEZ235 for pancreatic cancer

² Winn Aung, Atsushi B Tsuji, Hitomi Sudo, Aya Sugyo, Yoshinori Ukai, Katsushi Kouda, Yoshikazu Kurosawa, Takako Furukawa, Tsuneo Saga, Tatsuya Higashi

Abstract

AIM

To investigate the therapeutic effect of combined integrin $\alpha_6\beta_4$ -targeted radioimmunotherapy (RIT) and PI3K/mTOR inhibitor BEZ235 in a pancreatic cancer

Match Overview

1	Internet 104 words crawled on 28-Sep-2015 www.nature.com	2%
2	Crossref 67 words Winn Aung, Atsushi B. Tsuji, Hitomi Sudo, Aya Sugyo et al. "Radioimmunotherapy of pancreatic cancer xenograft"	1%
3	Internet 41 words crawled on 02-Dec-2015 worldwidescience.org	1%
4	Crossref 40 words Chen, Yu-Hsuan, Ming-Feng Wei, Chun-Wei Wang, Hsiao-Wei Lee, Shiow-Lin Pan, Ming Gao, Sung-Hsin Kuo, A	1%
5	Crossref 28 words Collini, Paola, Tiziana Negri, Marta Barisella, Elena Palassini, Eva Tarantino, Ugo Pastorino, Alessandro Gronchi,	1%
6	Internet 18 words crawled on 27-Apr-2016 opus.bibliothek.uni-wuerzburg.de	<1%
7	Internet 17 words crawled on 24-Feb-2017 journal.frontiersin.org	<1%
8	Internet 17 words crawled on 11-May-2012 www.citeulike.org	<1%
9	Crossref 16 words Qin, Xiaoyu, Bin Jiang, and Yanjie Zhang. "4E-BP1, a nuclear factor regulated multifunctional protein", <i>Cell Cycle</i> , 20	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

获得 8 条结果（用时 0.63 秒）

Metabolic re-programming of pancreatic cancer mediated by CDK4/6 ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: J Franco - 2016 - 被引用次数: 15 - 相关文章

2016年1月21日 - **MTOR** and MEK **inhibitors** potentially cooperate with CDK4/6 **inhibition** in **inhibition** is observed in vivo, **tumor** sections from **xenografts treated** with ... Canonically, the activation state of **MTOR** is regulated by **PI3K/AKT/TSC** pathway, ... In contrast, **combined** CDK4/6 and **MTOR inhibition** resulted in the ...

缺少字词: 90y itga6b4 radioimmunotherapy

Targeting mTOR in Pancreatic Ductal Adenocarcinoma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: S Iriana - 2016 - 被引用次数: 1 - 相关文章

2016年4月25日 - **Treatment** options for advanced **pancreatic** ductal adenocarcinoma (PDAC) ... Early phase II studies of mono-mTOR **inhibition** have not shown promise. The **combination** of AZD8055 and the dual **PI3K-mTOR inhibitor** BEZ235 ... and **tumor** growth delay in athymic nude mice **xenografts** following single ...

缺少字词: 90y itga6b4 radioimmunotherapy

Molecular targets for the treatment of pancreatic cancer: Clinical and ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: T Matsuoka - 2016 - 被引用次数: 6 - 相关文章

2016年1月14日 - The failure of clinical **treatment** in patients with **pancreatic cancer** is often due to the ... The **PI3K** signaling **mediates** cell growth and survival via several downstream ... A phase II trial of another MEK **inhibitor**, AZD6244, in **combination** with ... **PI3K/Akt/mTOR** pathway: Upon activation by RAS or EGFR, **PI3K** ...

缺少字词: 90y itga6b4 radioimmunotherapy

Oral mTOR Inhibitor Everolimus in Patients With Gemcitabine ...

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: BM Wolpin - 2009 - 被引用次数: 233 - 相关文章

Patients were observed for toxicity, **treatment** response, and survival. ... in metastatic **pancreatic cancer** should assess the **combination** of **mTOR inhibitors** with other ... More than 95% of patients with

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

获得 6 条结果 (用时 0.48 秒)

Metabolic re-programming of pancreatic cancer mediated by CDK4/6 ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: J Franco - 2016 - 被引用次数: 17 - 相关文章

2016年1月21日 - However, MTOR inhibition fully suppressed metabolism and yielded apoptosis and CDK4/6 inhibition is observed in vivo, tumor sections from xenografts treated with ... a panel of agents that inhibit PI3K, MTOR, and MEK was employed. ... In contrast, combined CDK4/6 and MTOR inhibition resulted in the ...

缺少字词: 90y itga6b4 radioimmunotherapy

Targeting mTOR in Pancreatic Ductal Adenocarcinoma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: S Iriana - 2016 - 被引用次数: 3 - 相关文章

2016年4月25日 - Treatment options for advanced pancreatic ductal adenocarcinoma (PDAC) are limited; ... Early phase II studies of mono-mTOR inhibition have not shown promise. Combined treatment with metformin and rapamycin of Panc02 cells PI3K/Akt/mTOR-mediated pathway in human pancreatic cancer cells.

缺少字词: 90y itga6b4 radioimmunotherapy

The efficacy of a novel, dual PI3K/mTOR inhibitor NVP-BEZ235 to ...

<https://www.ncbi.nlm.nih.gov/pubmed/22020918> - [翻译此页](#)

作者: N Awasthi - 2012 - 被引用次数: 50 - 相关文章

The efficacy of a novel, dual PI3K/mTOR inhibitor NVP-BEZ235 to enhance chemotherapy and antiangiogenic response in pancreatic cancer. ... Animal survival experiments were performed in murine xenografts. ... Further increases in survival occurred in combination therapy groups BEZ235 + gemcitabine (30 days, ...

缺少字词: 90y itga6b4 mediated radioimmunotherapy

Molecular targets for the treatment of pancreatic cancer: Clinical and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: T Matsuoka - 2016 - 被引用次数: 9 - 相关文章

2016年1月14日 - The failure of clinical treatment in patients with pancreatic cancer is often due to the



全部

图片

新闻

视频

购物

更多

设置

工具

获得 6 条结果 (用时 0.65 秒)

KRAS Mutant Pancreatic Cancer: No Lone Path to an Effective ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: D Zeitouni - 2016 - 被引用次数: 13 - 相关文章

2016年4月18日 - In **pancreatic cancer**, mutations in codon 12 of KRAS occur the most frequently.

The results of the **combination treatment** showed a median overall ... Mice with KRAS mutant lung cancer **treated** with the DOPC-mediated siRNA showed This dual **inhibition** of PI3K-mTOR is expected to shut down ...

缺少字词: 90y itga6b4 radioimmunotherapy

Molecular targets for the treatment of pancreatic cancer: Clinical and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: T Matsuoka - 2016 - 被引用次数: 10 - 相关文章

2016年1月14日 - The failure of clinical **treatment** in patients with **pancreatic cancer** is often due to the ...

The PI3K signaling **mediates** cell growth and survival via several downstream A phase II trial of another MEK **inhibitor**, AZD6244, in **combination** with ... PI3K/Akt/mTOR pathway: Upon activation by RAS or EGFR, PI3K ...

缺少字词: 90y itga6b4 radioimmunotherapy

Dual PI3K/mTOR Inhibitors Induce Rapid Overactivation of the MEK ...

<https://www.ncbi.nlm.nih.gov/pubmed/25673820> - 翻译此页

作者: HP Soares - 2015 - 被引用次数: 24 - 相关文章

2015年2月11日 - Dual **PI3K/mTOR Inhibitors** Induce Rapid Overactivation of the MEK/ERK Pathway in

Human **Pancreatic Cancer** Cells through Suppression of mTORC2. ... However, mTORC1/S6K also **mediates** negative feedback loops that ... Here, we demonstrate that **treatment** of PANC-1 or MiaPaCa-2 pancreatic ductal ...

缺少字词: xenograft 90y itga6b4 radioimmunotherapy