

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 37107

**Manuscript Type:** Retrospective Cohort Study

**Pre-transplant tumor biomarkers show more utility in predicting hepatocellular carcinoma recurrence and survival than the BALAD models**

Nicha Wongjarupong, Gabriela M Negron-Ocasio, Roongruedee Chaiteerakij, Benyam D Addissie, Essa A Mohamed, Kristin C Mara, Scott W Harmsen, Paul J Theobald, Brian E Peters, Joseph G Balsanek, Melissa M Ward, Nasra H Giama, Sudhakar K Venkatesh, Denise M Harnois, Michael R Charlton, Hiroyuki Yamada, Alicia Algeciras-Schimmich, Melissa R Snyder, Terry M Therneau, Lewis R Roberts

## Abstract

### AIM

To assess the performance of BALAD and BALAD-2 in predicting outcome of hepatocellular carcinoma (HCC) patients after liver transplant.

## Match Overview

1	Crossref 93 words Chaiteerakij, Roongruedee, Xiaodan Zhang, Benyam D. Addissie, Essa A. Mohamed, William S. Harmsen, Paul J. The	2%
2	Internet 37 words crawled on 28-Nov-2017 <a href="http://aasldpubs.onlinelibrary.wiley.com">aasldpubs.onlinelibrary.wiley.com</a>	1%
3	Internet 13 words crawled on 14-Dec-2016 <a href="http://bpsmedicine.biomedcentral.com">bpsmedicine.biomedcentral.com</a>	<1%
4	Internet 13 words crawled on 19-Nov-2017 <a href="http://link.springer.com">link.springer.com</a>	<1%
5	Crossref 12 words "Poster abstracts", American Journal of Transplantation, 04/2010	<1%
6	Publications 12 words "Dicerna Pharmaceuticals Announces First Patient Dosed... n Phase 1b/2 Clinical Trial of DCR-MYC, an In", Clinical Tri	<1%



Pre-transplant BALAD and BALAD-2 in predicting hepatocellular carcino



全部

新闻

视频

图片

更多

设置

工具

找到约 580 条结果 (用时 0.46 秒)

### Pre-transplant BALAD and BALAD-2 score to predict recurrence and ...

[liverlearning.aasld.org/.../nicha.wongjarupong.pre-transplant.balad.and.bala...](https://liverlearning.aasld.org/.../nicha.wongjarupong.pre-transplant.balad.and.bala...) ▼ 翻译此页

2017年10月22日 - ABSTRACT FINAL ID: 1444. TITLE: Pre-transplant BALAD and BALAD-2 score to predict recurrence and survival of patients with hepatocellular carcinoma who underwent liver transplant. SPONSORSHIP - THIS STUDY WAS SPONSORED BY:(IF THIS ABSTRACT WAS NOT SPONSORED PLEASE ...

### Prediction of hepatocellular carcinoma biological behavior in patient ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4698488/> ▼ 翻译此页

作者: U Cillo - 2016 - 被引用次数: 10 - 相关文章

2016年1月7日 - Core tip: An integrated model predicting post-transplant survival of hepatocellular carcinoma patients after liver transplantation has not yet been defined. Current selection .... survival rates. Other investigators have reported that HCC recurrence after LT was correlated to pre-transplant AFP levels[30,34-41].

### Current Treatment Approaches to HCC with a Special Consideration ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4931061/> ▼ 翻译此页

作者: N Bhardwaj - 2016 - 被引用次数: 9 - 相关文章

2016年6月20日 - The guidelines recommend surgical resection in all Child-Pugh A patients with a solitary very early stage HCC (<2 cm) [8, 27] (Figure 1). Early stage HCC ..... Predicting survival after liver transplantation in patients with hepatocellular carcinoma beyond the Milan criteria: a retrospective, exploratory analysis.

### Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3391901/> - 翻译此页

作者: Q Lai - 2012 - 被引用次数: 46 - 相关文章

2012年6月27日 - Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of Hepatocellular Carcinoma Recurrence after Surgery: A Brilliant Star Raises Again ... In recent studies, AFP has been proposed as predictor of recurrence after liver transplantation and as selector of patients in the waiting list. Use of AFP ...





Pre-transplant tumor biomarkers show more utility in predicting hepatocellular carcinoma



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 521 条结果 (用时 0.81 秒)

### Prediction of hepatocellular carcinoma biological behavior in patient ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4698488/> - 翻译此页

作者: U Cillo - 2016 - 被引用次数: 13 - 相关文章

2016年1月7日 - Core tip: An integrated model predicting post-transplant survival of hepatocellular carcinoma patients after liver transplantation has not yet been .... the relevance of dynamic AFP variations, found that its progression was more predictive of tumor recurrence and poor survival after LT than any static value.

### Current biomarkers for hepatocellular carcinoma: Surveillance ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4342597/> - 翻译此页

作者: K Schütte - 2015 - 被引用次数: 40 - 相关文章

2015年2月27日 - Biomarkers for surveillance, diagnosis and prediction of prognosis in patients with hepatocellular carcinoma (HCC) are currently not ready for ... based on the knowledge that almost 80% of small HCCs do not show increased levels of AFP, and the sensitivity decreases to 25% in tumors smaller than 3 cm[8].

### Hepatocellular carcinoma - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S0140673618300102> - 翻译此页

2018年1月5日 - Hepatocellular carcinoma is the most frequent primary liver cancer and is an important medical problem. .... Other tumour markers such as vascular endothelial growth factor, angiopoietin 2, or KIT might refine prognostic prediction in statistical modelling, but cannot yet be incorporated in the individual ...

### Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of ...

<https://www.hindawi.com/journals/ijh/2012/893103/> - 翻译此页

作者: Q Lai - 2012 - 被引用次数: 49 - 相关文章

2012年5月4日 - Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of Hepatocellular Carcinoma Recurrence after Surgery: A Brilliant Star Raises Again ... In recent studies, AFP has been proposed as predictor of recurrence after liver transplantation and as selector of patients in the waiting list. Use of AFP ...



Pre-transplant tumor biomarkers show more utility in predicting hepatocellular carcinoma



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 521 条结果 (用时 0.81 秒)

### Prediction of hepatocellular carcinoma biological behavior in patient ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4698488/> - 翻译此页

作者: U Cillo - 2016 - 被引用次数: 13 - 相关文章

2016年1月7日 - Core tip: An integrated model predicting post-transplant survival of hepatocellular carcinoma patients after liver transplantation has not yet been .... the relevance of dynamic AFP variations, found that its progression was more predictive of tumor recurrence and poor survival after LT than any static value.

### Current biomarkers for hepatocellular carcinoma: Surveillance ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4342597/> - 翻译此页

作者: K Schütte - 2015 - 被引用次数: 40 - 相关文章

2015年2月27日 - Biomarkers for surveillance, diagnosis and prediction of prognosis in patients with hepatocellular carcinoma (HCC) are currently not ready for ... based on the knowledge that almost 80% of small HCCs do not show increased levels of AFP, and the sensitivity decreases to 25% in tumors smaller than 3 cm[8].

### Hepatocellular carcinoma - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S0140673618300102> - 翻译此页

2018年1月5日 - Hepatocellular carcinoma is the most frequent primary liver cancer and is an important medical problem. .... Other tumour markers such as vascular endothelial growth factor, angiopoietin 2, or KIT might refine prognostic prediction in statistical modelling, but cannot yet be incorporated in the individual ...

### Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of ...

<https://www.hindawi.com/journals/ijh/2012/893103/> - 翻译此页

作者: Q Lai - 2012 - 被引用次数: 49 - 相关文章

2012年5月4日 - Alpha-Fetoprotein and Novel Tumor Biomarkers as Predictors of Hepatocellular Carcinoma Recurrence after Surgery: A Brilliant Star Raises Again ... In recent studies, AFP has been proposed as predictor of recurrence after liver transplantation and as selector of patients in the waiting list. Use of AFP ...