

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37399

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Fatty liver in hepatitis C patients post-SVR with direct-acting antivirals

Short title: Fatty liver post-SVR with DAAs in HCV

Mazen Noureddin, M.D.,^{1,2}, Micaela M Wong³, Tsuyoshi Todo, M.D.⁴, Shelly C Lu, M.D.⁵, Arun J Sanyal, M.D.⁶, and Edward A Mena, M.D.⁷

Abstract

Aim: To determine steatosis and fibrosis prevalence in hepatitis C patients after a sustained virological response achieved with direct-acting antivirals.

Methods: Transient elastography (TE) with controlled attenuation parameter (CAP) was used to assess hepatic steatosis post-sustained virological response (SVR); the CAP technology was not available in the U.S. at study initiation. Liver stiffness/fibrosis was measured before and 47 weeks after treatment completion. Patients with genotype 3

Match Overview

1	Internet 176 words crawled on 20-Nov-2017 onlinelibrary.wiley.com	3%
2	Internet 111 words crawled on 15-Nov-2017 www.wjgnet.com	2%
3	Crossref 54 words Noureddin, Mazen, Jessica Lam, Michael R. Peterson, Michael Middleton, Gavin Hamilton, Thuy-Anh Le, Ricki Bet	1%
4	Crossref 42 words Noureddin, Mazen, Katherine P Yates, Ivana A Vaughn, Brent A. Neuschwander-Tetri, Arun J. Sanyal, Arthur McCul	1%
5	Internet 29 words crawled on 19-Oct-2017 www.jci.org	1%
6	Internet 19 words crawled on 02-Jul-2015 ediss.sub.uni-hamburg.de	<1%



时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Risk of hepatocellular carcinoma after sustained virological response in Veterans with hepatitis C virus infection

HB El-Serag, F Kanwal, P Richardson, J Kramer - Hepatology, 2016 - Wiley Online Library

... First published: 19 April 2016 Full publication history; DOI: 10.1002/hep.28535 View ... CHC is also associated with increased liver disease and overall mortality.[2] However ... genotype, cirrhosis, diabetes, alcohol use, human immunodeficiency virus (HIV) infection, hepatitis B virus ...

☆ 99 被引用次数: 107 相关文章 所有 9 个版本

[HTML] Cost analysis of sofosbuvir/ribavirin versus sofosbuvir/simeprevir for genotype 1 hepatitis C virus in interferon - ineligible/intolerant individuals

LM Hagan, MS Sulikowski, RF Schinazi - Hepatology, 2014 - Wiley Online Library

... First published: 14 May 2014 Full publication history; DOI: 10.1002/hep.27151View/save ... 1). Cohort age was chosen based on estimates that US hepatitis C virus (HCV) seroprevalence ... To account for evidence of liver regeneration after viral eradication, the model allowed post ...

☆ 99 被引用次数: 103 相关文章 所有 11 个版本

Reduction in liver transplant wait - listing in the era of direct - acting antiviral therapy

JA Flemming, W Kim, CL Brosgart, NA Terrault - Hepatology, 2017 - Wiley Online Library

... all LT wait-listed candidates having chronic hepatitis B virus (HBV) or hepatitis C virus (HCV ... estimated that over 100 million people in the United States have nonalcoholic fatty liver disease, and ... by listing indication (overall, DC, and HCC) and the etiology of liver disease based ...

☆ 99 被引用次数: 22 相关文章 所有 8 个版本



Fatty liver in hepatitis C patients post-sustained virological response with



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 48,600 条结果 (用时 0.45 秒)

Google 学术: Fatty liver in hepatitis C patients post-sustained virological response with direct-acting antivirals

... and risk of hepatocarcinogenesis in chronic hepatitis C - Asahina - 被引用次数: 130

Fatty Liver Prevalence in Hepatitis C patients after Sustained ...

<https://liverlearning.aasld.org/.../thelivermeeting/.../mazen.noureddin.fatty.li...> ▼ 翻译此页

2017年10月23日 - ABSTRACT FINAL ID: 2155. TITLE: Fatty Liver Prevalence in Hepatitis C patients after Sustained Virological Response with Direct-Acting Antivirals. SPONSORSHIP - THIS STUDY WAS SPONSORED BY:(IF THIS ABSTRACT WAS NOT SPONSORED PLEASE INDICATE): Not sponsored. ABSTRACT BODY ...

Fatty Liver Common After Direct-Acting Antivirals for Hep C - Medscape

<https://www.medscape.com/viewarticle/887760> ▼ 翻译此页

2017年10月30日 - WASHINGTON, DC — Evidence of steatosis is found in almost half the patients with hepatitis C who achieved a sustained virologic response after treatment with direct-acting antivirals, results from a prospective study show. "Fatty liver is very common now that hepatitis C is being treated effectively," said ...

Persistently altered liver test results in hepatitis C patients after ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29476581> - 翻译此页

J Viral Hepat. 2018 Feb 24. doi: 10.1111/jvh.12883. [Epub ahead of print]. Persistently altered liver test results in hepatitis C patients after sustained virological response with direct-acting antivirals. Oliveira A(1), Domínguez L(2), Troya J(3), Arias A(4), Pulido F(2), Ryan P(3), Benítez LM(4), González-García J(5), Montes ...

Fatty Liver Common After Direct-Acting Antivirals for Hep C | Damian ...

hepatitisc.hcvadvocate.org/.../fatty-liver-common-direct-acting-antivirals-he... ▼ 翻译此页

2017年10月30日 - Note: This is really important information! Medscape requires registration. WASHINGTON, DC — Evidence of steatosis is found in almost half the patients with hepatitis C who achieved a sustained virologic response after treatment with direct-acting antivirals, results from a prospective study show. "Fatty