

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 687,000 条结果 (用时 0.54 秒)

Acute Hepatitis in the DRESS Syndrome - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5580171/> - [翻译此页](#)

作者: AM Oliveira - 2016 - [被引用次数: 1](#) - [相关文章](#)

2016年8月12日 - Drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome is a severe, idiosyncratic reaction characterized by diffuse maculopapular rash, facial edema, lymphadenopathy, fever, eosinophilia and/or other leukocyte abnormalities, and involvement of internal organs as liver, kidney, heart and lung.

[Abstract](#) - [Introduction](#) - [Clinical case](#) - [Discussion](#)

DRESS syndrome with hepatic involvement in a patient with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25509560> - [翻译此页](#)

作者: SA Iacob - 2014 - [被引用次数: 4](#) - [相关文章](#)

DRESS syndrome with hepatic involvement in a patient with depressive disorder. ... The exposure to antidepressant medication including lamotrigine, an aromatic anticonvulsant molecule, raised the suspicion of Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) Syndrome.

Severe acute hepatitis in the DRESS syndrome: Report of two cases.

<https://www.ncbi.nlm.nih.gov/pubmed/20526017> - [翻译此页](#)

作者: S Lens - 2010 - [被引用次数: 43](#) - [相关文章](#)

The DRESS (drug rash, eosinophilia and systemic symptoms) syndrome, also known as DIHS (drug-induced hypersensitivity syndrome), is a severe idiosyncratic reaction to several drugs, mainly antiepileptics and antibiotics, which can occasionally produce acute liver failure.

Dress Syndrome: A Review and Update | Insight Medical Publishing

skin-diseases-and-skin-care.imedpub.com/dress-syndrome-a-review-and-upd... - [翻译此页](#)



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 41854

Manuscript Type: MINIREVIEWS

Liver involvement in the drug reaction, eosinophilia and systemic symptoms syndrome

Martinez-Cabriaes SA *et al.* DReSS syndrome and the liver

Sylvia A Martinez-Cabriaes, Neil H Shear, Emmanuel I Gonzalez-Moreno

Abstract

First described in 1996, the drug reaction, eosinophilia and systemic symptoms

Match Overview

1	Internet 54 words crawled on 07-Sep-2015 www.ncbi.nlm.nih.gov	2%
2	Crossref 44 words David Alexanian, Aleksandr Birg, Nicholas Volpicelli, Joseph Glass, Denis McCarthy. "Latent Hepatitis Virus Re...	2%
3	Crossref 42 words Lin, I-Chun, Hung-Chih Yang, Carol Strong, Che-Wen Yang, Yung-Tsu Cho, Kai-Lung Chen, and Chia-Yu Chu. "Li	2%
4	Crossref 36 words H. Uhara. "Clinical course of drug-induced hypersensitivity syndrome treated without systemic corticosteroids : DI	1%
5	Internet 29 words crawled on 27-Oct-2010 archderm.ama-assn.org	1%
6	Crossref 26 words Ammar Hassan, Robert J. Fontana. "The Diagnosis and Management of Idiosyncratic Drug-Induced Liver Injury",	1%
7	Crossref 24 words Kardaun, S.H., P. Sekula, L. Valeyrie-Allanore, Y. Liss, C. Y. Chu, D. Creamer, A. Sidoroff, L. Naldi, M. Mockenhaupt	1%
8	Crossref 20 words Tu Anh Duong, Laurence Valeyrie-Allanore, Pierre Wolkenstein, Olivier Chosidow. "Severe cutaneous adverse r	1%
9	Internet 19 words crawled on 11-Aug-2017 www.em-consulte.com	1%
10	Crossref 17 words Xiang-qing Wang, Bin Lv, Hong-fen Wang, Xu Zhang, Sheng-yuan Yu, Xu-sheng Huang, Jia-tang Zhang, Cheng-l	1%

找到约 1,280,000 条结果 (用时 0.54 秒)

Google 学术 : Liver involvement in the drug reaction, eosinophilia and systemic symptoms syndrome

... reaction with eosinophilia and systemic symptoms (... - Walsh - 被引用次数 : 231

... reaction with Eosinophilia and Systemic Symptoms (... - Criado - 被引用次数 : 179

... with systemic symptoms: does a DRESS syndrome ... - Peyriere - 被引用次数 : 262

Drug Reaction with Eosinophilia and Systemic Symptoms ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3718748/> - 翻译此页

作者 : S Choudhary - 2013 - 被引用次数 : 86 - 相关文章

Drug rash with eosinophilia and systemic symptoms syndrome is a severe idiosyncratic drug reaction with a long latency period. ... It is followed by a variety of clinical manifestations, usually fever, rash, lymphadenopathy, eosinophilia, and a wide range of mild-to-severe systemic presentations.

EVOLVING ... - PATHOGENESIS - CLINICAL FEATURES - DIAGNOSTIC CRITERIA

Drug Reaction with Eosinophilia and Systemic Symptoms ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5486066/> - 翻译此页

作者 : YT Cho - 2017 - 被引用次数 : 23 - 相关文章

2017年6月9日 - Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS): An ... responses intertwined with drug hypersensitivity make the disease more Among DRESS patients with liver injury, cholestatic type is the most ...

Drug reaction with eosinophilia and systemic symptoms ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6094901/> - 翻译此页

作者 : ML Castellazzi - 2018 - 被引用次数 : 1 - 相关文章

2018年8月15日 - Drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome in two ... elevated liver enzyme levels, and leukocytosis with eosinophilia [2]. ... involvement and the clinical course to classify DRESS syndrome as ...

Drug reaction with eosinophilia and systemic symptoms ... - UpToDate

<https://www.uptodate.com/.../drug-reaction-with-eosinophilia-and-systemic-s...> - 翻译此页

作者 : M Mockenhaupt - 相关文章

2018年11月5日 - Drug reaction with eosinophilia and systemic symptoms (DRESS) is a rare, potentially life-threatening, drug-induced hypersensitivity reaction that includes skin eruption, hematologic abnormalities (eosinophilia, atypical lymphocytosis), lymphadenopathy, and internal organ involvement (liver, kidney, lung) [1-3].