

1
Page 1 of 10

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 45294

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Quantities of comorbidities affects physical, but not mental health related quality of life in type 1 diabetes with confirmed polyneuropathy

Anne-Marie L Wegeberg, Theresa Meldgaard, Sofie Hyldahl, Poul Erik Jakobsen, Asbjørn M Drewes, Birgitte Brock, Christina Brock

Abstract

Background: A large number of adults with long-term type 1 diabetes are affected by symmetrical peripheral neuropathy. These complications increase socioeconomic expenses

Match Overview

1	Internet 36 words crawled on 05-Nov-2012 www.ullapopken.com	1%
2	Internet 33 words crawled on 12-Jul-2010 www.class.uh.edu	1%
3	Internet 33 words crawled on 27-May-2016 care.diabetesjournals.org	1%
4	Crossref 19 words "Sunday 28 August 2016", <i>European Heart Journal</i> 2016	1%
5	Internet 19 words crawled on 11-Oct-2018 www.esceo.org	1%

找到约 282,000 条结果 (用时 0.65 秒)

Comorbidity of Depression and Anxiety: Association with Poor Quality ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3735923/> - 翻译此页

作者: ACC de Ornelas Maia - 2013 - 被引用次数: 20 - 相关文章

Keywords: Anxiety, depression, **quality of life**, **type 1 and type 2 diabetes**. Go to: ... These conditions heavily impact the daily **life** of the **affected** patients **and** their families [11, 12]. ... It produces scores for four domains **related** to QoL (**physical health**, The authors **confirm** that this article content has **no** conflicts of interest.

The Comorbidity of Diabetes Mellitus and Depression - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2717744/> - 翻译此页

作者: WJ Katon - 2008 - 被引用次数: 234 - 相关文章

A worldwide survey evaluated the **effect** of depression alone or comorbid with other ... Studies have **confirmed** that patients with both **diabetes and** depression have ... Because **type 1 and type 2 diabetes** have dissimilar etiologies **and** disease courses, of medical complications, **quality of life**, **and** the cost of **healthcare**.

Type 2 diabetes and quality of life - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5394731/> - 翻译此页

作者: A Trikkalinou - 2017 - 被引用次数: 52 - 相关文章

HRQoL includes **physical and mental health** perceptions (**health** conditions, social **and** ... It is used only for **type 1 diabetes and** it is **not** validated in English[19,22]. Cerebrovascular disease **and** **neuropathy** had a negative **impact on** overall ... In other studies the coexistence of **comorbidities** resulted in lower scale scores.

Pain Severity in Diabetic Peripheral Neuropathy is Associated with ...

[https://www.jpsmjournal.com/article/S0885-3924\(05\)00392-1/pdf](https://www.jpsmjournal.com/article/S0885-3924(05)00392-1/pdf) - 翻译此页

找到约 260,000 条结果 (用时 0.62 秒)

Comorbidity of Depression and Anxiety: Association with Poor Quality ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3735923/> ▾ 翻译此页

作者 : ACC de Omelas Maia - 2013 - 被引用次数 : 20 - 相关文章

Keywords: Anxiety, depression, quality of life, type 1 and type 2 diabetes. Go to: ... These conditions heavily impact the daily life of the affected patients and their families [11, 12]. ... It produces scores for four domains related to QoL (physical health, The authors confirm that this article content has no conflicts of interest.

Type 2 diabetes and quality of life - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5394731/> - 翻译此页

作者 : A Trikkalinou - 2017 - 被引用次数 : 52 - 相关文章

HRQoL includes physical and mental health perceptions (health conditions, social and ... It is used only for type 1 diabetes and it is not validated in English[19,22], Cerebrovascular disease and neuropathy had a negative impact on overall ... In other studies the coexistence of comorbidities resulted in lower scale scores.

The Comorbidity of Diabetes Mellitus and Depression - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2717744/> ▾ 翻译此页

作者 : WJ Katon - 2008 - 被引用次数 : 234 - 相关文章

A worldwide survey evaluated the effect of depression alone or comorbid with other ... Studies have confirmed that patients with both diabetes and depression have ... Because type 1 and type 2 diabetes have dissimilar etiologies and disease courses, of medical complications, quality of life, and the cost of healthcare.

Type 1 diabetes in adults: diagnosis and management | Guidance and ...

<https://www.nice.org.uk/guidance/ng17/chapter/1-recommendations> ▾ 翻译此页

找到约 228,000 条结果 (用时 0.64 秒)

The impact of neuropathic pain and other comorbidities on the quality ...

<https://hqlo.biomedcentral.com/articles/10.1186/s12955-014-0171-7> ▾ [翻译此页](#)

作者: VD Dobrota - 2014 - 被引用次数: 34 - [相关文章](#)

2014年12月3日 - **Diabetic polyneuropathy** (DPN) is **one** of the most common ... We were interested in how neuropathic pain impairs the **quality of life** in **diabetic** patients **and** what is ... social functioning (SF), role-emotional (RE) **and mental health** (MH), ... 5 (6.3%). 0 (0.0%). **Polyneuropathy**. 0.436. No. 0 (0.0%). 0 (0.0%). 1.

Type 2 diabetes and quality of life - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5394731/> - [翻译此页](#)

作者: A Trikkalinou - 2017 - 被引用次数: 49 - [相关文章](#)

Moreover many **are** the **comorbidities** which deteriorate further the **effect** of No sooner than 1976 was the concept of QoL included in the Index Medicus[8]. ... HRQoL includes **physical and mental health** perceptions (**health** conditions, social **and** ... It is used only for **type 1 diabetes** and it is **not** validated in English[19,22].

The Comorbidity of Diabetes Mellitus and Depression - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2717744/> ▾ [翻译此页](#)

作者: WJ Katon - 2008 - 被引用次数: 229 - [相关文章](#)

Studies have **confirmed** that patients with both **diabetes** **and** depression have worse ... Because **type 1 and type 2 diabetes** have dissimilar etiologies **and** disease ... can significantly diminish **quality of life** **and** contribute to affective disturbance. x-ray, inpatient care, **and mental health**; there were **no** significant differences ...

The impact of comorbid chronic conditions on quality of life in type 2 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4706581/> ▾ [翻译此页](#)

作者: MC Adriaanse - 2016 - 被引用次数: 28 - [相关文章](#)

2015年8月13日 - **Comorbidities** can have profound **effects** on patient's ability to manage their ... **Physical and mental quality of life** was measured using the **physical** component Additional Pearson's correlations **confirmed** the negative About **one-fifth** of the **diabetes** patients reported **no** comorbid **disorder**, **and** as many ...

No consistent association between processes-of-care and health ...

<https://drc.bmj.com/content/3/1/e000042> - [翻译此页](#)

作者: A Casillas - 2015 - 被引用次数: 9 - [相关文章](#)

Purpose **Health-related quality of life** (HRQoL) is considered a ... Outcomes were the **physical/mental**