

## Match Overview

- 1** **Crossref** 37 words  
Brian I. Carr, Vito Guerra, Edoardo G. Giannini, Fabio Farin...  
et al. "Low Alpha-Fetoprotein HCC and the Role of GGTP", T 1%
- 2** **Internet** 22 words  
crawled on 09-Sep-2020  
cox2-inhibitors.com 1%
- 3** **Crossref** 13 words  
"AASLD Abstracts", Hepatology, 2012. <1%

**Name of Journal:** *World Journal of Gastrointestinal Surgery*

**Manuscript NO:** 58470

**Manuscript Type:** ORIGINAL ARTICLE

*Clinical Trials Study*

**Liver Transplant for Larger Hepatocellular Carcinoma in Malatya: The Role of Gamma Glutamyl Transferase and Alpha-fetoprotein, A Retrospective Cohort Study**

The Role of GGT and AFP for advanced HCC

**Abstract**

**BACKGROUND**

There is increasing interest in transplanting patients with hepatocellular carcinoma (HCC) with tumors greater than 5cm (Milan criteria).

**AIM**

To investigate possible prognostically-useful factors for transplanting HCC patients



Liver Transplant for Larger Hepatocellular Carcinoma in Malatya: Tr



ALL

IMAGES

VIDEOS

10,500 Results

Any time ▼

## Liver Transplantation for Hepatocellular Carcinoma ...

[https://www.researchgate.net/publication/342106836\\_Liver\\_Transplantation\\_for...](https://www.researchgate.net/publication/342106836_Liver_Transplantation_for...)

The role of orthotopic **liver** transplantation in the treatment of patients with cirrhosis and **hepatocellular carcinoma** is controversial, and determining which patients are likely to have a good ...

## Elevated Preoperative Serum Gamma-glutamyltranspeptidase ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4933871>

**Hepatocellular carcinoma** (HCC) is the fifth-most common cancer and the second leading cause of cancer-related death worldwide, with an estimated global incidence of 782,000 new cases and nearly 746,000 deaths in 2012 1. **Liver** transplantation (LT) has been considered as an optimal radical therapy for selected patients with HCC, especially since the introduction of the Milan criteria in 1996 2.

Cited by: 13

Author: Shun Jun Fu, Qiang Zhao, Fei Ji, Mao Gen ...

Publish Year: 2016

## Gamma glutamyl transpeptidase as a prognostic biomarker in ...

<https://journals.sagepub.com/doi/full/10.1177/1724600820921869>

Hepatoma-associated **gamma-glutamyl** transpeptidase (GGT) was originally purified from a Morris hepatoma, 1 –4 with reduced glutathione being its best substrate. GGT isoenzyme II or GGT-II was found to be present in 87% of HCC patients, compared with **alpha-fetoprotein** (AFP) in only 54.5%. 5 GGT-II was also found to be elevated in the serum of patients with small size **hepatocellular** carcinomas ...

Cited by: 2

Author: Volkan Ince, Brian I. Carr, Harika Gozukara ...

Publish Year: 2020

## Risk factors for early death due to recurrence after liver ...

<https://onlinelibrary.wiley.com/doi/10.1002/iso.10284>



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

10,500 Results

Any time ▼

### [Liver Transplantation for Hepatocellular Carcinoma ...](https://www.researchgate.net/publication/342106836_Liver_Transplantation_for...)

[https://www.researchgate.net/publication/342106836\\_Liver\\_Transplantation\\_for...](https://www.researchgate.net/publication/342106836_Liver_Transplantation_for...)

The role of orthotopic liver transplantation in the treatment of patients with cirrhosis and hepatocellular carcinoma is controversial, and determining which patients are likely to have a good ...

### [Gamma glutamyl transpeptidase as a prognostic biomarker in ...](https://journals.sagepub.com/doi/full/10.1177/1724600820921869)

<https://journals.sagepub.com/doi/full/10.1177/1724600820921869>

Hepatoma-associated gamma-glutamyl transpeptidase (GGT) was originally purified from a Morris hepatoma, 1 –4 with reduced glutathione being its best substrate. GGT isoenzyme II or GGT-II was found to be present in 87% of HCC patients, compared with alpha-fetoprotein (AFP) in only 54.5%. 5 GGT-II was also found to be elevated in the serum of patients with small size hepatocellular carcinomas ...

Cited by: 2

Author: Volkan Ince, Brian I. Carr, Harika Gozukara ...

Publish Year: 2020

### [Elevated Preoperative Serum Gamma-glutamyltranspeptidase ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4933871)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4933871>

Hepatocellular carcinoma (HCC) is the fifth-most common cancer and the second leading cause of cancer-related death worldwide, with an estimated global incidence of 782,000 new cases and nearly 746,000 deaths in 2012 1. Liver transplantation (LT) has been considered as an optimal radical therapy for selected patients with HCC, especially since the introduction of the Milan criteria in 1996 2.

Cited by: 13

Author: Shun Jun Fu, Qiang Zhao, Fei Ji, Mao Gen ...

Publish Year: 2016

### [\(PDF\) Gamma glutamyl transpeptidase as a prognostic ...](https://www.researchgate.net/publication/341563137...)

<https://www.researchgate.net/publication/341563137...>

Background: Liver function is an important prognostic factor for patients with hepatocellular carcinoma. The purpose of this study was to develop and validate a nomogram integrating the albumin ...

### [Low alpha-fetoprotein hepatocellular carcinoma - Carr ...](https://onlinelibrary.wiley.com/doi/10.1111/j.1440-1746.2010.06303.x)

<https://onlinelibrary.wiley.com/doi/10.1111/j.1440-1746.2010.06303.x>

Aug 24, 2010 · Most hepatocellular carcinoma (HCC) arises on the basis of chronic hepatitis or cirrhosis