

Cutaneous Leishmaniasis in Louisiana. One-year follow-up. Case F



ALL

IMAGES

VIDEOS

13,000 Results

Any time ▾

Cutaneous Leishmaniasis Due to Leishmania infantum: Case ...

<https://jamanetwork.com/journals/jamadermatology/article-abstract/188827> ▾

Feb 01, 1998 · MOST CASES of **cutaneous leishmaniasis** (CL) in the Mediterranean Basin are caused by 2 Leishmania species: Leishmania major and Leishmania tropica. 1 Leishmania infantum, the causative agent of visceral **leishmaniasis** (VL), was considered to cause only systemic disease. In 1980, Rioux et al 2 identified L infantum in 2 patients with CL. The responsibility of L infantum ...

Cited by: 104

Author: Pascal del Giudice, Pierre Marty, Jean P...

Publish Year: 1998

Cutaneous leishmaniasis: successful treatment with ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-4632.2004.02429.x>

Jul 22, 2004 · Felipe Francisco Tuon, Valdir Sabbaga Amato, Maria Esther Graf, Andre Machado Siqueira, Antonio Carlos Nicodemo, Vicente Amato Neto, Treatment of New World **cutaneous leishmaniasis** – a systematic **review** with a meta-analysis, International Journal of Dermatology, 10.1111/j.1365-4632.2008.03417.x, 47, 2, (109-124), (2008).

Cited by: 27

Author: Javier Consigli, Cristian Danielo, Veróni...

Publish Year: 2006

Leishmaniasis - The Lancet

[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(18\)31204-2/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(18)31204-2/fulltext)

Leishmaniasis is a poverty-related disease with two main clinical forms: visceral **leishmaniasis** and **cutaneous leishmaniasis**. An estimated 0.7–1 million new cases of **leishmaniasis** per year are reported from nearly 100 endemic countries. The number of reported visceral **leishmaniasis** cases has decreased substantially in the past decade as a result of better access to diagnosis and ...

(PDF) Leishmaniasis: A review

https://www.researchgate.net/publication/317263468_Leishmaniasis_A_review

May 26, 2017 · other hand, the cases of **cutaneous** disseminated **leishmaniasis** have been

Name of Journal: *World Journal of Clinical Infectious Diseases*

Manuscript NO: 58805

Manuscript Type: CASE REPORT

Cutaneous Leishmaniasis in Louisiana. One-year follow-up. A Case Report

Ashaur Azhar, Hillary E Connell, Christopher Haas, Jelena Surla, Devin Reed, Sanjay Kamboj, Gordon L Love, Yussef Bennani

Match Overview

1	Crossref 50 words Adrian Rodriguez-Carlos, Fidel Martinez-Gutierrez, Flor Torres-Juarez, Bruno Rivas-Santiago. "Antimicrobial Peptides-	2%
2	Internet 22 words crawled on 27-Sep-2020 www.intechopen.com	1%
3	Internet 14 words crawled on 07-Aug-2020 mafiadoc.com	1%
4	Crossref 14 words Camilla Barros Meireles, Lais Chaves Maia, Gustavo Coelho Soares, Ilara Parente Pinheiro Teodoro et al. "Atypical ...	1%
5	Crossref 13 words "Metronidazole and Vancomycin: Equivalence of Initial Efficacy in CDAD", <i>The American Journal of Gastroenterology</i> ,	1%
6	Internet 13 words crawled on 09-Nov-2012	1%

Cutaneous Leishmaniasis in Louisiana. One-year follow-up. A Case F



ALL

IMAGES

VIDEOS

115,000 Results

Any time ▾

[PDF] [Louisiana Morbidity Report - Louisiana Department of ...](#)

<https://ldh.la.gov/assets/oph/Center-PHCH/Center...>

As in the 2 cases presented previously, the species was found to be *L. panamensis*. Prior to these 3 cases in 2015, the only confirmed case of leishmaniasis in Louisiana was reported in the spring of 2012. The case was a 27-year-old male who presented with a skin lesion on his left temple. Final diagnosis of cutaneous leishmani-

[A case report of cutaneous leishmaniasis: a misleading ...](#)

<https://www.researchgate.net/publication/344097401...>

Sep 02, 2020 · Leishmaniasis is a poverty-related disease with two main clinical forms: visceral leishmaniasis and cutaneous leishmaniasis. An estimated 0.7-1 million new cases of leishmaniasis

[A prospective cohort study of Cutaneous Leishmaniasis due ...](#)

<https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0008550> ▾

Aug 25, 2020 · Cutaneous Leishmaniasis cases (symptomatic infection) Among the 2093 subjects who completed the clinical follow up for active case detection during one year, we identified 60 incident CL cases (new foci: 53 of 1688: 3.1%; old focus: 7 of 405: 1.7%). If one considers the 1730 subjects who

Cutaneous Leishmaniasis in Louisiana - one-year follow-up: A case repor



Sign in

ALL

IMAGES

VIDEOS

14,700 Results

Any time ▾

 [PDF] Louisiana Morbidity Report - Louisiana Department of ...<https://ldh.la.gov/assets/oph/Center-PHCH/Center...>

As in the 2 cases presented previously, the species was found to be *L. panamensis*. Prior to these 3 cases in 2015, the only confirmed case of leishmaniasis in Louisiana was reported in the spring of 2012. The case was a 27-year-old male who presented with a skin lesion on his left temple. Final diagnosis of cutaneous leishmani-

 A case report of cutaneous leishmaniasis: a misleading ...<https://www.researchgate.net/publication/344097401...>

Sep 02, 2020 · Leishmaniasis is a poverty-related disease with two main clinical forms: visceral leishmaniasis and cutaneous leishmaniasis. An estimated 0.7-1 million new cases of leishmaniasis ...

 A prospective cohort study of Cutaneous Leishmaniasis ...

Search Tools

Turn off Hover Translation (关闭取