

8

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 59582

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Pretreatment with intestinal trefoil factor alleviates stress-induced gastric mucosal damage *via* Akt signaling

Huang Y *et al.* ITF alleviates gastric mucosal damage

Yun Huang, Meng-Meng Wang, Zhi-Zhou Yang, Yi Ren, Wei Zhang, Zhao-Rui Sun, Shi-Nan Nie

Match Overview

1	Internet 208 words crawled on 05-Oct-2019 f6publishing.blob.core.windows.net	4%
2	Internet 80 words crawled on 15-Feb-2020 www.wjgnet.com	1%
3	Internet 28 words crawled on 23-Dec-2016 spandidos-publications.com	1%
4	Internet 18 words crawled on 15-Feb-2020 www.labome.org	<1%
5	Internet 16 words crawled on 06-Oct-2020 www.nature.com	<1%
6	Crossref 15 words Yan Shi, Chao Wang, Dan Wu, Yuanjiao Zhu, Zi-En Wang, ...	<1%

Pretreatment with intestinal trefoil factor alleviates stress-induced



ALL

IMAGES

VIDEOS

61,800 Results

Any time ▼

Intestinal trefoil factor activates the PI3K/Akt signaling ...

<https://www.spandidos-publications.com/10.3892/ijo.2014.2527> ▼

Jun 27, 2014 · **Intestinal trefoil factor** (ITF, also named as **trefoil factor 3**, TFF3) is a member of the TFF-domain peptide family, which plays an essential role in the regulation of cell survival, cell migration and maintains **mucosal** epithelial integrity in the gastrointestinal tract.

Cited by: 30

Author: Zhaorui Sun, Hongmei Liu, Zhizhou Yan...

Publish Year: 2014

Intestinal Trefoil Factor 3 Alleviates the Intestinal ...

<https://www.sciencedirect.com/science/article/pii/S0188440918308531>

Jan 01, 2019 · **Intestinal trefoil factor 3** (TFF3), which is primarily synthesized and secreted by **intestinal mucosa** goblet cells, is an important **mucosal** protective **factor**. TFF3 usually act in a cooperative manner with Muc2, which is the major protein component of a mucus gel, to protect the **intestinal mucosa** 7, 8.

Author: Yingchun Wang, Kai Liang, Weizong ...

Publish Year: 2019

Trefoil factors: initiators of mucosal healing | Nature ...

<https://www.nature.com/articles/nrm1203>

Sep 01, 2003 · Chinery, R. & Playford, R. J. Combined **intestinal trefoil factor** and epidermal growth **factor** is prophylactic against indomethacin-induced **gastric damage** in the rat. Clin. Sci. 88 , 401–403 (1995).

Cited by: 699

Author: Douglas Taupin, Daniel K. Podolsky

Publish Year: 2003

(PDF) Trefoil factors: initiators of mucosal healing

https://www.researchgate.net/.../285960455_Trefoil_factors_initiators_of_mucosal_healing

Trefoil factor family 2 (TFF2), a member of secreted peptides, is also expressed in **gastric mucosa** and triggers cell migration **signaling** to promote epithelial repair [14, 15]. It has been

Pretreatment with intestinal trefoil factor alleviates stress-induced g



ALL

IMAGES

VIDEOS

60,100 Results

Any time ▾

[Intestinal Trefoil Factor 3 Alleviates the Intestinal ...](#)

<https://www.sciencedirect.com/science/article/pii/S0188440918308531>

Jan 01, 2019 - **Intestinal trefoil factor 3** (TFF3), which is primarily synthesized and secreted by **intestinal mucosa** goblet cells, is an important **mucosal** protective **factor**. TFF3 usually act in a cooperative manner with Muc2, which is the major protein component of a mucus gel, to protect the **intestinal mucosa** 7, 8.

Author: Yingchun Wang, Kai Liang, Weizong ... **Publish Year:** 2019

[Intestinal trefoil factor activates the PI3K/Akt signaling ...](#)

<https://www.spandidos-publications.com/10.3892/ijo.2014.2527> ▾

Jun 27, 2014 - **Intestinal trefoil factor** (ITF, also named as **trefoil factor 3**, TFF3) is a member of the TFF-domain peptide family, which plays an essential role in the regulation of cell survival, cell migration and maintains **mucosal** epithelial integrity in the gastrointestinal tract.

Cited by: 31 **Author:** Zhaorui Sun, Hongmei Liu, Zhizhou Yang...

Publish Year: 2014

[Intestinal trefoil factor confers colonic epithelial ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC15411>

Jan 18, 2000 - The **trefoil** peptide family, comprising the **intestinal** peptide ITF and the **gastric** peptides SP and pS2, play a critical role in epithelial restitution within the mammalian gastrointestinal tract. These small (7- 12-kDa) protease-resistant proteins are abundantly secreted onto the **mucosal** surface by specialized mucus-secreting cells of the gut.

[Role of TFF in healing of stress-induced gastric lesions](#)

<https://www.researchgate.net/publication/10614091...>

Search

Turn off Ho

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

60,300 Results

Any time ▼

[Intestinal Trefoil Factor 3 Alleviates the Intestinal ...](#)

<https://www.sciencedirect.com/science/article/pii/S0188440918308531>

Jan 01, 2019 · **Intestinal trefoil factor 3** (TFF3), which is primarily synthesized and secreted by **intestinal mucosa** goblet cells, is an important **mucosal** protective **factor**. TFF3 usually act in a cooperative mann...

Author: Yingchun Wang, Kai Liang, Weizong Kong **Publish Year:** 2019

[Intestinal trefoil factor activates the PI3K/Akt signaling ...](#)

<https://www.spandidos-publications.com/10.3892/ijo.2014.2527> ▼

Jun 27, 2014 · **Intestinal trefoil factor** (ITF, also named as **trefoil factor 3**, TFF3) is a member of the TFF-domain peptide family, which plays an essential role in the regulation of cell survival, cell migration and...

Cited by: 31 **Author:** Zhaorui Sun, Hongmei Liu, Zhizhou Yang, D...

Publish Year: 2014

[Intestinal trefoil factor confers colonic epithelial ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC15411>

Jan 18, 2000 · The **trefoil** peptide family, comprising the **intestinal** peptide ITF and the **gastric** peptides SP and pS2, play a critical role in epithelial restitution within the mammalian gastrointestinal tract. These...

[Role of TFF in healing of stress-induced gastric lesions](#)

<https://www.researchgate.net/publication/10614091...>

Using a model of rat **gastric** ulcer to check the changes of **trefoil factor** family 2 (TFF2) and epidermal growth **factor** (EGF) in **gastric mucosa** during healing of experimental **gastric** ulcer.

[\(PDF\) Trefoil factors: initiators of mucosal healing](#)

<https://www.researchgate.net/publication/285960455...>

Trefoil factor family 2 (TFF2), a member of secreted peptides, is also expressed in **gastric mucosa** and triggers cell migration **signaling** to promote epithelial repair [14, 15]. It has been ...

[\(PDF\) Effect of moxa-burning heat stimulating Liangmen \(ST ...](#)

<https://www.researchgate.net/publication/303906477...>