

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 60715

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Combination of preoperative fibrinogen and D-dimer as a prognostic indicator ³⁹
pancreatic ductal adenocarcinoma patients undergoing R0 resection ⁱⁿ

Zhang LP ^{et al.} Prognostic indicator and PDAC

Li-Peng Zhang, Hu Ren, Yong-Xing Du, Xiao-Hao Zheng, Zong-Ming Zhang, Cheng-Feng Wang

Abstract

BACKGROUND

Patients with malignant tumors frequently exhibit hyperactivation of the coagulation system and secondary increased fibrinolytic activity. Fibrinogen and D-dimer are

Match Overview

1	Crossref 125 words Tomoki Shirota, Hidenori Ojima, Nobuyoshi Hiraoka, Kazuaki Shimada et al. "Heat Shock Protein 90 Is a Potential ...	2%
2	Internet 120 words crawled on 09-Nov-2018 wcllc2016.iaslc.org	2%
3	Internet 118 words crawled on 10-Apr-2020 www.researchsquare.com	2%
4	Internet 90 words crawled on 26-Sep-2020 pesquisa.bvsalud.org	2%
5	Crossref 78 words Hua-Xia Cai, Xu-Qi Li, Shu-Feng Wang. "Prognostic value of fibrinogen and D-dimer-fibrinogen ratio in resectable ...	2%
6	Crossref 68 words "Abstracts of Papers Submitted to the Joint 50th Anniversary Meeting of the American Pancreatic Association and ...	1%
7	Crossref 60 words "8th Annual Meeting of Chinese College of Surgeons and 19th Annual Meeting of the European Society of Surgery",	1%
8	Crossref 46 words Qichen Chen, Yiling Zheng, Hong Zhao, Jianqiang Cai et al. "The combination of preoperative D-dimer and CA19-9	1%



ALL

IMAGES

VIDEOS

9,990 Results

Any time ▾

Prognostic significance of preoperative fibrinogen in ...

https://www.researchgate.net/publication/263934036_Prognostic_significance_of...

Aim: To investigate the **prognostic significance of preoperative fibrinogen** levels in colon cancer **patients**.

Methods: A total of 255 colon cancer **patients** treated at the Affiliated Tumor Hospital ...

Prognostic value of preoperative D-dimer and ...

<https://www.researchgate.net/publication/264985754...>

Recently Clouston et al. [27] have suggested that pre- [28] evaluated the **prognostic value of preoperative**

D-dimer levels in **patients** with colorectal cancer. 166 CRC **patients**, who **undergoing** ...

Clinical and prognostic significance of preoperative ...

<https://paperity.org/p/56813764/clinical-and...> ▾

Clinical **Significance of Preoperative** Thrombin Time in **Patients** with Esophageal Squamous Cell Carcinoma following Surgical **Resection**. Serum **fibrinogen** levels are positively correlated with advanced tumor stage... Serum **fibrinogen** levels are positively correlated with advanced tumor stage and poor survival in **patients** with gastric cancer ...

Cited by: 70

Author: Yi-Jun Shu, Hao Weng, Run-Fa Bao, Xiang-S...

Publish Year: 2014

Search Tools

Turn on Hover Translation (开启取词)

激活 Windows

转到“设置”以激活 Windows。

Prognostic Significance of Combination of Preoperative ...
europepmc.org/articles/PMC4423976
Dec 01, 2014 · Results. A total of 1238 NSCLC **patients** were enrolled in this analysis. Multivariate analysis using the 15 clinicolaboratory variables selected by univariate analyses demonstrated that the **preoperative** COP-NLR was an independent **prognostic** factor for DFS (HR: 1.834, 95%CI: 1.536 to 2.200, P<0.001) and OS (HR: 1.810, 95%CI: 1.587 to 2.056, P<0.001).In sub-analyses by tumor stage (I, II, IIIA ...

Prognostic Significance of Combination of Preoperative ...
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4423976
Introduction. The aim of this study was to investigate the **prognostic** significance of the **combination** of the **preoperative** platelet count and neutrophil-lymphocyte ratio (COP-NLR) for predicting postoperative survival of **patients undergoing** complete **resection** for non-small cell lung cancer (NSCLC).
Cited by: 77 Author: Hua Zhang, Lianmin Zhang, Kaikai Zhu, Bo...
Publish Year: 2015

Preoperative plasma D-dimer predicts 1-year survival in ...
https://www.researchgate.net/publication/230695765...
This retrospective study was conducted to evaluate the **prognostic** significance of the **preoperative** plasma **D-dimer** levels and platelet counts in **patients** with **pancreatic adenocarcinoma**.

High Preoperative Plasma D-dimer Level is Associated with ...
https://www.researchgate.net/publication/30947069...
Several researches reported that **preoperative** plasma **D-dimer** level (PDL) was an independent **prognostic** factor in **patients** with completely resected nonsmall cell lung cancer (NSCLC) (5)(6)(7), and ...

Circulating D-dimer levels are better predictors of ...
https://acsjournals.onlinelibrary.wiley.com/doi/10.1002/cncr.20336
May 28, 2004 · Ehsan Motavaf, Kåre Gotschalck Sunesen, Mogens Tornby Stender, Ole Thorlacius-Ussing, **Prognostic** value of **preoperative d-dimer** and carcinoembryonic antigen levels in **patients undergoing** intended curative **resection** for colorectal cancer: a prospective cohort study, International Journal of Colorectal Disease, 10.1007/s00384-014-2000-1, 29, 11 ...
Cited by: 146 Author: Kimberly Blackwell, Herbert Hurwitz, Grazy...
Publish Year: 2004

Prognostic Significance of Combination of Preoperative ...
https://paperity.org/p/61852221/**prognostic**...
May **Prognostic** Significance of **Combination of Preoperative** Platelet Count and Neutrophil- Lymphocyte Ratio (COP-NLR) in **Patients** with Non-Small Cell Lung Cancer: Based on a Large Cohort Study Hua Zhang 0 1 Lianmin Zhang 0 1 Kaikai Zhu 0 1 Bowen Shi 0 1 Yuesong Yin 0 1 Jinfang Zhu 0 1 Dongsheng Yue 0 1 Bin Zhang 0 1 Changli Wang 0 1 0 Academic Editor: Prasad S. Adusumilli, Memorial Sloan ...

Clinical and Prognostic Significance of Coagulation Assays ...
https://www.researchgate.net/publication/259629921_Clinical_and_**Prognostic**...
CA19-9, **D-dimer**, TNM stage, differentiation grade and A20 were independent **prognostic** markers for **patients** sufferingfrom **pancreatic ductal adenocarcinoma** by univariate and COX multivariate analyses.

The Preoperative Neutrophil-Lymphocyte Ratio Predicts ...
https://www.researchgate.net/publication/262692324...
Aim: To evaluate the **prognostic** value **of preoperative** to postoperative neutrophil-to-lymphocyte ratio changes (ΔNLR) in **patients undergoing** surgical **resection** for colorectal cancer.

EJSO | European Journal of Surgical Oncology | Vol 44 ...
https://www.sciencedirect.com/journal/european...
Irreversible Electroporation in **pancreatic ductal adenocarcinoma**: Is there a role in conjunction with conventional treatment? ... Mairéad G. McNamara. Pages 1486-1493 Download PDF. Article preview. select article Clinical significance of plasma **D-dimer** and **fibrinogen** in digestive cancer: A systematic review and meta-analysis ... select article ...

Xiaowei Sun's research works | Sun Yat-Sen University ...
https://www.researchgate.net/scientific-contributions/Xiaowei-Sun-68788483
Impact of **preoperative** anemia on outcomes in **patients undergoing** curative **resection** for gastric cancer: A single-institution retrospective analysis of 2163 Chinese **patients** Article Full-text available

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

144 Results

Any time ▾

Open links in new tab



Preoperative plasma D-dimer predicts 1-year survival in ...

<https://www.researchgate.net/publication/230695765...>

This retrospective study was conducted to evaluate the **prognostic** significance of the **preoperative** plasma **D-dimer** levels and platelet counts in **patients** with **pancreatic**...

Preoperative Platelet Count and Survival Prognosis in ...

<https://www.researchgate.net/publication/5628262...>

Similarly, Dominguez et al 22 reported the **prognostic** significance of the platelet count based on an analysis of operable 205 **patients** with **pancreatic ductal adenocarcinoma**...

Optimization of the systemic inflammation-based Glasgow ...

<https://www.researchgate.net/publication/236192484...>

The **preoperative** CRP/Alb ratio, a system inflammation-based **prognostic** score, is a superior predictor of OS in **patients undergoing** curative **resection** for ...

Serum biomarker panels for the diagnosis of gastric ...

<https://www.researchgate.net/publication/221743563...>

The **patients** with serum transthyretin levels of <22.8 mg/dL showed poorer **prognosis** than those with levels of ≥22.8 mg/dL (P = 0.033); therefore, serum transthyretin level was an independent ...

Is Hypoalbuminemia an Independent Prognostic Factor in ...

<https://www.researchgate.net/publication/45093178...>

Conclusions: The **preoperative prognostic** nutritional index predicts severe complications, recurrence, and poor **prognosis** in **patients** with colorectal cancer who are **undergoing** primary...

Posters - 2019 - Journal of Digestive Diseases - Wiley ...

<https://onlinelibrary.wiley.com/doi/10.1111/1751-2980.12808>

En bloc **resection** was achieved in 98.2% (54/55) of the cases while **R0 resection** was achieved in 92.7% (51/55). Curative **resection** was achieved in 78.2% (43/55) of the cases. Fourteen **patient**...

Abstract, HPB | 10.1080/13651820701867935 | DeepDyve

<https://www.deepdyve.com/lp/10.1080/13651820701867935>