

Peroral Endoscopic Myotomy (POEM) | Johns Hopkins ...

<https://www.hopkinsmedicine.org/gastroenterology...> ▾

Your doctor will pass the endoscope through your mouth and into the esophagus where the therapy will be applied. Your doctor observes the images on a nearby monitor. There won't be any incisions or cuts outside your gastrointestinal tract. An initial incision will ...

Per-Oral Endoscopic Myotomy - Full Text View ...

<https://clinicaltrials.gov/ct2/show/NCT01402518> ▾

Jul 26, 2011 - This is a prospective chart review/data collection study of the per oral endoscopic myotomy (POEM) procedure, that will include questionnaires administered throughout the study. Subjects enrolled will be those intending to have a POEM procedure. Data will be collected and reviewed through 12 months post-op.

PEOPLE ALSO ASK

What is Peroral Endoscopic Myotomy? ▾

How is a Heller myotomy performed? ▾

Is Botox good for pneumatic dilation? ▾

[Feedback](#)

Achalasia

<https://myhealth.ucsd.edu/Conditions/Bariatric/134,167> ▾

Surgery may be done to open your LES. This is called myotomy. During myotomy, the muscles of the LES are cut. This procedure can be done using a minimally-invasive approach called laparoscopy. A few small cuts (incisions) are made. A thin, lighted tube called a laparoscope is used.

Gastric peroral endoscopic myotomy for the treatment of ...

<https://www.sciencedirect.com/science/article/pii/S0016510720351099>

Dec 26, 2020 - Journal Pre-proof Gastric peroral endoscopic myotomy for the treatment of refractory gastroparesis: a prospective single-center experience with mid-term follow-up Lennon Gregor, BS, John Wo, MD, John DeWitt, MD, Brandon Yim, MD, Robert Siwec, MD, Thomas Nowak, MD, Martha Anita Gupta, MS, Destene Dickason, RN, Sarah Stainko, RN, Mohammad Al-Haddad, MD



ALL

IMAGES

VIDEOS

51,800 Results

Any time ▾

Peroral Endoscopic Myotomy (POEM) | Johns Hopkins Division ...

<https://www.hopkinsmedicine.org/gastroenterology...> ▾

Your doctor will pass the **endoscope** through your mouth and into the esophagus where the therapy will be applied. Your doctor observes the images on a nearby monitor. There won't be any incisions or cuts outside your gastrointestinal tract. An initial incision will be made in the internal lining of the esophagus.

EXPLORE FURTHER

POEM (Peroral Endoscopic Myotomy) - Cleveland Clinicmy.clevelandclinic.org**G-POEM Procedure** | Gastroparesis Treatment | IU Healthiuhealth.org**Per Oral Endoscopic Myotomy**www.massgeneral.org**Gastric Peroral Endoscopic Myotomy for Gastroparesis ...**www.gastroenterologyandhepatology.net**Per-oral endoscopic myotomy** - Wikipediaen.wikipedia.org

Recommended to you based on what's popular • Feedback

Achalasia - Diagnosis and treatment - Mayo Clinic

<https://www.mayoclinic.org/diseases-conditions/...> ▾

Diagnosis

Treatment

Clinical Trials

Achalasia can be overlooked or misdiagnosed because it has symptoms similar to other digestive disorders. To test for achalasia, your doctor is likely to recommend: 1. Esophageal manometry. This test measures the rhythmic muscle contractions in your esophagus when you swallow, the coordination and force exerted by the esophagus muscles, and how well your lower esophageal sphincter relaxes or opens during a swallow. 2. X-rays of your upper digestive system. X-rays are taken after you drink a c...

[See more on mayoclinic.org](http://www.mayoclinic.org)

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 61249

Manuscript Type: CASE REPORT

Peroral endoscopic myotomy in a pregnant woman diagnosed with mitochondrial disease

POEM in a pregnant woman with mitochondrial disease

Abstract

BACKGROUND

Achalasia is a primary esophageal motility disease characterized by impairment of normal esophageal peristalsis and absence of relaxation of the lower esophageal sphincter. Sometimes it can be a part of some genetic disorders. One of the causes of gastrointestinal (GI) motility disorders, including achalasia, is mitochondrial defects

CASE SUMMARY

We report about a pregnant woman with a history of symptoms associated with

Match Overview

1 Internet 15 words
crawled on 02-Dec-2017
www.dovepress.com

1%

国内版 国际版

Peroral endoscopic myotomy in a pregnant woman diagnosed with



ALL IMAGES VIDEOS

45,400 Results Any time ▾

Achalasia - Diagnosis and treatment - Mayo Clinic

<https://www.mayoclinic.org/diseases-conditions/...> ▾

Diagnosis

Treatment

Clinical Trials

Achalasia can be overlooked or misdiagnosed because it has symptoms similar to other digestive disorders. To test for achalasia, your doctor is likely to recommend: 1. **Esophageal manometry**. This test **measures** the rhythmic muscle contractions in your esophagus when you swallow, the coordination and force exerted by the esophagus muscles, and how well your lower esophageal sphincter relaxes or opens during a swallow. 2. X-rays of your upper digestive system. X-rays are taken after you drink a c...

[See more on mayoclinic.org](#)

Published: Oct 21, 2020

EXPLORE FURTHER

Achalasia: Causes, Symptoms, and Diagnosis

www.healthline.com

Diagnosing **Achalasia** in Adults | NYU Langone Health

nyulangone.org

POEM | **Achalasia** Treatment | What to Expect | IU Health

iuhealth.org

Esophageal Manometry Test: Uses, Side Effects, Procedure ...

www.verywellhealth.com

POEM (Peroral Endoscopic Myotomy) - Cleveland Clinic

my.clevelandclinic.org

Recommended to you based on what's popular • Feedback

Gallbladder carcinoma in a pregnant patient with Crohn's ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3613768>

Feb 15, 2013 · Primary gallbladder (GB) carcinoma and Crohn's disease (CD) of the GB are individually rare. We present a case of a pregnant woman with CD found to have GB involvement and primary GB carcinoma. A 34-year-old female at 6 wk gestation with a 21 year history of CD of uncertain extent presented with 3 mo of diarrhea, urgency and abdominal pain.

Cited by: 3

Author: Shada Attrapsi, Rima M Shobar, Ihab La...

Publish Year: 2013

Public Appeal Search | Department of Financial Services

<https://www.dfs.ny.gov/public-appeal/search...> ▾

6) Inoue H, Sato H, Ikeda H, et al. Peroral endoscopic myotomy: a series of 500 patients. J Am Coll