

Match Overview

1	Internet 34 words crawled on 24-Dec-2019 link.springer.com	2%
2	Internet 31 words crawled on 26-Nov-2020 www.ncbi.nlm.nih.gov	2%
3	Internet 14 words crawled on 26-Oct-2020 www.thieme-connect.com	1%
4	Internet 14 words crawled on 05-Nov-2014 120.29.185.90	1%
5	Internet 11 words crawled on 06-Mar-2014 library.nymc.edu	1%
6	Crossref 10 words Volker Diehl. "Treatment of Hodgkin lymphoma: the past, present, and future", <i>Nature Clinical Practice Oncology</i> , 0	1%
7	Internet 9 words crawled on 29-Jun-2020 www.acc.org	<1%
8	Internet 8 words crawled on 06-Feb-2012 content.onlinejacc.org	<1%

Name of Journal: *World Journal of Clinical Oncology*

Manuscript NO: 61721

Manuscript Type: OPINION REVIEW

Cardiovascular risk management in cancer survivors: Are we doing it right?

Mohammed T *et al.* CVD risk management in cancer survivors

Turab Mohammed, Tarang Parekh, Aakash Desai

Abstract

Although under recognized, cancer survivors continue to be at an increased risk of death from cardiovascular complications post remission or cure. This increased burden of cardiovascular disease results from the interplay of various factors. Adequate cardiovascular risk assessment and timely intervention through a multi-disciplinary approach in these patients plays a pivotal role in the prevention of cardiovascular morbidity and mortality. We discuss the shortcomings of using current risk prediction

Cancer survivorship: Cardiovascular and respiratory issues ...

<https://www.uptodate.com/contents/cancer...>
Feb 18, 2020 · Cancer survivors with cardiovascular risk factors have a higher risk of cardiovascular disease, and those who develop cardiovascular disease have worse survival . Management recommendations for cancer therapy-induced hypertension — The available medications to treat HTN are described in the Joint National Committee (JNC) guidelines [53].

Breast cancer and heart disease: Emerging cardio-oncology ...

<https://www.cbsnews.com/news/breast-cancer-and...> ▾
Oct 30, 2019 · More than 3.8 million breast cancer survivors live in the United States, and in about 10% of breast cancer patients, chemotherapy and radiation can damage the heart.

PEOPLE ALSO ASK

Can cancer medications pose cardiovascular risks?

Can cancer patients die from heart disease?

What is cardio oncology?

Is cancer dangerous?

Feedback

Keeping those at highest risk of COVID-19 safe during ...

<https://newsnetwork.mayoclinic.org/discussion/...> ▾
Nov 05, 2020 · Hypertension, cardiovascular disease, diabetes and cancer are among the conditions that put certain people into a high-risk category for developing more severe COVID-19 illness. Patients with both cardiovascular disease and cancer may be at significantly increased risk of experiencing worse outcomes related to COVID-19 infection.

How Cancer Treatment and Heart Disease Are Connected

<https://healthblog.uofmhealth.org/heart-health/how...> ▾
Feb 20, 2019 · Which is why cancer patients with existing cardiovascular risk factors face an even greater risk of heart attack, stroke or arrhythmia due to the side effects of a given medication. Preventive strategies include a healthy diet, gentle exercise, and quitting smoking — a vice that Hayek says is “the strongest shared risk factor between cancer ...

Cancer patients are at higher risk of dying from heart ...

<https://www.escardio.org/The-ESC/Press-Office/...> ▾
Nov 25, 2019 · Among the deaths from CVD, 76% were due to heart disease, and the risk of dying from CVD was highest in the first year after a cancer diagnosis and among patients younger than 35 years. The majority of CVD deaths occurred in patients with cancers of the breast (a total of 60,409 patients) and prostate (84,534 patients), as these are among the

Research leads to smarter medicine for cancer survivors ...

<https://ataglance.kp.org/our-story/health-research/...> ▾
Decades ago, when people heard the word “cancer,” it sounded like a death sentence. Today, that’s not the case. People not only survive cancer, they thrive.

Coping With Cancer During the COVID-19 Pandemic

<https://www.webmd.com/lung/news/20200324/coping...> ▾
Mar 24, 2020 · “Patients with cancer are at a higher risk, especially if treatment is active or recent. It’s hard to give a one-size-fits-all answer, but the closer you are to treatment, the more impact,” said ...

WHO/Europe | New WHO report: population-based screening ...

<https://www.euro.who.int/en/health-topics/non...> ▾
1 day ago · Population-level screening for cardiovascular disease (CVD) risk factors has no effect on lowering CVD morbidity and mortality, concludes a recently published WHO Health Evidence Network (HEN) report. To reduce CVD risks, which are also associated with poorer COVID-19 outcomes, the report proposes some alternative measures for consideration by policy-makers in the WHO European Region.

Cancer and COVID-19: What You Should Know About Increased Risk

<https://health.clevelandclinic.org/cancer-and...> ▾
Apr 06, 2020 · People diagnosed with cancer are at an increased risk of becoming ill with COVID-19. Learn more about why risk is higher and how to stay safe. Information for patients, survivors and families

Life After Cancer - American Cancer Society

<https://www.cancer.org/treatment/survivorship...> ▾

<

Going Back to “Normal”

Learning to Live with Uncertainty

Health Problems

>

You’ve been seeing your cancer care team quite often; now, suddenly, you don’t have to visit for many months at a time. When treatment is done, some people feel like they’re no longer fighting the cancer. Worries can set in. You might feel alone and lost without the support of your cancer care team. These people may have become an important part of your life. Not seeing them might make you anxious and sad.You may also find that going back to your role in the family is not as easy as you thoug...

[See more on cancer.org](#)

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

|

WORK

105,000,000 Results

Any time ▾

Open links in new tab



[Cancer patients are at higher risk of dying from heart ...](#)

<https://www.escardio.org/The-ESC/Press-Office/...> ▾

Nov 25, 2019 · Among the deaths from **CVD**, 76% were due to **heart** disease, and the **risk** of dying from **CVD** was highest in the first year after a **cancer** diagnosis and among **patients** younger than 35 years. The majority of **CVD** deaths occurred in **patients** with cancers of the breast (a total of 60,409 **patients**) and prostate (84,534 **patients**), as these are among the ...

[Cancer survivorship: Cardiovascular and respiratory issues ...](#)

<https://www.uptodate.com/contents/cancer...>

Feb 18, 2020 · **Cancer survivors** with **cardiovascular risk** factors have a higher **risk** of **cardiovascular** disease, and those who develop **cardiovascular** disease have worse survival . **Management** recommendations for **cancer** therapy-induced hypertension — The available medications to treat HTN are described in the Joint National Committee (JNC) guidelines [53].

[How Cancer Treatment and Heart Disease Are Connected](#)

<https://healthblog.uofmhealth.org/heart-health/how...> ▾

Feb 20, 2019 · Which is why **cancer patients** with existing **cardiovascular risk** factors face an even greater **risk** of **heart** attack, stroke or arrhythmia due to the side effects of a given medication. Preventive strategies include a healthy diet, gentle exercise, and quitting smoking — a vice that Hayek says is “the strongest shared **risk** factor between **cancer** ...

PEOPLE ALSO ASK

Can cancer medications pose cardiovascular risks? ▾

Is breast cancer at risk for heart failure? ▾

Can physical activity reduce the risk of breast cancer? ▾

What is cardio oncology? ▾

[Feedback](#)

[Breast cancer and heart disease: Emerging cardio-oncology ...](#)

<https://www.cbcnews.com/news/breast-cancer-and...>