

ALL IMAGES VIDEOS

5,680 Results Any time ▾

Feasibility and reliability of pancreatic cancer staging ...

<https://www.ncbi.nlm.nih.gov/pubmed/19632230>

This study evaluated a new in vivo technique, fiberoptic confocal fluorescence microscopy (FCFM), for detection and staging of pancreatic tumors in rats. METHODS: FCFM was used with a protease-activated fluorescent marker (ProSense; VisEn Medical Inc, Woburn, MA) for in vivo imaging of solid organs (1.8-microm resolution) in a rat model of ...

Cited by: 11

Author: Mihaela Ignat, Marc Aprahamian, Veroniq...

Publish Year: 2009

Pancreas-preserving management of grade-C pancreatic ...

<https://www.sciencedirect.com/science/article/pii/S1743919118305557>

Apr 01, 2018 · The novel bridging technique described in this study appeared to be a simpler alternative to traditional PJ. However, more cases and longer follow-ups are both needed to further validate its safety and feasibility. Conflicts of interest: There are no ...

Cited by: 2

Author: Tao Ma, Xueli Bai, Wen Chen, Guogang L...

Publish Year: 2018

PEOPLE ALSO ASK

What is pancreatic trauma grading system? ▾

What is the grading method for pancreatic injury? ▾

Is pancreatitis a risk factor for cancer? ▾

What is the risk of pancreatic cancer? ▾

[Feedback](#)

Feasibility Study of a Bio-inspired Artificial Pancreas in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4135321>

Sep 01, 2014 · Background: This study assesses proof of concept and safety of a novel bio-inspired artificial pancreas (BiAP) system in adults with type 1 diabetes during fasting, overnight, and postprandial conditions. In contrast to existing glucose controllers in artificial pancreas systems, the BiAP uses a control algorithm based on a mathematical model of β -cell physiology.

Feasibility of bile duct as venous graft for venous ...<https://www.researchgate.net/publication/339656893...>

A 2.5 x 2.5 cm piece of the peritoneum was resected from Landrace pigs weighing 30 to 40 kg and was dipped in 100% alcohol for 10 minutes. The anterior wall of the portal vein measuring 1.2 x 0.6 ...

Feasibility and safety of radiofrequency ablation for ...https://www.researchgate.net/publication/41002222_Feasibility_and_safety_of...

The aim of this study was to assess feasibility and safety of MWA in nonresectable pancreatic head cancer using a new technology of MW with high power (100 W) and frequency of 2,450 MHz.

Laparoscopic Distal Pancreatectomy | Request PDF<https://www.researchgate.net/publication/233535436...>

We evaluated the safety and efficacy of duct-to-mucosa pancreaticogastrostomy for preventing pancreatic fistula development after distal pancreatectomy. ... treatment of pancreatic tumors, traum...

EUS in the evaluation and management of chronic ...<https://www.sciencedirect.com/science/article/pii/S109628830400018X>

Jul 01, 2004 · Francois et al have reported the use of EUS guided pancreaticogastrostomy in such cases.28 EUS examination was performed after ERCP had failed in patients presenting with dilated...

Cited by: 1

Author: Ali Fazel, Peter Draganov

Publish Year: 2004

Pig Pancreas Anatomy: Implications for Pancreas ...<https://journals.lww.com/transplantjournal/Pages/...>

The pancreatic ductal network was traced by differential colored saline infusions in 36 pancreata. Fourteen of the 36 pigs (39%) exhibited ductal communication between the CL and the other two lobes...

Ligation of the pancreatic duct during difficult operative ...<https://www.researchgate.net/publication/8986657...>

Thirty-four Landrace pigs were assigned to either the transpapilar (n = 16) or transection (n = 18) groups. ... study was to assess safety and efficacy of pancreatic duct occlusion (PDO) with ...

Text-Only Report

国内版 国际版

Feasibility and safety of "bridging" pancreaticogastrostomy for panc



ALL

IMAGES

VIDEOS

5,050 Results

Any time ▼

Laparoscopic Distal Pancreatectomy | Request PDF

<https://www.researchgate.net/publication/233535436...>

We evaluated the **safety** and efficacy of duct-to-mucosa **pancreaticogastrostomy** for preventing **pancreatic** fistula development after distal pancreatectomy. ... treatment of **pancreatic** tumors, **trauma**

...

Feasibility of bile duct as venous graft for venous ...

<https://www.researchgate.net/publication/339656893...>

A 2.5 x 2.5 cm piece of the peritoneum was resected from **Landrace** pigs weighing 30 to 40 kg and was dipped in 100% alcohol for 10 minutes. The anterior wall of the portal vein measuring 1.2 x 0.6 ...

Feasibility and safety of radiofrequency ablation for ...

https://www.researchgate.net/publication/41002222_Feasibility_and_safety_of...

The aim of this study was to assess **feasibility** and **safety** of MWA in nonresectable **pancreatic** head cancer using a new technology of MW with high power (100 W) and frequency of 2,450 MH.

EUS in the evaluation and management of chronic ...

<https://www.sciencedirect.com/science/article/pii/S109628830400018X>

Jul 01, 2004 - Francois et al have reported the use of EUS guided **pancreaticogastrostomy** in such cases.28 EUS examination was performed after ERCP had failed in patients presenting with dilated **pancreatic** ducts and a stricture in the **pancreatic** head. A needle was advanced across the gastric wall into the **pancreatic** duct and contrast injected.

Cited by: 1

Author: Ali Fazel, Peter Draganov

Publish Year: 2004

The using of sealants in pancreatic surgery: A Systematic ...

<https://www.sciencedirect.com/science/article/pii/S2049080121001941>

Apr 01, 2021 - 1. Introduction. The most critical determinant of postoperative morbidity and mortality related to **pancreatic** resection is POPF, which is the cause of mortality in 0–5% of patients undergoing **pancreatic** surgery [1,2].It is defined as an abnormal communication between the **pancreatic** ductal epithelium and another epithelial surface containing pancreas-derived enzyme-rich fluid [].

EUS antegrade pancreatography with gastropancreatic duct ...