

ALL IMAGES VIDEOS

44,300 Results Any time

Omalizumab in Severe Refractory Vernal ...

<https://link.springer.com/article/10.1007/s40123-016-0074-2>

Dec 01, 2016 · It has initially been authorized for the treatment of severe asthma. Few case reports suggest its efficacy in VKC and atopic keratoconjunctivitis [15, 16]. The purpose of this study is to report our clinical experience with omalizumab in severe refractory cases of VKC in children, and to review the literature.

Cited by: 14 Author: Serge Doan, Flore Amat, Flore Amat, ...
Publish Year: 2017

A clinical follow-up of omalizumab in routine treatment of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6113766>

Omalizumab is used in the clinical routine to treat severe cases of allergic asthma and chronic urticaria 2. The registered omalizumab dosage is based on the patient serum IgE concentration and the patient body weight and should cross down serum IgE to approximately 10 kIU/l

Omalizumab

Common brand name: Xolair

Omalizumab is used to control and prevent symptoms caused by asthma that is due to year-round allergens.

Precautions

Side Effects Interactions

Warnings

Brand names: Xolair

Clinical efficacy and safety of omalizumab in conventional ...

<https://onlinelibrary.wiley.com/doi/10.1002/lid3.384>

Jan 12, 2021 - Although the efficacy and safety of omalizumab have been assessed in the therapeutic management of IgE-mediated disorders 2-7, literature data on the use of omalizumab in VKC are very sparse. 8-13 Herein, we reported the use of omalizumab in treating conventional treatment-resistant VKC unresponsive in two children. Finally, an overview of ...

Author: Sara Marti, Giuseppe Fabio Parisi, M... Publish Year: 2021

Treating Pink Eye (Conjunctivitis) | CDC

<https://www.cdc.gov/conjunctivitis/about/treatment.html>

Jan 04, 2019 - Most cases of viral conjunctivitis are mild. The infection will usually clear up in 7 to 14 days without treatment and without any long-term consequences. However, in some cases, viral conjunctivitis can take 2 to 3 weeks or more to clear up. A doctor can prescribe antiviral medication to treat more serious forms of conjunctivitis.

Transmission - Causes - Newborns

Omalizumab as a Desensitizing Agent and Treatment in ...

<https://www.sciencedirect.com/science/article/pii/S2213219814001007>

May 01, 2014 - In 2007, the first report of omalizumab improving symptoms in mastocytosis was published. 4 Two patients with biopsy-confirmed systemic mastocytosis and severe unprovoked ...

Am I the most talkative search engine you have ever used?

Say something...

Oma

Common

Omalizumab is used to control and prevent symptoms caused by asthma that is due to year-round allergens.

Precautions

Side Effects Interactions Warnings

Brand names: Xolair

Drug classes: Anti-IgE - Antiasthma

Pregnancy category: Consult a doctor

Availability: Prescription needed

May treat: Hives

People also search for

montelukast

激活 Windows
转到设置以激活 Windows,

Name of Journal: *World Journal of Clinical Pediatrics*

Manuscript NO: 62433

Manuscript Type: EVIDENCE REVIEW

Can Omalizumab be used effectively to treat severe conjunctivitis in children with asthma? A case example and review of the literature.

Omalizumab for conjunctivitis children with asthma

Stephen Doherty, Melissa Mulholland, Michael Shields, Patrick McCrossan

Match Overview

- | | | |
|---|---|----|
| 1 | Internet 28 words
crawled on 12-Jul-2020
docplayer.net | 2% |
| 2 | Internet 12 words
crawled on 05-Aug-2017
www.jstjage.jst.go.jp | 1% |

激活 Windows
转到“设置”以激活 Windows。

Can omalizumab be used effectively to treat severe conjunctivitis in



ALL IMAGES VIDEOS

22,400 Results Any time ▾

Clinical efficacy and safety of omalizumab in conventional ...

<https://onlinelibrary.wiley.com/doi/10.1002/iid3.384>

Jan 12, 2021 - Although the efficacy and safety of omalizumab have been assessed in the therapeutic management of IgE-mediated disorders 2-7; literature data on the use of omalizumab in VKC are very sparse. 8-13 Herein, we reported the use of omalizumab in treating conventional treatment-resistant VKC unresponsive in two children. Finally, an overview of ...

Author: Sara Manti, Giuseppe Fabio Parisi, M... Publish Year: 2021

Treating Pink Eye (Conjunctivitis) | CDC

<https://www.cdc.gov/conjunctivitis/about/treatment.html> ▾

Jan 04, 2019 - However, in some cases, viral conjunctivitis can take 2 to 3 weeks or more to clear up. A doctor can prescribe antiviral medication to treat more serious forms of conjunctivitis. For example, conjunctivitis caused by herpes simplex virus or varicella-zoster virus.

Transmission · Causes · Newborns

PEOPLE ALSO ASK

Which is the best treatment for allergic conjunctivitis? ▾

Is there a link between asthma and Rhino conjunctivitis? ▾

Which is the best treatment for ocular allergies? ▾

What do doctors prescribe for conjunctivitis? ▾

Feedback

Omalizumab as a Desensitizing Agent and Treatment in ...

<https://www.sciencedirect.com/science/article/pii/S2213219814001007>

May 01, 2014 - In 2007, the first report of omalizumab improving symptoms in mastocytosis was published. 4 Two patients with biopsy-confirmed systemic mastocytosis and severe unprovoked episodes of anaphylaxis were reported to improve after initiation of omalizumab therapy. 4 In addition, both patients tolerated the drug well, with only local swelling at the ...

Cited by: 66 Author: Kristin C. Sokol, Aasia Ghazi, Brent C. K...

Publish Year: 2014