

## Match Overview

1	Internet 15 words crawled on 30-Apr-2020 <a href="http://www.ajronline.org">www.ajronline.org</a>	1%
2	Internet 14 words crawled on 07-Jan-2021 <a href="http://idpjournal.biomedcentral.com">idpjournal.biomedcentral.com</a>	1%
3	Internet 12 words crawled on 31-Dec-2012 <a href="http://oncologypro.esmo.org">oncologypro.esmo.org</a>	1%
4	Internet 12 words crawled on 14-Oct-2020 <a href="http://authorea.com">authorea.com</a>	1%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 64082

**Manuscript Type:** CASE REPORT

**Low symptomatic COVID-19 in the elderly patient with follicular lymphoma treated with rituximab-based immunotherapy: A case report**

COVID-19 during oncological treatment with rituximab

### Abstract

#### BACKGROUND

Follicular lymphoma (FL) is an indolent lymphoma that may progress to a highly aggressive form requiring immunochemotherapy (ICHT). Most currently used regimens utilize rituximab, an anti-CD20 monoclonal antibody, which may affect the clinical course of the novel coronavirus (SARS-CoV-2) infections (COVID-19). Here we describe the first case of a mildly manifested COVID-19 during ongoing oncological treatment, without significant deterioration after rituximab administration.





ALL

IMAGES

VIDEOS

32,200 Results

Any time ▼

## 'New normal' may be near as US case counts fall; vaccine ...

<https://www.yahoo.com/now/us-passed-1m-cases-one-080004392.html> ▼

2 days ago · Latest **COVID-19** news. ... ALLO-647 in the most common NHL subtypes of relapsed/refractory diffuse large B-cell **lymphoma** or **follicular lymphoma**. ALLO-501A, a next-generation anti-CD19 AlloCAR T ...

## Determinants of outcome in Covid-19 hospitalized patients ...

<https://www.thelancet.com/journals/eclinm/article/...>

**Lymphoma** had been diagnosed for less than one month before **Covid-19** for three **patients** and two were diagnosed with **lymphoma** concomitantly with **Covid-19**. Within the last 12 months before hospitalization for **Covid-19**, 62 **patients** (70%) received treatment for their **lymphoma**, including anti-CD20 monoclonal antibody for 47 (53%) and bendamustine for ...

Cited by: 10

Author: Sylvain Lamure, Rémy Duléry, Roberta Di Bl...

Publish Year: 2020

## Patients With DLBCL Can Be Treated Successfully Amid ...

<https://www.targetedonc.com/view/patients-with...> ▼

**Lymphopenia**, which has been commonly reported among patients with COVID-19, was observed in 16 **patients** in the study. The patient with COVID-19 had a minimum of  $0.05 \times 10^9$  lymphocytes/L. Half of the patients with **lymphopenia** had been treated with R-mini-CHOP.

## Patterns of seroconversion for SARS-CoV-2 IgG in patients ...

<https://www.nature.com/articles/s43018-021-00191-y>

Mar 22, 2021 · **Patients** with cancer have been identified in several studies to be at high risk of developing severe **COVID-19**; however, rates of SARS-CoV-2 ...



ALL

IMAGES

VIDEOS

31,800 Results

Any time ▾

Open links in new tab



## Patients With DLBCL Can Be Treated Successfully Amid ...

<https://www.targetedonc.com/view/patients-with...> ▾

**Lymphopenia**, which **has** been commonly reported among patients with COVID-19, was observed in 16 **patients** in the study. The patient with COVID-19 had a minimum of  $0.05 \times 10^9$  lymphocytes/L. Half of the patients with **lymphopenia** had been treated with R-mini-CHOP.

## Determinants of outcome in Covid-19 hospitalized patients ...

<https://www.thelancet.com/journals/eclinm/article/...>

**Lymphoma** had been diagnosed for less than one month before **Covid-19** for three **patients** and two were diagnosed with **lymphoma** concomitantly with **Covid-19**. Within the last 12 months before hospitalization for **Covid-19**, 62 **patients** (70%) received treatment for their **lymphoma**, including anti-CD20 monoclonal antibody for 47 (53%) and bendamustine for ...

Cited by: 10

Author: Sylvain Lamure, Rémy Duléry, Roberta Di Bl...

Publish Year: 2020

## COVID-19 vaccine and cancer – latest updates - Cancer ...

<https://scienceblog.cancerresearchuk.org/2021/04/...> ▾

A new study, published in The Lancet Haematology has found that the first dose of a **COVID-19** vaccine triggers an immune response in around 70% of **patients** with myeloma. Researchers at The Institute of Cancer Research (ICR) in London and The Royal Marsden NHS Foundation Trust tested for antibodies against the **COVID-19** virus in 93 people with myeloma.

## UpToDate

<https://www.uptodate.com/contents/initial...>

Autologous hematopoietic cell transplantation in **follicular lymphoma**; **COVID-19**: Cancer screening, diagnosis, post-treatment surveillance in uninfected **patients** during the pandemic and issues related to **COVID-19** vaccination in cancer **patients**; **COVID-19**: Risks for infection, clinical presentation, testing, and approach to infected **patients** with ...

## Immunotherapy for Non-Hodgkin Lymphoma

<https://www.cancer.org/cancer/non-hodgkin-lymphoma/treating/immunotherapy> ▾



Monoclonal Antibodies

Immune Checkpoint Inhibitors

Immunomodulators



Antibodies are proteins made by your immune system to help fight infections. Man-made versions, called monoclonal **antibodies**, can be designed to attack a specific target, such as a substance on the surface of lymphocytes (the cells in which lymphomas start). Several monoclonal antibodies are now used to treat non-Hodgkin lymphoma (NHL).

## Search Tools

Turn off Hover Translation (关闭取词)