

Efficacy and Side Effects of Combined Capecitabine Plus ...

<https://europepmc.org/article/MED/33841549> ▾

Jan 01, 2020 · **Efficacy** and Side Effects of **Combined Capecitabine** Plus Intensity Modulated **Radiotherapy** as an Effective Adjuvant Therapy for **Gastric Cancers** Jie Fu , a, 1 Chun-Yan Wang , b, 1 Chun-Gang Wang , c Hong-Ling Li , a, * Xiao-Jing Yang , a Yi Sun , a Yu-Hui Shao , a Li-Hua Zhang , a Xin-Miao Yang , a and Xiu-Long Zhang a

Author: Jie Fu, Chun-Yan Wang, Chun-Ga... **Publish Year:** 2020

S-1 chemotherapy and intensity-modulated radiotherapy ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5808036>

Feb 06, 2018 · Two large-scale randomised phase III studies, CLASSIC (Adjuvant Chemotherapy Trial of **Capecitabine** Plus Oxaliplatin for **Gastric Cancer**) and ACTS-GC (Adjuvant Chemotherapy Trial of S-1 for **Gastric Cancer**), have demonstrated that adjuvant chemotherapy reduces the risk of relapse and improves overall survival (OS) in **patients** with locally advanced **gastric cancer** after D2 lymph node dissection ...

Cited by: 7 **Author:** X Wang, D B Zhao, L Yang, Y Chi, Y ...

Publish Year: 2018

A retrospective study on intensity-modulated radiation ...

<https://www.spandidos-publications.com/10.3892/mco.2016.804> ▾

To evaluate the **efficacy** of IMRT **combined** with concurrent chemotherapy following D2 radical surgery for **gastric** carcinoma and investigate the clinical value of its combination with different chemotherapies, we conducted a study including 102 **patients** who had received IMRT **combined** with concurrent chemotherapy with intravenous infusion of fluorouracil (F-CRT) or oral **capecitabine** (C-CRT) following D2 radical surgery for **gastric** ...

Cited by: 3 **Author:** Wenguang Luo, Hongyan Zhang, Yuf...

Publish Year: 2016

S-1 chemotherapy and intensity-modulated radiotherapy ...

<https://www.nature.com/articles/bjc2017424>

Dec 12, 2017 · Wang, X., Zhao, D., Yang, L. et al. S-1 chemotherapy and intensity-modulated radiotherapy after D1/D2 lymph node dissection in **patients** with **node-positive gastric**

ALL

IMAGES

VIDEOS

5,560 Results

Any time ▾

Intensity-modulated radiotherapy combined with ...

<https://link.springer.com/article/10.1007/s00432-011-1085-y> ▾

Nov 22, 2011 · The purpose of the current study is to evaluate the **efficacy** and complications of concurrent chemoradiotherapy (CCRT) for the treatment of **gastric cancer patients after D1/D2 surgery**. Sixty-eight untreated **gastric cancer patients** (T3/T4 and/or N+) were enrolled. **After** surgery, they were randomized into two groups: the CCRT group and the single chemotherapy group.

Author: Changhua YuRen, YuWeiguo Zhu, Yaqi ... **Publish Year:** 2012**Estimated Reading Time:** 9 mins

S-1 chemotherapy and intensity-modulated radiotherapy ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5808036>

Feb 06, 2018 · The results of the present study suggest that ACRT with oral S-1 and 45 Gy IMRT had acceptable safety and **efficacy in patients** with locally advanced **node-positive gastric cancer after** radical gastrectomy and **D1/D2 LND**. The RD of oral S-1 was determined to be 80 mg m⁻² day⁻¹ on **radiotherapy days**.

Cited by: 8**Author:** X Wang, D B Zhao, L Yang, Y Chi, Y Tang, N ...**Publish Year:** 2018

Efficacy and safety of intensity-modulated radiation ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6532249>

May 22, 2019 · Background. **Gastric cancer** is a major cause of **cancer-associated mortality** worldwide [1]. Nearly half of the worldwide **gastric cancer** cases and deaths occur in China [1, 2]. As reported by the GLOBOCAN 2012, approximately one million new **gastric cancer** cases and more than 700,000 **cancer-related deaths** occurred globally in 2012 [1]. The treatment strategy for **gastric cancer** is still ...

Cited by: 6**Author:** Fang Ren, Shaodan Li, Yin Zhang, Zhifei Zh...**Publish Year:** 2019

Phase I study of postoperative radiotherapy combined with ...


<https://europepmc.org/article/PMC/PMC3921531> ▾

Jan 01, 2014 · The 5-fluorouracil (5FU) analog, **capecitabine**, has been widely used for **gastric cancer** treatment and is comparable to the widely used drug, 5FU. The use of intensity modulated **radiotherapy** (IMRT) is also known to be superior to standard **radiotherapy**, but the **combined** use of both **capecitabine**

14 Jul 2024 01:44:09

1870 words • 7 matches • 1 issue

Find

 iThenticate

66656_Auto_Edited - IT check.docx

Quoted Excluded
Bibliography Excluded
76%

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 66656

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Efficacy and toxicity of capecitabine combined with intensity-modulated radiotherapy after D1/D2 Lymph node dissection in patients with gastric cancer

Chemoradiotherapy for gastric cancer

Xin Wang, Wei-Hu Wang, Shu-Lian Wang, Yong-Wen Song, Yue-Ping Liu, Yuan Tang, Ning Li, Wen-Yang Liu, Hui Fang, Ye-Xiong Li, Dong-Bing Zhao, Yihehui Chi, Lin Yang, Jing Jin

Match Overview

Match 3 of 7

1


Referenced: 2024 words
checked on 14-Jul-2024
www.i-thenticate.com

69%

14 Jul 2024 01:44:09

1870 words • 7 matches • 1 issue

Find

 iThenticate

66656_Auto_Edited - IT check.docx

Quoted Excluded
Bibliography Excluded
76%

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 66656

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Efficacy and toxicity of capecitabine combined with intensity-modulated radiotherapy after D1/D2 Lymph node dissection in patients with gastric cancer

Chemoradiotherapy for gastric cancer

Xin Wang, Wei-Hu Wang, Shu-Lian Wang, Yong-Wen Song, Yue-Ping Liu, Yuan Tang, Ning Li, Wen-Yang Liu, Hui Fang, Ye-Xiong Li, Dong-Bing Zhao, Yihehui Chi, Lin Yang, Jing Jin

Match Overview

Match 3 of 7

1


Referenced: 2024 words
checked on 14-Jul-2024
www.i-thenticate.com

69%

14 Jul 2024 01:44:09

1870 words • 7 matches • 1 issue

Find

 iThenticate

66656_Auto_Edited - IT check.docx

Quoted Excluded
Bibliography Excluded
76%

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 66656

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Efficacy and toxicity of capecitabine combined with intensity-modulated radiotherapy after D1/D2 Lymph node dissection in patients with gastric cancer

Chemoradiotherapy for gastric cancer

Xin Wang, Wei-Hu Wang, Shu-Lian Wang, Yong-Wen Song, Yue-Ping Liu, Yuan Tang, Ning Li, Wen-Yang Liu, Hui Fang, Ye-Xiong Li, Dong-Bing Zhao, Yihehui Chi, Lin Yang, Jing Jin

Match Overview

Match 3 of 7

1

Referenced: 2024 words
checked on 14-Jul-2024
www.i-thenticate.com

69%

国内版

国际版

Efficacy and toxicity of capecitabine combined with intensity-modu



ALL

IMAGES

VIDEOS

10,400 Results

Any time ▾

S-1 chemotherapy and intensity-modulated radiotherapy ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5808036>

Feb 06, 2018 · Two large-scale randomised phase III studies, CLASSIC (Adjuvant Chemotherapy Trial of Capecitabine Plus Oxaliplatin for Gastric Cancer) and ACTS-GC (Adjuvant Chemotherapy Trial of S-1 for Gastric Cancer), have demonstrated that adjuvant chemotherapy reduces the risk of relapse and improves overall survival (OS) in patients with locally advanced gastric cancer after D2 lymph node dissection ...

Cited by: 9

Author: X Wang, D B Zhao, L Yang, Y Chi, Y Tan...

Publish Year: 2018

Intensity-modulated radiotherapy combined with ...

<https://link.springer.com/article/10.1007/s00432-011-1085-y> ▾

Nov 22, 2011 · Background The purpose of the current study is to evaluate the efficacy and complications of concurrent chemoradiotherapy (CCRT) for the treatment of gastric cancer patients after D1/D2 surgery. Methods Sixty-eight untreated gastric cancer patients (T3/T4 and/or N+) were enrolled. After surgery, they were randomized into two groups: the CCRT group and the single ...

Author: Changhua YuRen, YuWeiguo Zhu, Ya...

Publish Year: 2012

Estimated Reading Time: 9 mins

Efficacy and Safety of Neoadjuvant Intensity-Modulated ...

<https://www.researchgate.net/publication/270909413...>

The objective of this study was to retrospectively review the efficacy, toxicity, and surgical complications following intensity-modulated radiotherapy in patients who have rectal cancer ...

S-1 chemotherapy and intensity-modulated radiotherapy ...

<https://www.nature.com/articles/bjc2017424>

Dec 12, 2017 · Wang, X., Zhao, D., Yang, L. et al. S-1 chemotherapy and intensity-modulated radiotherapy after D1/D2 lymph node dissection in patients with node-positive gastric cancer: a ...

Cited by: 9

Author: X Wang, D B Zhao, L Yang, Y Chi, Y Tan...

Publish Year: 2018

(PDF) S-1 chemotherapy and intensity-modulated ...

<https://www.researchgate.net/publication/321762023...>