

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA **Telephone:** +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com https://www.wjgnet.com

PEER-REVIEW REPORT

Name of journal: World Journal of Orthopedics

Manuscript NO: 67519

Title: Should We Use Similar Perioperative Protocols in Patients Undergoing Unilateral

and Bilateral One-stage Total Knee Arthroplasty?

Provenance and peer review: Invited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05400589 Position: Peer Reviewer Academic degree: MD, PhD

Professional title: Assistant Professor, Chief Doctor, Postdoc

Reviewer's Country/Territory: China

Author's Country/Territory: Thailand

Manuscript submission date: 2021-04-28

Reviewer chosen by: Jin-Lei Wang

Reviewer accepted review: 2021-08-02 14:52

Reviewer performed review: 2021-08-12 08:05

Review time: 9 Days and 17 Hours

Scientific quality	[] Grade A: Excellent [Y] Grade B: Very good [] Grade C: Good [] Grade D: Fair [] Grade E: Do not publish
Language quality	[] Grade A: Priority publishing [Y] Grade B: Minor language polishing [] Grade C: A great deal of language polishing [] Grade D: Rejection
Conclusion	[] Accept (High priority) [Y] Accept (General priority) [] Minor revision [] Major revision [] Rejection
Re-review	[Y]Yes []No



Baishideng Baishideng Publishing

7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA

Telephone: +1-925-399-1568 **E-mail:** bpgoffice@wjgnet.com

https://www.wjgnet.com

Peer-reviewer

Peer-Review: [Y] Anonymous [] Onymous

statements Conflicts-of-Interest: [] Yes [Y] No

SPECIFIC COMMENTS TO AUTHORS

General Comments This manuscript title is "Should We Use Similar Perioperative Protocols in Patients Undergoing Unilateral and Bilateral One-stage Total Knee Arthroplasty?". This is an interesting and meaningful topic. Bilateral one stage TKA is also controversial, which usually brings greater impact and more complications to patients. Careful perioperative management is very important for the success of TKA. In this study, BTKA patients showed higher transfusion rate, higher pain and longer LOS. To some extent, this reminds orthopedics surgeons of the need for more extensive perioperative management of BTKA patients. After minor revision, the article is acceptable. Below is a list of my comments. Abstract: Line 13-18: it should be more clearly explained. Line 26: Authors need to spell out acronym first time in use. Introduction The statement is okay. Materials and methods Line 88:What is the process of inclusion and exclusion? Discussion In general, the discussion part is appropriate, and the demonstration of the results of this research is substantial.