

Assessment of bioelectrical phase angle as a predictor of ...

<https://www.sciencedirect.com/science/article/pii/S0261561419302791>

Jul 04, 2019 · The assessment of body composition should be used for identifying malnutrition in patients with Crohn's Disease. • Bioelectrical phase angle provides crucial information on cellular health and soft tissue hydration. • Phase angle values decreased with increasing disease activity, resulting a valid indicator of nutritional status.

Cited by: 9 Author: Iolanda Cioffi, Maurizio Marra, Nicola Imper...
Publish Year: 2020

Bioelectrical Impedance Phase Angle as an Indicator of ...

<https://www.mdpi.com/2072-6643/10/4/499/htm> ▾

The phase angle (PhA) seems to be a reliable screening tool for the identification of malnutrition risk in hospitalized children with inflammatory bowel disease (IBD).

Cited by: 9 Author: Paweł Więch, Mariusz Dąbrowski, Dariusz ...
Publish Year: 2018 Estimated Reading Time: 10 mins

Determinants of bioelectrical phase angle in disease ...

<https://www.cambridge.org/core/journals/british-journal-of-nutrition/article/...> ▾

Sep 28, 2011 · Phase angle (PhA), a parameter of bioelectrical impedance analysis, is a well-known predictor of morbidity and mortality in various diseases. The causes of decreased PhA are, however, not yet completely understood. We therefore investigated determinants of PhA in 777 hospitalised patients in a retrospective analysis.

Cited by: 119 Author: Nicole Stobäus, Matthias Pirlich, Luzia Vale...
Publish Year: 2012

国内版

国际版



Phase angle through electrical bioimpedance as a predictor of cell



ALL IMAGES VIDEOS

1,780 Results Any time ▾

Assessment of bioelectrical phase angle as a predictor of ...

<https://www.sciencedirect.com/science/article/pii/S0261561419302791>

Jul 04, 2019 · The assessment of body composition should be used for identifying malnutrition in patients with Crohn's Disease. • **Bioelectrical phase angle** provides crucial information on cellular health and soft tissue hydration. • **Phase angle** values decreased with increasing disease activity, resulting a valid indicator of nutritional status.

Cited by: 10

Author: Iolanda Cioffi, Maurizio Marra, Nicola Imper...

Publish Year: 2020

Bioelectrical Impedance Phase Angle as an Indicator of ...

<https://www.mdpi.com/2072-6643/10/4/499/htm>

The **phase angle** (PhA) seems to be a reliable screening tool for the identification of malnutrition risk in hospitalized children with **inflammatory bowel disease** (IBD). The aim of the present study was to assess the body composition and nutritional status of hospitalized children and adolescents with IBD by using bioelectrical impedance analysis (BIA) with **phase angle** (PhA) calculation, which ...

Cited by: 9

Author: Paweł Więch, Mariusz Dąbrowski, Dariusz ...

Publish Year: 2018 Estimated Reading Time: 9 mins

Phase Angle From Bioelectrical Impedance for the ...

[https://www.cghjournal.org/article/S1542-3565\(20\)31225-8/fulltext](https://www.cghjournal.org/article/S1542-3565(20)31225-8/fulltext)

Sep 01, 2020 · **Phase angle** (PhA) is a nutritional marker obtained from **bioelectrical impedance** analysis (BIA). BIA is a safe, low-cost method that is practical, portable, and does not expose patients to radiation. 16 All BIA tests are based on the principle of opposition from body tissues to a low-intensity alternate electrical current.

Cited by: 6


Author: Astrid Ruiz-Margáin, Jesse J. Xie, Berenice ...

Publish Year: 2020

21-Jul-2021 05:33PM

4989 words • 31 matches • 16 sources

FAQ

iThenticate®

68621-Review-check.docx

Quotes Excluded
Bibliography Excluded

12%
Similarity

Name of Journal: *Artificial Intelligence in Gastroenterology*

Manuscript NO: 68621

Manuscript Type: MINIREVIEWS

Phase angle through electrical bioimpedance as a predictor of cellularity in inflammatory bowel disease

Inflammatory bowel disease and phase angle

Sabrina Alves Fernandes, Carina Rossoni, Vivian Winter Koch, Marcello Imbrizi, Rosana Evangelista-Poderoso, Leticia Pereira Pinto, Daniela Oliveira Magro

Match Overview

1	Internet 89 words crawled on 12-Nov-2020 www.hindawi.com	2%
2	Crossref 85 words Iolanda Crosti, Maurizio Marra, Nicola Imperatore, Maria Carmen Pagano et al. "Assessment of bioelectrical phase a	2%
3	Crossref 84 words "Biomarkers in Liver Disease", Springer Science and Business Media LLC, 2017	2%
4	Internet 74 words crawled on 02-Nov-2016 www.wjnet.com	1%
5	Internet 63 words crawled on 04-Apr-2020 www.mdpi.com	1%
6	Crossref 56 words Andressa Cezila Geste, Mylena Alves Santos, Rafaela Siqueira de Oliveira, Juliana Souza de Oliveira et al. "The use o	1%

PAGE: 1 OF 16

Text-Only Report

国内版

国际版

Phase angle through electrical bioimpedance as a predictor of cell



ALL

IMAGES

VIDEOS

1,800 Results

Any time ▾

Assessment of bioelectrical phase angle as a predictor of ...

<https://www.sciencedirect.com/science/article/pii/S0261561419302791>

Jul 04, 2019 · The assessment of body composition should be used for identifying malnutrition in patients with Crohn's Disease. • Bioelectrical phase angle provides crucial information on cellular health and soft tissue hydration. • Phase angle values decreased with increasing disease activity, resulting a valid indicator of nutritional status.

Cited by: 10

Author: Iolanda Cioffi, Maurizio Marra, Nicola Imp...

Publish Year: 2020

Phase Angle From Bioelectrical Impedance for the ...

[https://www.cghjournal.org/article/S1542-3565\(20\)31225-8/fulltext](https://www.cghjournal.org/article/S1542-3565(20)31225-8/fulltext)

Sep 01, 2020 · Phase angle (PhA) is a nutritional marker obtained from bioelectrical impedance analysis (BIA). BIA is a safe, low-cost method that is practical, portable, and does not expose patients to radiation. 16 All BIA tests are based on the principle of opposition from body tissues to a low-intensity alternate electrical current.

Cited by: 6

Author: Astrid Ruiz-Margáin, Jesse J. Xie, Bereni...

Publish Year: 2020

Reference values for the phase angle of the electrical ...

<https://www.sciencedirect.com/science/article/pii/S0261561419302869>

May 01, 2020 · The bioimpedance phase angle has been considered as an important predictor of health status in different clinical situations. It is obtained through the relationship between direct measures of resistance (R) and reactance (Xc) from bioelectrical impedance analysis.

Cited by: 13

Author: Rita Mattiello, Rita Mattiello, Mariana Aza...

Publish Year: 2020

Usefulness of bioelectrical impedance analysis and ECW ...

<https://www.nature.com/articles/s41598-021-91819-7>

Jun 09, 2021 · The phase angle of the BIA parameters is an indicator that reflects the health condition of cells or cell membranes and can be used as a nutritional indicator.

Author: Yoon Ji Chung, Eun Young Kim Publish Year: 2021